

The 99th ISIJ Meeting Programme

Poster Sessions

— IRONMAKING —

April 5, 1980, 10:00~12:00

- 1 Observation of reduction reaction of molten iron ore by X-ray transmission apparatus.
Fumitaka Tsukihashi, *et al.* S 1
- 2 Multi-stage diffusional model for the gaseous reduction of hematite pellets in
consideration of the solid-state diffusion. Masaaki Naito, *et al.* S 2
- 3 Production of reduced iron by model plant of shaft furnace. (Study on producing
reduced iron by shaft furnace—III). Yosio Kimura, *et al.* S 3
- 4 The gas flow and melting zone formation after blown-in of the Ohgishima 2 BF of Nippon
Kokan K. K. Atsushi Yamaguchi, *et al.* S 4
- 5 Development continuous measuring equipment of heat pattern in sintering bed.
(Studies of heat pattern in sintering bed—I). Syunzi Yasumoto, *et al.* S 5
- Presumption of heat pattern in sintering bed. (Studies of heat pattern in sintering
bed—II). Kazuo Kimura, *et al.* S 6
- 6 Prediction of the coke strength on the basis of the petrographic analysis. Masashi
Ogawa, *et al.* S 7

— STEELMAKING —

April 4, 1980 10:00~12:00

- 7 Study on the pretreatment of hot metal by sodium carbonate flux.
Yoshiyasu Shirota, *et al.* S 8
- 8 On the operation of slag minimum refining process by desiliconization of hot metal.
(Development of the slag minimum process—V). Shingo Satoh, *et al.* S 9
- 9 Effect of P_2O_5 addition on molten slag containing iron oxide.
Shigeta Hara, *et al.* S 10
- 10 Characteristics of refining and operation in Q-BOP. Hajime Bada, *et al.* S 11
- 11 The fundamental study of the behavior of gas jet in injection metallurgy.
Yasuhisa Ozawa, *et al.* S 12
- 12 Ladle refining process at Kobe Steel Ltd. Jiro Koarai, *et al.* S 13
- 13 On the development of the characteristic refining technique by VAD process.
Yoshihiko Kawai, *et al.* S 14

— FABRICATION —

April 5, 1980 13:30~15:30

- 14 Fundamental characteristics of universal mill rolling of H-shapes.
Ichiro Nakauchi, *et al.* S 15
- 15 Study on continuous rolling of sheet piling. Mikio Sasada, *et al.* S 16
- 16 Experimental study of strip width control by edger with calibre roll.
Ruichi Ozono, *et al.* S 17
- 17 One method of preventing fish-tail growth during heavy width rolling
with horizontal crown roll. Nobuhiro Tazoe, *et al.* S 18
- 18 Calculation of deformation efficiency in two dimensional rolling of perfect

- rigid-plastic body. Hiroshi Sakuta, *et al.* S 19
- 19 Repassivation potentials as crevice characteristics for various gaskets/metal crevices of Type 316 steel in 3%NaCl solution. Shigeo Tsujikawa, *et al.* S 20

— PROPERTIES —

April 4, 1980 13:30~15:30

- 20 Observation of precipitates in steel by speed method. Isamu Taguchi, *et al.* S 21
- 21 Examination of protectiveness of scale formed in high temperature oxidation by sulfur decoration method. Yuji Ikeda, *et al.* S 22
- 22 Test methods for vanadium pentoxide attack of ferritic heat resisting steels. Ohmi Miyagawa, *et al.* S 23
- 23 Comparison of various intergranular corrosion test methods for stainless steel. Koichiro Osozawa, *et al.* S 24
- 24 On the comparison of the elastic-plastic fracture toughness (J_{IC}) test methods. Akira Tooyama, *et al.* S 25
- 25 Fracture-mechanism map at high temperature for Cr-Mo-V steel. Norio Shin-ya, *et al.* S 26
- 26 Microstructure of the long term creep-ruptured 12Cr heat resisting steels. Ik-Min Park, *et al.* S 27
- 27 Changes in morphology of voids and cracks with high temperature creep determination of 25Cr-35Ni steel. Hideo Tanaka, *et al.* S 28

Paper Presentation

— IRONMAKING —

April 3, 1980

- 1 On the burden profile meter of the blast furnace. Keiichi Akimoto, *et al.* S 29
- 2 Application of burden distribution in a scale model test. Kenichi Okimoto, *et al.* S 30
- 3 Movable armor at Amagasaki No. 1 blast furnace, Kobe Steel, Ltd.
Masahiro Murakami, *et al.* S 31
- 4 Burden and gas distribution under conditions of high sinter ratio in the blast furnace.
Tatsuro Ariyama, *et al.* S 32
- 5 Control of burden distribution in the blast furnace making foundry pig iron.
Kōiti Takatani, *et al.* S 33
- 6 The burden distribution of Ohgishima No. 1 BF, Nippon Kokan K. K.
Yutaka Yamada, *et al.* S 34
- 7 Study on solid materials taken from the middle part of the blast furnace shaft.
Shigeki Sasahara, *et al.* S 35
- 8 Gas velocity measurement at blast furnace top. Takao Miyazaki, *et al.* S 36
- 9 On the gas sampler equipped at the middle height of Mizushima No. 4 BF,
Kawasaki Steel Corp. Yoshikazu Senoo, *et al.* S 37
- 10 Measurement of condition in the blast furnace by feeding type vertical probe.
(Measurement of cohesive zone in the blast furnace—I). Kazumasa Wakimoto, *et al.* ... S 38
- 11 Study on the properties of manganiferous iron ore occurring in Thai Nguyen, Vietnam,
from the view point of raw material engineering. Yuichi Suenaga, *et al.* S 39
- 12 The improvement of degradation property in reduction of sinter by heat
treatment. Masato Kawano, *et al.* S 40
- 13 Structural observations of sinter, pellets during reduction under load test.
(The study on the high temperature properties of blast furnace burdens—III).
Hirohisa Hotta, *et al.* S 41
- 14 The effect of the property of sintered ore by MgO source addition.
Kazuhiro Yamamoto, *et al.* S 42
- 15 The effect of MgO added sinferon high temperature property. (The effect of
the high temperature property of blast furnace burden—I).
Kazuhiro Yamamoto, *et al.* S 43
- 16 Influence of various additions on sinter qualities. Hiroshi Kanayama, *et al.* S 44
- 17 Mineral phases and reducing properties of dolomite-fluxed pellet.
Tsutomu Ikeda, *et al.* S 45
- 18 High temperature properties of commercial dolomite-fluxed pellets.
Osamu Tsuchiya, *et al.* S 46
- 19 Effect of MgO on the reduction of pellets at 900 °C. (Development of the
acid pellets added magnesite—III). Takeshi Sugiyama, *et al.* S 47
- 20 Reduction behavior of pellets made from coarser iron concent rate.
Masao Shirieda, *et al.* S 48
- 21 Activity measurement of ferrous oxide in molten BF slags by electrochemical method.
Toshiaki Arato, *et al.* S 49
- 22 Measurement of interdiffusion coefficient of calcium in wustite.
Yasuo Konishi, *et al.* S 50
- 23 Measurement of rate parameters in the rate equation for the reduction of iron
oxide pellet with hydrogen. Masahiro Ishigaki, *et al.* S 51
- 24 The countercurrent reduction of iron ore in a fluidized rotary bed with

	multi-room reactor in hydrogen. Kazuhiko Kobayashi, <i>et al.</i>	S 52
25	Scale effect of reactor on powder iron ore reduction under hydrogen high pressure. Yoshikazu Suzuki, <i>et al.</i>	S 53
26	Analysis of rate of reduction of porous wustite pellets with hydrogen on the basis of zone-reaction models. Eiji Yamamura, <i>et al.</i>	S 54
27	Effect of slag and porosity upon the rate of reduction of single iron-oxide pellets. Masaaki Naitō, <i>et al.</i>	S 55
28	Experimental study of diffusion through a porous disk under pulsating flow. Tateo Usui, <i>et al.</i>	S 56
29	Analysis of step-wise reduction of hematite pellets with CO-CO ₂ gas mixtures by Ishida-Wen's model. Takeaki Murayama, <i>et al.</i>	S 57
30	Effects of dilution gas on the gaseous reduction of wustite pellets. Takashi Yoshihara, <i>et al.</i>	S 58

April 4, 1980

31	Experimental study on cohesive zone in blast furnace with hot model. Yoshiaki Hara, <i>et al.</i>	S 59
32	Effect of unstable cohesive layers, wear of refractory and scaffold on the distribution of gas flow through coke slits. Yoshitaka Nomiya, <i>et al.</i>	S 60
33	The melt-down properties of burdens and their influences on blast furnace operations. Teruhisa Shimoda, <i>et al.</i>	S 61
34	Conditions for scale-up for the race way size of cold model to that of blast furnaces and combustion models. Tsuyoshi Fukutake, <i>et al.</i>	S 62
35	Analysis of coke behavior in raceway using endoscope and high speed camera. Michiru Nakagome, <i>et al.</i>	S 63
36	Combustion of pulverized coal in experimental furnace. (Injection of pulverized coal into the blast furnace—I). Yoshikazu Seki, <i>et al.</i>	S 64
37	Estimation method of sulphur content in hot metal and desulphurization effects of blast furnace operating factors. Kenji Tamura, <i>et al.</i>	S 65
38	Effect of slag basicity on SiO generation from blast furnace-type slag. Mitsuo Sumito, <i>et al.</i>	S 66
39	SiO gas generation from synthetic blast furnace slag by H ₂ . Masahiro Hashimoto, <i>et al.</i>	S 67
40	Studies on the assessment of coke strength. Mamoru Yanagiuchi, <i>et al.</i>	S 68
41	Effect of grain size structure of coal charge on coke strength. Hidetaka Suginohe, <i>et al.</i>	S 69
42	Relations between coking rate of coke oven and qualities of coke as well as by-products. Kazuyuki Yamamura, <i>et al.</i>	S 70
43	Studies on the test method for plastic property of coals by the Gieseler Plastometer. Noriaki Oshiguri, <i>et al.</i>	S 71
44	Mathematical simulation of heat transfer in coalification. Koichi Arai, <i>et al.</i>	S 72
45	Coal briquetting for formed coke. (New development of formed coke process by two-stage heating—V). Masami Ishihara, <i>et al.</i>	S 73
46	Relation between the behavior of race-way and production rate in view of properties of blast furnace coke around the tuyere. (Study on the behavior blast furnace coke around the tuyere—III) Hiroshi Haraguchi, <i>et al.</i>	S 74
47	Application of SRC for making blast furnace coke. Tetsu Nishi, <i>et al.</i>	S 75
48	ESR study on the formation of coke texture. Mitsuhiro Sakawa, <i>et al.</i>	S 76
49	Reduction of molten iron oxide containing phosphorous oxide under liquid and solid coexistent states. Makoto Uehara, <i>et al.</i>	S 77

50	Reduction of FeO in molten CaO-SiO ₂ -FeO(80%)slag by H ₂ -Ar plasma. Kōji Kamiya, <i>et al.</i>	S 78
51	Influence of sulfur and phosphorus on the dissolution rate of graphite into Fe-C alloy. Yoshihito Shigeno, <i>et al.</i>	S 79
52	Investigation of heat transfer characteristics in packed beds of sintered ore. (On the heat recovery from sinter cooler—I). Michiharu Hariki, <i>et al.</i>	S 80
53	Operation of waste heat recovery boiler at sinter cooler. (On the heat recovery from sinter cooler—II). Kenji Kitamura, <i>et al.</i>	S 81
54	Effect of quick lime addition on the granulation of fine ores and on the sintering process. Yukihiro Hida, <i>et al.</i>	S 82
55	New technique for sinter FeO determination. E. J. Bagnall, <i>et al.</i>	S 83
56	Sinter production and its quality of Philippine Sinter Corporation. Takashi Ooshima, <i>et al.</i>	S 84
57	The latest operation of Ohgishima No. 1 sintering plant, Nippon Kokan K. K. Katsuhiko Takemoto, <i>et al.</i>	S 85
58	On the segregation feeding by air at Sakai DL. Seita Uekawa, <i>et al.</i>	S 86
59	Segregation of sintering mix in it's feeding. Seichi Isozaki, <i>et al.</i>	S 87

April 5, 1980

60	Influences of slag properties and slag flow conditions in the dropping zone on the alkali removal by the slag from a blast furnace. Tsuyoshi Fukutake, <i>et al.</i>	S 88
61	Investigation of gas-liquid flow in the lower part of blast furnace by two dimen- sional cold model. (Study of liquid flow in the dropping zone of blast furnace—II). Kunihiro Kondo, <i>et al.</i>	S 89
62	Investigation of gas-liquid flow in the lower part of blast furnace by mathematical model. (Study of liquid flow in the dropping zone of blast furnace—III). Kunihiro Kondo, <i>et al.</i>	S 90
63	Fundamental study on solid flow in the lower part of blast furnace. Yoshimasa Kajiwara, <i>et al.</i>	S 91
64	Two dimensional gas flow in blast furnace considered the fused zone. Takashi Sugiyama, <i>et al.</i>	S 92
65	Theoretical analysis on the heat transfer in the top region of blast furnace. Shinji Takane, <i>et al.</i>	S 93
66	Experimental study on the heat transfer in the blast furnace hearth. Masaharu Tachimori, <i>et al.</i>	S 94
67	Heat transfer analysis of hot stoves. Tsutomu Tanaka, <i>et al.</i>	S 95
68	On the blast furnace operation control using statistical method. Mitsuo Kanbe, <i>et al.</i>	S 96
69	Low flow range control of tar injection into the blast furnace. Fumio Itō, <i>et al.</i>	S 97
70	On the relining and operation of No. 2 blast furnace at Oita Works, Nippon Steel Corp. Junji Misawa, <i>et al.</i>	S 98
71	On the ultra high top pressure operation of No. 2 blast furnace at Oita Works, Nippon Steel Corp. Norio Morishita, <i>et al.</i>	S 99
72	Blast Furnace at Sakai Works, Nippon Steel Corp. Toshio Takahashi, <i>et al.</i>	S 100
73	Production of foundry pig iron at Nakayama No. 1 BF. Masayuki Fukui, <i>et al.</i>	S 101
74	The operation of Chiba No. 6 blast furnace, Kawasaki Steel Corp. with high agglomerated ore ratio. Toshinori Minakawa, <i>et al.</i>	S 102
75	The operation of Chiba No. 6 blast furnace, Kawasaki Steel Corp. with high gas utilization ratio. Takanari Kawai, <i>et al.</i>	S 103
76	The effect of Alkalies on blast furnace operation. Kimio Kato, <i>et al.</i>	S 104
77	Construction and Operation of Ohgishima No. 2 BF, Nippon Kokan, K. K.	

	Bungo Iino, <i>et al.</i>	S 105
78	The top gas pressure recovery turbine at Fukuyama No. 5 blast furnace, Nippon Kokan K. K. Hideaki Inoue.	S 106
79	Operation of top gas pressure recovery turbine of No. 5 blast furnace at Wakayama Steel Works, Sumitomo Metal Industries, Ltd. Akiyoshi Kometani, <i>et al.</i>	S 107
80	Investigation of damage in the blast furnace mantle. Toshinori Yokomaku, <i>et al.</i>	S 108
81	Blast furnace cast house emission capture by retractable hood. Masami Yokoi, <i>et al.</i>	S 109
82	A casting method of the blast furnace main runner materials. Masamitsu Baba, <i>et al.</i>	S 110
83	Air preheater of hot stove for Ohgishima No. 2 BF. Nippon Kokan K. K. Masaro Izumi, <i>et al.</i>	S 111
84	Waste heat recovery equipment from hot stove at No. 4 blast furnace, Kimitsu Works, Nippon Steel Corp. Chiaki Minochi, <i>et al.</i>	S 112
85	Waste heat recovery system at Sakai No. 1 blast furnace hot stoves, Nippon Steel Corp. Tadashi Yamagiwa, <i>et al.</i>	S 113
86	Dissection of Si-Mn electric furnace and their inside state. Kazuo Yamagishi, <i>et al.</i>	S 114
87	Studies on the crystallization of BF slags. Masataka Eida, <i>et al.</i>	S 115
88	The pore formation of air-cooled blast furnace slag. Eiji Futamura, <i>et al.</i>	S 116
89	Alkaline corrosion test of three phase glass and blast furnace slag. (Studies on the utilization of blast furnace—I). Akimitsu Ōkura, <i>et al.</i>	S 117
90	Strength of production glass fiber from blast furnace slag. (Studies on the utilization of blast furnace). Akimitsu Ōkura, <i>et al.</i>	S 118
91	Cause of bloating granulated blast furnace slag. Takero Ito, <i>et al.</i>	S 119
92	Conversion of sulfide in iron blast furnace slag into insoluble compound with an addition of copper smelting slag. Masayuki Yamagiwa, <i>et al.</i>	S 120
93	Extraordinary corrosion of runner material at slag-metal interface. Jyouki Yoshitomi, <i>et al.</i>	S 121
94	Acoustic emission characteristics of silica brick. Kazuo Fujisawa, <i>et al.</i>	S 122
95	Control and wear of the hearth of Kure No. 2 blast furnace (2nd campaign), Nisshin Steel Co., Ltd. Yasutsugu Yamada, <i>et al.</i>	S 123
96	Wear of the hearth refractory of Kakogawa No. 2 blast furnace, Kobe Steel, Ltd. Ken-ichiro Uemura, <i>et al.</i>	S 124

— STEELMAKING —

April 3, 1980

- 97 The operation progress of VAD. Syōgo Kimiya, *et al.* S 125
- 98 Development on the continuous vacuum degassing apparatus.
Hirofumi Furukawa, *et al.* S 126
- 99 Preliminary study on ladle refining of molten steel by jet mixing.
(Development of quick ladle refining of molten steel—I). Tetsuya Fujii, *et al.* S 127
- 100 Plant scale experiments on ladle refining of molten steel by jet mixing.
(Development of quick ladle refining of molten steel—II). Tetsuya Fujii, *et al.* S 128
- 101 The circulation rate of RH process by water model experiment. Tokio Kato, *et al.* S 129
- 102 Circulating flow rate of molten steel in RH degassing process.
Norio Sumida, *et al.* S 130
- 103 Desulphurization and deoxidation of steel by addition of CaO-CaF₂
powder in RH process. Yoshimasa Mizukami, *et al.* S 131
- 104 Mechanical properties and weldability of desulphurized and deoxidated
steel by addition CaO-CaF₂ powder in RH process. Yukio Tomita, *et al.* S 132
- 105 Consumable-hollow-electrode-arc remelting process of steel.
Satoshi Araki, *et al.* S 133
- 106 Leakage current in mold on electroslog remelting process.
Tatsuhiko Kusamichi, *et al.* S 134
- 107 Continuous casting of slightly deoxidized steel. (Study on the slightly
deoxidized steel for continuous casting—III). Eiichi Takeuchi, *et al.* S 135
- 108 Quality of slightly deoxidized and continuous cast hot-rolled plate.
(Study on the slightly deoxidized steel for continuous casting—IV).
Yoshito Nishigaki, *et al.* S 136
- 109 Manufacture of tin plate for draw and ironing can by the continuous casting.
Minoru Yamamura, *et al.* S 137
- 110 On the producing method of high clean low carbon aluminum killed steel
slabs in continuous casting. Yutaka Yoshii, *et al.* S 138
- 111 The tundish nozzle blockage of gas sleeve nozzle in Mizushima
Works, Kawasaki Steel Corp. Kazuki Ogasahara, *et al.* S 139
- 112 Physical and melting properties of mold powders for high speed
casting. Hideo Take, *et al.* S 140
- 113 Influence of outlets angle of immersion nozzle on the solidified shell thickness
in mould and the distribution of nonmetallic inclusions in continuously cast
slabs. Kazuhisa Hamagami, *et al.* S 141
- 114 Dependence of the amount of segregated macro-inclusions in continuously
casted slabs on machine type and casting speed. Osamu Haida, *et al.* S 142
- 115 On the behavior of oxide inclusions in continuous casting process.
Yoshitaro Ujiie, *et al.* S 143
- 116 The behavior of semi-micro inclusions in continuous casting. Norio Satou, *et al.* S 144
- 117 Separation of iron mineral and calcium silicate in LD converter slags.
Yoshifumi Shinohara, *et al.* S 145
- 118 Measurement of free-CaO in LD slag by conduction calorimeter.
Tsuneo Enokido, *et al.* S 146
- 119 Study on hydraulic setting property of LD slag. Tsuneo Enokido, *et al.* S 147
- 120 Experimental study on the properties of L.D. converter slag concrete.
Hiroshi Tsujimasu, *et al.* S 148

121	Expansion characteristics of slags on water immersion test. (Stabilization of LD converter slags by field aging—I). Katsura Tsuchiya, <i>et al.</i>	S 149
122	Reduction of lumps of lime in slags. (Stabilization of LD converter slags by field aging—II). Takeo Nagashima, <i>et al.</i>	S 150
123	Reaction of CaO phase in autoclave. (Stabilization of LD converter slags by field aging—III). Masami Fujishima, <i>et al.</i>	S 151
124	Construction of cold-bonded-pellet plant for LD converter. Hideo Hurutaku, <i>et al.</i>	S 152
125	Operation of cold-bonded-pellet plant for LD converter. Kazuyuki Nakayama, <i>et al.</i>	S 153
126	Operation of LD converter with cold-bonded-pellet. Yasuo Obana, <i>et al.</i>	S 154
127	Measurement of electrical resistivity of molten Fe-Ni alloys by an improved four-probed method. Yoshifumi Kita, <i>et al.</i>	S 155
128	Measurement of inter-diffusion coefficients in molten Fe-C alloys. Kaneaki Hamada, <i>et al.</i>	S 156
129	Permeability of oxygen through molten CaO-SiO ₂ -Fe ₂ O ₃ slags. Masami Jibiki, <i>et al.</i>	S 157
130	Activity measurements of Cu in solid Fe-Cu alloys by two-phase equilibration between solid Fe and liquid Ag. Minoru Arita, <i>et al.</i>	S 158
131	Equilibrium of the distribution of sulphur between liquid iron and Fe ₂ O-SiO ₂ -CaO-MgO slags saturated with MgO. Shiro Ban-ya, <i>et al.</i>	S 159
132	On iron-nitride as an adding agent of nitrogen into molten steel. Kuniteru Suzuki, <i>et al.</i>	S 160
133	The behavior of tramp elements under the reduced pressure. Masanobu Ikeda, <i>et al.</i>	S 161
134	The behavior of jetting in gas injection into liquid. Yasuhisa Ozawa, <i>et al.</i>	S 162
135	Development of the probes for the measurement of dissolved oxygen in liquid steel. Mikio Mugita, <i>et al.</i>	S 163

April 4, 1980

136	Solubility of lead in molten steel and its segregation during solidification. Hiroyuki Ichihashi, <i>et al.</i>	S 164
137	Measurement of equilibrium distribution coefficient for chromium steels. Makoto Suzuki, <i>et al.</i>	S 165
138	Effect of sulfur on the formation of nitrogen blowholes during solidifi- cation of steel. Atsushi Hirano, <i>et al.</i>	S 166
139	On the process of peritectic transformation in a carbon steel. Tadayoshi Takahashi, <i>et al.</i>	S 167
140	Refining of semi-solid alloys by compression. Takashi Sakurai, <i>et al.</i>	S 168
141	Solidification analysis with consideration on solidification contraction and natural convection. Kiyoaki Nishikawa, <i>et al.</i>	S 169
142	Effect of copper, tin and sulphur on high temperature mechanical properties of 0.2%C steel. Takateru Umeda, <i>et al.</i>	S 170
143	How do impurities such as Sn, Cu, S and P affect ductilization of 0.2%C steel ingot by hot deformation? Junji Kihara, <i>et al.</i>	S 171
144	Study on the gas entrainment with liquid steel pouring jet (cold model). Katsuyoshi Iwata, <i>et al.</i>	S 172
145	Stream degassing with Ar blowing at vacuum casting. Mitsunori Funazaki, <i>et al.</i>	S 173

146	Production method of non-defect ingot by using the ladle car equipment. Eizo Yonenaka, <i>et al.</i>	S 174
147	New type feeding compound. (Improvement of ingot yield—I). Jirō Koarai, <i>et al.</i>	S 175
148	Improvement of hot top shape. (Improvement of ingot yield—II). Kiyoharu Aki-izumi, <i>et al.</i>	S 176
149	Improvement of segregation in killed steel produced by flattened big end up mold. (Improvement of ingot yield—III). Tuguyuki Kinoshita, <i>et al.</i>	S 177
150	On the reduction of the large non-metallic inclusions in the bottom of low carbon capped rimmed ingots. Masayasu Kimura, <i>et al.</i>	S 178
151	Effect of ingot shape on loose structure at center of killed steel ingots. Yutaka Tsuchida, <i>et al.</i>	S 179
152	Design of ingot cases and quality of ingots for heavy section steel plates. (Production of 43 t & 50 t large killed steel ingots—I). Moriyuki Ishiguro, <i>et al.</i>	S 180
153	Improvement of macrosegregation in large ingots for heavy section steel plates. (Production of 43 t & 50 t large killed steel ingots—II). Moriyuki Ishiguro, <i>et al.</i>	S 181
154	Optimization of ingot shape and thickness of core refractory of bottomed hollow ingot. (Manufacture of bottomed hollow ingot for forging—I). Michio Tanaka, <i>et al.</i>	S 182
155	Manufacture of closed hollow ingot for forgings. (Manufacture of bottomed hollow ingot for forgings—II), Toshio Kato, <i>et al.</i>	S 183
156	Mold taper control of narrow faces for rapid and wide change of slab width. Hideo Take, <i>et al.</i>	S 184
157	Development and control system or electro-magnetic-bath level detector for continuous casting. Chiyokatsu Hamaguchi, <i>et al.</i>	S 185
158	Character and cause of special skins in continuous casting of steel. Kazuo Kanamaru, <i>et al.</i>	S 186
159	Stress-strain analysis at light reduction of slab by FEM. Yoneaki Fujita, <i>et al.</i>	S 187
160	Heat transfer analysis for continuous casting process of beam blank. Minoru Yao, <i>et al.</i>	S 188
161	On the micro structure and surface transverse cracks of C. C. slabs for high strength steel. Yasutaka Yao, <i>et al.</i>	S 189
162	An analysis for fan shaped deformation of copper plate of continuous casting mould. Tosie Hasimoto, <i>et al.</i>	S 190
163	Stress analysis of inner crack of continuously cast slabs. Kiyoshi Shibuya, <i>et al.</i>	S 191
164	Thermal elastoplastic stress analysis of bulging and squeezing by pinch-rolls. (Study on internal cracks in continuously cast strands—I). Hisakazu Kawashima, <i>et al.</i>	S 192
165	On criteria for internal crack formation of continuously cast strands. (Study on internal cracks in continuously cast strands—II). Masanobu Nakamura, <i>et al.</i>	S 193
166	Fundamental study for synchronized rotary caster. (Development of rotary caster—I). Tomoaki Kimura, <i>et al.</i>	S 194
167	Start-up of a new type continuous caster and in-line reduction mill plant. (Development of rotary caster—II). Takashi Yabuki, <i>et al.</i>	S 195
168	Cooling characteristics of steel billet by synchronized rotary caster. (Development of rotary caster—III). Hideyo Kodama, <i>et al.</i>	S 196

- 169 Quality of steel billets by synchronized rotary caster.
(Development of rotary caster—IV). Minoru Horiguchi, *et al.* S 197
- 170 Solidification in the mold of horizontal continuous casting process.
(Development of horizontal continuous casting process—III). Syūhei Takeda, *et al.* ... S 198
- 171 Development of the casting nozzle for horizontal continuous casting process.
(Development of horizontal continuous casting process—IV). Seishi Mizuoka, *et al.* S 199
- 172 Analysis of the mould for horizontal continuous casting process.
(Development of horizontal continuous casting process—V). Seishi Mizuoka, *et al.* ... S 200
- 173 Experimental and mathematical modeling on continuous production
of strip by rheocasting. Tooru Matsumiya, *et al.* S 201
- 174 Theoretical consideration on the reverse-turn flow caused by
electromagnetic in continuous casting. Shigeo Asai, *et al.* S 202
- 175 Effects of the reverse-turn cycle of electromagnetic forces on the
solidified structure. Nobuyuki Nishio, *et al.* S 203
- 176 Effect of electro magnetic stirring in secondary cooling zone on quality
control of continuous cast bloom. (Electro magnetic stirring technic
for continuous cast bloom—I). Yasuo Suzuki, *et al.* S 204
- 177 Improvement of CC-bloom quality by electro magnetic stirring. Tetsuzō Tanaka, *et al.* ... S 205
- 178 Inhibiting elapse change of basic slinger materials.
(Development of basic slinger ladle lining—I). Tatsuhito Takahashi, *et al.* S 206
- 179 Life-prolongation of basic slinger ladle lining. (Development of basic
slinger ladle lining—II). Tatsuhito Takahashi, *et al.* S 207
- 180 Establishment of basic slinger ladle technique. (Development of basic
slinger ladle lining—III). Hiroshi Mihashi, *et al.* S 208
- 181 Effects of slag composition on wear of some casting-pit
refractories. Hirooki Nagayama, *et al.* S 209
- 182 Infiltration of molten FeO-SiO₂ slag into mullite refractory.
Hidenori Tsuchida, *et al.* S 210
- 183 The operational experiences of LD-AOD process.
(Stainless steel making by PAMCO hot alloy process—I). Takeshi Hiyama, *et al.* S 211
- 184 The advantages of LD-AOD process. (Stainless steel making
by PAMCO hot alloy process—II). Takeshi Hiyama, *et al.* S 212
- 185 Nitrogen control in AOD process. Takeyoshi Sakane, *et al.* S 213
- 186 A development of counter-blow process in 20 t AOD at
Hoshizaki Works, Daido Steel, Ltd. Hiromi Hata, *et al.* S 214
- 187 Stainless steel refining by using pre-heated FE-CR. (Development of
stainless steel refining by OBM-RH·OB process—IX). Ryuutatu Tanaka, *et al.* S 215
- 188 Manufacturing of ultra low carbon and nitrogen steel in VOD process.
Masayoshi Okamura, *et al.* S 216
- 189 On refining of the solidification structure of continuously cast
18%Cr stainless steel slab by electromagnetic stirring. Morihiro Hasegawa, *et al.* S 217
- 190 Electromagnetic stirrer for C.C. billets on the austenitic stainless steel.
(Continuous casting of stainless steel billets—III). Kazuo Fukuda, *et al.* S 218
- 191 Effect of electromagnetic stirring for C.C. billets on the austenitic stainless
steel. (Continuous casting of stainless steel billets—IV). Kazuo Fukuda, *et al.* S 219
- 192 Operating experience of Cr-Zr-Cu welded tubular mould for C.C. billets on
the austenitic stainless steel. Tokio Tashiro, *et al.* S 220
- 193 On the solidification behaviour of austenitic stainless steel in the
continuous casting mould. M. Wolf. S 221
- 194 Improvement of the surface depressions of continuously cast slabs of
SUS 304 stainless steels. Yasuo Hitomi, *et al.* S 222

April 5, 1980

- 195 Dephosphorization of liquid iron by $\text{Na}_2\text{O} \cdot \text{SiO}_2$ slag.
(Dephosphorization of liquid iron by $\text{Na}_2\text{O} \cdot \text{SiO}_2 \cdot \text{Fe}_2\text{O}_3$ slag—I).
Kyoji Kunisada, *et al.* S 223
- 196 Dephosphorization of liquid iron by molten CaF_2 - CaO - Al_2O_3 flux.
Katsumi Mori, *et al.* S 224
- 197 On the partition equilibrium of phosphorus between molten
steel and lime slag of low silica content. Hiroyuki Katayama, *et al.* S 225
- 198 Dephosphorization and desulfurization of low Si hot
metal in Q-BOP. Hitoshi Morishita, *et al.* S 226
- 199 Influence of various conditions on dephosphorization of molten high
chromium steel with CaC_2 . Kazuo Kitamura, *et al.* S 227
- 200 Result of MgO -C brick wear test in LD converter corn side.
Takashi Matsunaga, *et al.* S 228
- 201 A new approach to the generated gas prediction using information derived
from the exhaust gases. (Improvement in gas recovering with the new OG
control system using the prediction technique—I). Yuziuro Ueda, *et al.* S 229
- 202 Increase in OG recovered gas quantity using OG control system.
(Improvement in gas recovering with the new OG control system
using the prediction technique—II). Katsuyuki Isogami *et al.* S 230
- 203 Data analysis and mathematical model for LD Converter process.
Takeshi Takawa, *et al.* S 231
- 204 Improvement of blowing of high carbon steel by nitrogen top blowing
method. Minoru Ishikawa, *et al.* S 232
- 205 On the effect of bottom gas blowing conditions on the bath agitation.
(Development of new LD with oxygen bottom blowing (LD-OB)—I).
Kazuo Okohira, *et al.* S 233
- 206 On the effect of enforced bath agitation by bottom Ar-blowing on the
metallurgical reactions in LD. (Development of new LD with oxygen
bottom blowing (LD-OB)—II). Nobuo Sato, *et al.* S 234
- 207 On the metallurgical characteristics of new LD with oxygen bottom blowing.
(Development of new LD with oxygen bottom blowing (LD-OB)—III).
Shōzō Murakami, *et al.* S 235
- 208 Operational results of combination blowing. (Development of
combination blowing in basic oxygen furnace—I). Ryoji Kinaka, *et al.* S 236
- 209 Dephosphorization in combination blowing. (Development of combi-
nation blowing in basic oxygen furnace—II). Hirosuke Yamada, *et al.* S 237
- 210 Behaviour of nitrogen and C-O reaction in combination blowing.
(Development of combination blowing in basic oxygen furnace—III).
Ken-ichiro Suzuki, *et al.* S 238
- 211 Metallurgical reactions in combination blowing. (Development of combination
blowing in basic oxygen furnace—IV). Kenji Saitō, *et al.* S 239
- 212 Metallurgical aspect of limestone injection in Q-BOP. Mikio Kodaka, *et al.* S 240
- 213 Protection against tuyere wearing and lowering of hydrogen content of steel by
using carbonic acid gas in the bottom-blowing process. Tsutomu Nozaki, *et al.* S 241
- 214 Protection of oxygen blowing tuyeres from thermal attack.
Hirofumi Wakimoto, *et al.* S 242
- 215 New continuous slab and bloom caster at Kashima Steel Works, Sumitomo Metal
Industries, Ltd. Tsutomu Sakashita, *et al.* S 243
- 216 On the modification of No. 2 continuous slab caster at Chiba Works,
Kawasaki Steel Corp. Toshihiro Ueda, *et al.* S 244

- 217 High productivity of No. 5 slab caster at Mizushima Works,
Kawasaki Steel Corp. Mizuo Maeda, *et al.* S 245
- 218 Manufacture of high grade bloom for seamless tubes by continuous
casting method. Ikuhiro Umemura, *et al.* S 246
- 219 Twin round billet casting by S-type slab caster for seamless
tube application. Susumu Tsujita, *et al.* S 247
- 220 Development of roll sleeve for devided roll in slab caster. Shinji Shiraishi, *et al.* S 248
- 221 Construction and operation at No. 3 steelmaking plant of Yawata Works,
Nippon Steel Corp. Yasushi Nishino, *et al.* S 249
- 222 Outline of DH-vacuum degassing in No. 3 Steelmaking Plant of Yawata
Works, Nippon Steel Corp. Yoshiaki Takeda, *et al.* S 250
- 223 Operational results and quality of slab caster at No. 3 Steelmaking Plant
of Yawata Works, Nippon Steel Corp. Akihiko Kusano, *et al.* S 251
- 224 Mechanism of desulfurization of hot metal by injection of pulverized
lime. Osamu Haida, *et al.* S 252
- 225 Effect of bath stirring on the injection desulfurization of hot metal in a
torpedo. Osamu Haida, *et al.* S 253
- 226 A kinetic study of molten iron desulphurization by magnesium vapour
bubbles. R.I.L. Guthrie, *et al.* S 254
- 227 Effect of some factors on the lime desulfurization of hot metal.
(The lime-aluminum process for the desulfurization of hot metal—I).
Toshiharu Mitsuo, *et al.* S 255
- 228 On the desulfurization mechanism of hot metal. (The lime-aluminum
process for the desulfurization of hot metal—II). Toshiharu Mitsuo, *et al.* S 256
- 229 Application of the lime-aluminum desulfurization process for the torpedo ladle.
(The lime-aluminum process for the desulfurization of hot metal—III).
Yoshihiro Hatta, *et al.* S 257
- 230 Production of ultra low sulfur steel by gas injection through lance.
(Development of ultra low sulfur steel production—I). Haruyoshi Tanabe, *et al.* S 258
- 231 On the study of best desulfurization condition by gas injection through lance.
(Development of ultra low sulfur steel production—II). Tsutomu Usui, *et al.* S 259
- 232 Development of inclusion shape control of ultra low sulfur steel by Ca treatment.
(Development of ultra low sulfur steel production—III). Isao Sugawara, *et al.* S 260
- 233 A discussion on the mechanism of sulphide shape control with Ca addition.
Takamasa Ohno, *et al.* S 261
- 234 A study of desulphurization mechanism on powder injection. Shigenori Tanaka, *et al.* ... S 262
- 235 Non-metallic inclusions in the CaSi and flux injected steel.
(Investigation on injection metallurgy in a ladle—III). Ryoji Tsujino, *et al.* S 263
- 236 Hydrodynamics of furnace/ladle tapping operations. Masaaki Tanaka, *et al.* S 264
- 237 Progress of bottom bubbling with porous plug in ladle. Hiromitsu Yamanaka, *et al.* ... S 265
- 238 Aluminium addition in simple ladle refining by capped argon bubbling
process. Yuichi Sato, *et al.* S 266
- 239 Improvement of Al addition into molten steel. Kiyoharu Akiizumi, *et al.* S 267
- 240 Deoxidation of molten iron by calcium base complex deoxidizer. Yuh Shiohara, *et al.* ... S 268
- 241 Deoxidation and desulfurization of liquid iron with barium or barium-bearing
calcium alloys. Yasuzi Kataura, *et al.* S 269
- 242 Formation of silica inclusions during the solidification of Fe-Si-O
alloys. Rokuro Sakagami, *et al.* S 270
- 243 Formation kinetics of silica inclusions during the solidification of
Fe-Si-O alloys. Rokuro Sakagami, *et al.* S 271

— FABRICATION —

April 3, 1980

- 244 Manufacture of bloom for rail by bloom caster. Hiroshi Kimoto, *et al.* S 272
- 245 New manufacture process of wide flange beams. (Development of new beam blank rolling method—I). Noriyuki Kuriyama, *et al.* S 273
- 246 Development of wide flange beam rolling method from slabs. (Development of new beam blank rolling method—II). Toshiyuki Akune, *et al.* S 274
- 247 A study of metal deformation in universal rolling of H-beam. (Simulation test using plasticine). Takaaki Hira, *et al.* S 275
- 248 On the rolling of steel sleeper. Tomomi Matsumuro, *et al.* S 276
- 249 Development of high strength rails—Effect of cooling conditions in slack quenching process. Kozo Fukuda, *et al.* S 277
- 250 The development of the profile-meter for round-bars. Katsuhiko Naitoh, *et al.*..... S 278
- 251 Effects of pass schedule and skin pass drawing on the mechanical properties of high carbon steel wire. Tadamasa Yokoyama, *et al.* S 279
- 252 Calculation method of mill set up conditions of multi-strand rod rolling. Matsuo Ataka, *et al.* S 280
- 253 Effect of ($\gamma + \alpha$) region rolling for quality of low carbon steel wire rod Kinya Wakimoto, *et al.* S 281

April 4, 1980

- 254 Development of plate shape meter. Kiyotaka Inada, *et al.* S 282
- 255 Study of flatness measurment of thick plate by light section method. Katsujiro Watanabe, *et al.* S 283
- 256 Development of hot surface inspection method for slab by photographic technorogy. Osamu Seki, *et al.* S 284
- 257 Inline detection of mechanical pipe pattern of hot steel slabs. (Multi probe EMUST). Shoji Murota, *et al.* S 285
- 258 Development of surface conditioning methods for hot slab in the hot inspection system. Akira Kobayashi, *et al.*..... S 286
- 259 Automatic inspection equipment for square billets. (Development of full automatic conditioning system—I). Masayoshi Iwasaki, *et al.* S 287
- 260 Automatic magnetic inspection system for round bars. Kazuyoshi Miyazawa, *et al.* ... S 288
- 261 Surface flaw detecting equipment on pickling line for strip steel. Kenji Kodama, *et al.* S 289
- 262 Development of automatic ultrasonic testing equipment for steel construction. Hisao Yamaguchi, *et al.*..... S 290
- 263 Plane view pattern control rolling by work roll inclining. Hideki Watanabe, *et al.* S 291
- 264 Effect of compressive force on the decrease of fish-tail length at the width reduction of slabs. (Research on a width reduction of slabs—IV). Shuji Nagata, *et al.* S 292
- 265 Investigation on reducing crop loss in hot strip mill. Shigeru Ueki, *et al.* S 293
- 266 Improvement of thickness accuracy in plate rolling. Kazushi Baba, *et al.*..... S 294
- 267 Hot rolling characteristics of steel slabs width-reduced by forging. Shohei Kanari, *et al.* S 295
- 268 Application of Moire topography to 3-dimensional measurement of hot steel. Koichi Kitamura, *et al.* S 296
- 269 Online roll profile calculation model for hot strip mill. Ryoichi Takahashi, *et al.* S 297

270	Automatic flatness control of hot strip steel by using electrohydraulic flatness meter. Natsuki Saikawa, <i>et al.</i>	S 298
271	Dynamic mass flow control in hot strip finishing mill. Yoshiharu Hamasaki, <i>et al.</i>	S 299
272	Automatic free sizing control in hot strip finishing mill. Okinori Nakashima, <i>et al.</i>	S 300
273	Free tension control between the stands in hot strip finishing mill. Kazuyuki Tashiro, <i>et al.</i>	S 301
274	Mathematical model of roll force in no-recrystallization temperature range in austenite. Yoshiyuki Saito, <i>et al.</i>	S 302
275	Theoretical study of the Bauschinger effect in α - γ Fe-Cr-Ni steels. Yō Tomota, <i>et al.</i> ...	S 303
276	Experimental study of the Bauschinger effect in α - γ Fe-Cr-Ni steels. Yō Tomota, <i>et al.</i> ...	S 304
277	Formability of sheet of mixed stainless steel powder. Akihiko Ueno, <i>et al.</i>	S 305
278	On the mechanism of season cracking of deep drawn SUS 304 stainless steel. Shuichi Funaki, <i>et al.</i>	S 306
279	Effects of process conditions on collapsing behavior. Maruyama Kazushi, <i>et al.</i>	S 307
280	The development of high collapse resistant casing. Eizou Takeuchi, <i>et al.</i>	S 308
281	Effect of the cold rolling condition on the production of the smudges. (Study on the formation of smudges and iron oxide film in the course of cold rolling—I). Masao Komai, <i>et al.</i>	S 309
282	The mechanism of the production of smudges. (Study on the formation of smudges and iron oxide film in the course of cold rolling—II). Satoshi Fukuyama, <i>et al.</i>	S 310
283	Heat transfer characteristic analysis of far-furnace for H-55 T-panel. Shoichi Taira, <i>et al.</i>	S 311

April 5, 1980

284	A study on suppression mechanism of NO_x formation in case of SNT burners. Yutaka Suzuki, <i>et al.</i>	S 312
285	Mathematical modelling of heat transfer in the single stack tight coil annealing furnace. Hiroaki Sato, <i>et al.</i>	S 313
286	An estimating method of cold-point temperature of coil in single-stack annealing furnace. Yoshio Saito, <i>et al.</i>	S 314
287	Development of rapid cooling process with roll quench system. (Development of process and products for continuous annealing line—VI). Masaharu Jitsukawa, <i>et al.</i>	S 315
288	Heat transfer coefficient in patenting process with hot water. Makoto Mizuhara, <i>et al.</i>	S 316
289	A method to calculate the cooling curves by the differential equation. Yoshio Tokihiro, <i>et al.</i>	S 317
290	Automatic heat up system for creep tester furnaces by micro-computer. Ken-ichiro Ueno, <i>et al.</i>	S 318
291	An application of high power laser to a flying-start in slab scarfing. Koichi Takeda, <i>et al.</i>	S 319
292	Cutting of steel sheet by CO_2 laser. Hiroshi Matsuno, <i>et al.</i>	S 320
293	An assessment of rolling ratio by deformation analysis. (Effects of rolling ratio on the properties of seamless pipes—I) Seishiro Yoshiwara, <i>et al.</i>	S 321
294	An application of electron beam for deformation analysis of steel. (Effects of rolling ratio on the properties of seamless pipes—II) Seishiro Yoshiwara, <i>et al.</i>	S 322
295	An assessment of rolling ratio by mechanical properties and structures of rolled pipes. (Effects of rolling ratio on the properties of seamless pipes—III) Seishiro Yoshiwara, <i>et al.</i>	S 323
296	Effects of rolling ratio on the mechanical properties of low C steel seamless pipes. (Effects of rolling ratio on the properties of seamless pipes—IV)	

	Hiroshi Miyoshi, <i>et al.</i>	S 324
297	Mill characteristics of press piercing mill. (Research on a new piercing method with press piercing mill for seamless pipes—X) Shigeru Uchida, <i>et al.</i> ...	S 325
298	Improvement of the accuracy of seamless tube-length in plug-mill. Shigeo Nagasaku, <i>et al.</i>	S 326
299	A simulation model of on-load impedance in continuous induction heating. (Development of a simulation model for induction heating of a steel pipe—III). Tadashi Kawaguchi, <i>et al.</i>	S 327
300	Development of new method of stepped O-pressing for UO pipes. Wataru Mizutani, <i>et al.</i>	S 328
301	Investigation on the factors having an effect on the circumference of spiral pipes. Kazutoshi Kakita, <i>et al.</i>	S 329
302	Control of the spiral pipe circumference by a prevention measure of coil walk. Kazutoshi Kakita, <i>et al.</i>	S 330
303	The improvement of continuous butt welded tube by skelp-edge conditioning. Makoto Inoue, <i>et al.</i>	S 331
304	Stress analysis of back-up roll with a central bore. (Stress analysis of rolls by photo-elasticity method—I). Kenji Miyazawa.	S 332
305	Stress analysis of the rolls in six high stand mill. (Stress analysis of rolls by photo-elasticity method—II). Kenji Miyazawa.	S 333
306	Stress analysis of grooved rolls and evaluation of their shapes. (Stress analysis of rolls by photo-elasticity method—III). Kenji Miyazawa.	S 334
307	Relation between calculated surface temperature and deterioration of hot strip work rolls. Osamu Kato, <i>et al.</i>	S 335
308	Application of the VC roll in 4H cold strip mill. Eizo Yasui, <i>et al.</i>	S 336
309	Development of high hardness and deep hardness penetration rolls by improved induction hardening process. Masatake Fukushima, <i>et al.</i>	S 337
310	Analysis of temperature distribution during induction hardening and manufacturing of high hardened-depth cold work roll. Koichi Umeda, <i>et al.</i>	S 338
311	Application of keyless bearing to hot strip mill. Yuji Hirose, <i>et al.</i>	S 339
312	Relation between the revolution and the vibration of a bearing with a flaw. (Study on a diagnosis of a low rotary machine—III). Shigeru Izawa, <i>et al.</i>	S 340

— PROPERTIES —

April 3, 1980

- 313 Heavy section HT80 steel plates for jack-up rig. Hisatoshi Tagawa, *et al.* S 341
- 314 Susceptibility to lamellar tearing of quenched and tempered 60 kgf/mm²
high tensile heavy gauge plate. Yoshiaki Seyama, *et al.* S 342
- 315 The micro-structure and the toughness of heat-affected zone of HT80 steel.
Masashi Kohso, *et al.* S 343
- 316 The micro-structure and the toughness of narrow-gap MIG welding
bond of HT80 steel. Masashi Kohso, *et al.* S 344
- 317 The effect of carbon content on the mechanical properties of the base metal
and the bond toughness of Al-killed steel for low temperature use.
Osamu Furukimi, *et al.* S 345
- 318 Interrelation between microstructure and low temperature toughness
in a carbon free-11Ni steel. Kotobu Nagai, *et al.* S 346
- 319 Toughness of normalized Ni steel. Hiroo Ohtani, *et al.* S 347
- 320 Effect of direct quenching on low temperature toughnesses of nickel
bearing cryogenic steels. Katsuhiro Itayama, *et al.* S 348
- 321 Controlled rolling and direct quenching in manufacturing cryogenic
vessel steel sheets. Katsuhiro Itayama, *et al.* S 349
- 322 Strengthening of Mn-Cr austenitic steel by V and N addition and mechanical
properties of Y.S. 40 kg/mm² grade non-magnetic steel. Ritsu Miura, *et al.* S 350
- 323 Physical and mechanical properties of ($\gamma + \epsilon$) dual phase type high
manganese non-magnetic steels. Terufumi Sasaki, *et al.* S 351
- 324 Effects of silicon and nitrogen on the mechanical and magnetic properties
of high manganese non-magnetic steels. Tsuguaki Ōki, *et al.* S 352
- 325 The effect of alloying element on the thermal expansion coefficient in
high manganese austenitic steels. Yoji Kohsaka, *et al.* S 353
- 326 Improvement of machinability of high Mn austenitic steel.
Tetsuya Sampei, *et al.* S 354
- 327 On the austenite stability of non-magnetic high Mn steels at cryogenic
temperatures. Jirou Namekata, *et al.* S 355
- 328 On the instrumented impact property of high Mn steels at cryogenic
temperatures. Kouichirou Higashi, *et al.* S 356
- 329 Tensile properties and toughness of high manganese-chromium-nickel
austenitic steel at liquid helium temperature. Hirofumi Yoshimura, *et al.* S 357
- 330 Products and properties with various shape of high manganese
non-magnetic steel. Takashi Matsuoka, *et al.* S 358
- 331 Oxidization and decarburization during heat treatment of a non-magnetic
steel containing high-Mn. Jiro Ichikawa, *et al.* S 359
- 332 Dissolution of cementite in cold-rolled low-carbon steel during recrystallization-
annealing. Takeshi Suzuki, *et al.* S 360
- 333 Effects of first cooling rate and water quenching temperature on fine carbide
precipitation of continuous annealed steel sheet. Osamu Nozoe, *et al.* S 361
- 334 Precipitation and solution of aluminum nitride in steel.
Kazuhiko Fudaba, *et al.* S 362
- 335 Effects of Si, Mn, Cr, and with and without the presence of solute carbon on
the recrystallization texture of low carbon steel containing titanium.
Ichiro Tsukatani, *et al.* S 363

-
- 336 Dynamic tensile properties of high strength cold-rolled sheet steels with 40 kg/mm² tensile strength. Masatoshi Shinozaki, *et al.* S 364
- 337 Influence of chemical composition on mechanical properties of boron-added Al-killed steel sheet. (Production of B-added cold-rolled steel sheet—I). Yoshikuni Furuno, *et al.* S 365
- 338 On production of continuous casted C.A.P.L. steel sheet by hot-low temperature coiling. (Production of B-added cold-rolled steel sheet—II) Yoshikuni Furuno, *et al.* S 366
- 339 Effect of chemical compositions on bake-hardenability of cold-rolled steel sheet. (Development of high strength steel sheet for automobiles—IV). Atsuki Okamoto, *et al.* S 367
- 340 Production of bake-hardening cold-rolled steel sheets by box annealing furnace. (Development of high strength steel sheet for automobiles—V). Shoichi Tsunematsu, *et al.* S 368
- 341 Preliminary studies on spot welding condition. (Fatigue strength of high strength steel spotwelds—I). Tomoo Sekine, *et al.* S 369
- 342 Process for removing Fe³⁺ ion from acidic zinc plating bath. Masahiko Mizuma, *et al.* S 370
- 343 A study on Fe-Zn reaction system in alloying of electrogalvanized steel. Masaki Abe, *et al.* S 371
- 344 Corrosion behavior of Ni-Zn alloy plated steel sheet. Tatsuo Kurimoto, *et al.* S 372
- 345 Structure of electrodeposited Zn-Co-Cr composite-coatings on steel. Masaji Terasaka, *et al.* S 373
- 346 The uniformity of initially deposited layers in electro-tin-plating and its effect on corrosion resistance. Yoshinori Yomura, *et al.* S 374
- 347 A study on inspection method of micro inclusions in tin plate. Hideo Kuguminato, *et al.* S 375
- 348 Studies on corrosion test of tinplate. Hiroaki Kawamura, *et al.* S 376
- 349 Relationship between surface contamination and phosphating of cold-rolled sheet. Noriaki Usuki, *et al.* S 377
- 350 Oxidation resistance of hot-dipped-aluminized steels at high temperature. Norio Tsukiji, *et al.* S 378
- 351 Effect of Cu and Ca additions on the grooving corrosion resistance of electric resistance welded steel pipes. Katsumi Masamura, *et al.* S 379
- 352 Mechanism and preventive methods on ring worm corrosion of tubing. Takao Kurisu, *et al.* S 380
- 353 New developed high resistance steel plate to stress corrosion cracking for hot blast stove. Kazuo Yamanaka, *et al.* S 381
- 354 Effects of cold work and applied stress on stress corrosion cracking of low alloy steels in H₂O-CO-CO₂ environment. Nobuhiro Seki, *et al.* S 382
- 355 The influence of environmental conditions on the corrosion of steel under wet CO₂. Masaaki Tanaka, *et al.* S 383
- 356 Influential factors to cyclic oxidation tests. Seiichi Takeda, *et al.* S 384
- 357 Effect of precipitates on the pitting corrosion resistance of 25Cr-Mo-Nb-Ni steels. Hiroyuki Ogawa, *et al.* S 385
- 358 Corrosion resistance of high-molybdenum stainless steel. (20Cr-22Ni-5Mo-0.2N) in sea water. Kiyoshi Sugie, *et al.* S 386
- 359 Intergranular corrosion in the weld heat-affected zone of SUS 304. Toshiro Adachi, *et al.* S 387

- 360 Descaling of stainless steel sheets by ferric chloride-hydrochloric acid solution. (The new continuous pickling method for stainless steel sheets—II). Tadashi Sawatani, *et al.* S 388

April 4, 1980

- 361 Calculating system for optimal cutting of plates. Hiroyuki Tokuyama, *et al.* S 389
- 362 Development of automatic metal tag embossing machine. Katuhiko Naitō, *et al.* S 390
- 363 Electric power control system at Kokura Steel Works, Sumitomo Metal Industries, Ltd. Yoshito Tanaka, *et al.* S 391
- 364 Hot micro-Vickers hardness tester with loading-rate controlling device. Tadami Taoka, *et al.* S 392
- 365 Stable tracking of strip by means of air cushion. Yasuo Shimokawa, *et al.* S 393
- 366 Solid sample technique for the determination of trace bismuth in iron and steel by atomic absorption spectrometry with a graphite tube atomizer. Kazuko Moriyama, *et al.* S 394
- 367 Atomic absorption spectrophotometric determination of small amount of As, Sn and Al in steel by use of the hydride-generation method and the injection method. Kazuo Matsubara, *et al.* S 395
- 368 Determination of tellurium in steel by TeH_2 generation-atomic-absorption spectrophotometry. Sirō Ariga, *et al.* S 396
- 369 Determination of trace elements in steel by stoichiometric methods. Hisashi Kishitaka, *et al.* S 397
- 370 Determination for trace amounts of sulfur in iron and steel with DEPD reagent. Isamu Inamoto, *et al.* S 398
- 371 Analysis of free nitrogen in steel and its applications. (Phase analysis of non-metallic elements in steel by hydrogen hot extraction—II). Akihiro Miyasaka, *et al.* S 399
- 372 A Study on the separation and determination of δ -ferrite. Kiyoyuki Ueda, *et al.* S 400
- 373 Selective determination of Ca-sulfide inclusion in steel. Yoshiko Funahashi, *et al.* S 401
- 374 Quantitative analysis of adhered elements on steel sheets by glow discharge spectroscopy. Yoshiharu Ohashi, *et al.* S 402
- 375 Optical emission spectrochemical analysis of steel for C, P, S, B and Al with grimm glow discharge source. Isamu Tanaka, *et al.* S 403
- 376 Application of inductively coupled plasma optical emission spectrometry for steel analysis. (A study of internal standard method considering the variation of Fe amount). Noritaka Sakao, *et al.* S 404
- 377 Emission spectrometry of pig iron with high energy discharge. Takashi Sugihara, *et al.* S 405
- 378 Fluorescent X-ray analysis for determination of C in iron and steel. Kenji Yoshikawa, *et al.* S 406
- 379 Quantitative determination of nickel-base alloys by X-ray fluorescence analysis. Masanao Narita, *et al.* S 407
- 380 Quantitative electron probe micro analysis with energy dispersive X-ray spectroscopy. Katsuhiko Inoue, *et al.* S 408
- 381 Effect of loading path on the collapse strength under axial load. (Study on the strength of oil country tubular goods—VII). Yasusuke Inoue, *et al.* ... S 409
- 382 Collapse behavior under axial load of commercial seamless pipe. (Study on the strength of oil country tubular goods—VIII). Yasusuke Inoue, *et al.* ... S 410

- 383 Development of ERW pipe with improved toughness of weld.
(Study on ERW—VIII). Hiroyo Haga, *et al.* S 411
- 384 Development of 3.5% nickel alloy steel UOE pipes for low temperature
service. Kiyoteru Hirabayashi, *et al.* S 412
- 385 80 kg/mm² high tensile strength seamless steel pipe produced by
induction heat treatment process. Hiromi Fujii, *et al.* S 413
- 386 Relationship between boron-factor and critical cooling velocity. Masakatsu Ueno, *et al.* ... S 414
- 387 Tempering parameters of low-alloy steels. (Development of heat-treatment
by induction-heater for OCTG—IV). Takaki Sato, *et al.* S 415
- 388 Mechanical properties and microstructures of boron treated Cr—Mo steels.
Terutaka Tsumura, *et al.* S 416
- 389 Titanium-containing steel for soft-nitriding. Masashi Takahashi, *et al.* S 417
- 390 Effect of alloying elements on the case-hardenableity of carbo-nitrided
steels. Katsunori Takada, *et al.* S 418
- 391 Effect of hot-working conditions on mechanical properties of a high
strength micro-alloyed steel. Yoshiharu Tanaka, *et al.* S 419
- 392 Development of high cold extrusion steel by continuous casting and
controlled rolling. Takayoshi Konishi, *et al.* S 420
- 393 Effect of pearlite structure on the flat rolling of round wire in medium
carbon steel rod. Yutaka Sagae, *et al.* S 421
- 394 The quantitative estimation for the behavior of torsional fracture in steel wire.
(On the torsional characteristic of drawn high carbon steel wire after blueing—I).
Hidekazu Nakata, *et al.* S 422
- 395 The torsional characteristic of repeatedly bended steel wire.
(On the torsional characteristic of drawn high carbon steel wire after
blueing—II). Hidekazu Nakata, *et al.* S 423
- 396 Secondary recrystallization and behavior of AlN in the grain-oriented
silicon-steel with high permeability. (Behavior of secondary recrystallization in the
grain-oriented silicon-steel with high permeability—I). Kenzo Iwayama, *et al.* S 424
- 397 The influence of adding sulfides in annealing separator MgO on the secondary
recrystallization in the grain-oriented silicon-steel with high permeability.
(Behavior of secondary recrystallization in the grain-oriented silicon-steel
with high permeability—II). Osamu Tanaka, *et al.* S 425
- 398 The effect of initial orientation on the hot rolled texture of 3%
silicon steel. Yoh Shimizu, *et al.* S 426
- 399 Observation of metallographic structure of hot rolled bands of high permeability
grain-oriented silicon steel by microetch-pit method. Tomohiko Sakai, *et al.* S 427
- 400 Microscopic observation of secondary recrystallization in high
permeability grain-oriented silicon steel. Tomohiko Sakai, *et al.* S 428
- 401 Acoustic emission and fracture in prestrained mild steel. N. W. Ringshall, *et al.* ... S 429
- 402 Temperature dependence of fracture toughness in the structural
steels and evaluation of testing method. Osamu Kamiya, *et al.* S 430
- 403 Fracture toughness and fractography of 4340 high strength steel.
Zenjiro Yajima, *et al.* S 431
- 404 Fracture toughness of an 80 kgf/mm² high tensile strength steel evaluated
using *J*-integral. Yoshifumi Nakano, *et al.* S 432
- 405 Dynamic fracture toughness of high strength structural steels. Ken-ichi Sano, *et al.* ... S 433
- 406 Effect of heat-affected zone at crack starter bead on nil-ductility transition
temperature of steels determined by drop weight test. Noriaki Koshizuka, *et al.* S 434

- 407 Analysis of fracture behaviour in drop weight test by measuring load-time curve. Makoto Shibasaki, *et al.* S 435
- 408 Estimation of fracture toughness with NRL drop weight tear test. Rikio Tigiiwa, *et al.* S 436
- 409 Evaluation of drop weight test by fracture mechanics. (Relationship between the toughness of the HAZ under the crackstarter bead and NDTT—I). Yasuhiko Tanaka, *et al.* S 437
- 410 Strength of extra low carbon stainless steel forgings containing nitrogen. Mikio Kusuhashi, *et al.* S 438
- 411 Improvement of fatigue resistant property of AISI 301 stainless steel sheet for spring produced by 2-stage rolling method. Junichi Shimomura, *et al.* S 439
- 412 Recrystallization after multi-steps hot deformation of 18-8 stainless steel. Yuichi Higo, *et al.* S 440
- 413 Deformation behaviours in austenitic iron alloys at elevated temperatures. Taku Sakai, *et al.* S 441
- 414 Strain aging on hard material of austenitic stainless steel. Motohiko Arakawa, *et al.* S 442
- 415 A new type of ridging in 17Cr stainless steel. Osamu Matsumura, *et al.* S 443
- 416 Effects of hot rolling process on ridging of ferritic stainless steels containing Ti-Nb and Ti-Zr. Yasuhiro Nakagawa, *et al.* S 444
- 417 Thermal stress measurement of two phase stainless steel. Tsuyoshi Ishida, *et al.* S 445
- 418 The reduction of residual stress in the outer side of stainless steel tubes by glass beads blasting. Masao Kanda, *et al.* S 446
- 419 A study on the residual stress of rails—I. Chikayuki Urashima, *et al.* S 447
- 420 A study on the residual stress of rail—II. Chikayuki Urashima, *et al.* S 448
- 421 The effect of various factors on residual stress in sub-critical quenching axles. (Improvement of fatigue strength in press fitted Axles by means of sub-critical quenching—IV). Ryoji Takahashi, *et al.* S 449
- 422 Fatigue properties of Mn steels for machine structural use. Satoshi Nishijima, *et al.* ... S 450
- 423 Through-thickness fatigue properties in heavy section SM41 steel. Shigeto Matsumoto, *et al.* S 451
- 424 Estimation of the critical defect size determining the fatigue limit of steels. Koh-ichi Tanaka, *et al.* S 452
- 425 Effects of frequency and electrochemical potential on fatigue crack growth of HY130 in synthetic sea-water. Susumu Sekiguchi, *et al.* S 453
- 426 The effects of temperature and strain rate on the low cycle fatigue life of low alloy steels. Asao Narumoto, *et al.* S 454
- 427 The change of microstructure and hardness of CrMoV steel during high temperature low cycle fatigue. Masayuki Yamada, *et al.* S 455
- 428 A study of thermal fatigue on stainless steel clad and low alloy steel. Akira Tanji, *et al.* S 456
- 429 Substructural development during elevated temperature low-cycle fatigue of SUS 316. Teruo Tanaka, *et al.* S 457
- 430 Low cycle fatigue of austenitic stainless steels at -162°C . Kōji Mukai, *et al.* S 458
- 431 The effects of C and B content on creep rupture strength of cold worked 18-8Mo stainless steel. Hiroyuki Uchida, *et al.* S 459
- 432 Effect of manufacturing condition on high temperature properties of A 286 alloy. Takemitsu Honjo, *et al.* S 460

- 433 Effect of Ti and Nb on the creep-rupture strength of 25%Cr-20%Ni steels.
Takahiro Kanero, *et al.* S 461
- 434 Some problems related to oxidation resistance of high aluminum austenitic
stainless steel. (Heat-resisting austenitic steel with protective aluminum oxide
film—III). Mikio Yamanaka, *et al.* S 462
- 435 Effect of cold work on high temperature strength of NCF Z(H) steel.
Hajime Sekiguchi, *et al.* S 463
- 436 Changes of magnetic properties of 25Cr-35Ni centrifugal cast alloy tubes
during carburization. Tsutomu Yoshida, *et al.* S 464
- 437 The effect of carbon content for the high temperature characteristics on
 γ' -strengthened nickel base alloys. Yoshiichi Ro, *et al.* S 465
- 438 Dispersion strengthened Hastelloy X by spray dispersion method.
Kazuhide Takahashi, *et al.* S 466
- 439 Hydrogen permeation of Hastelloy XR in reducing gas. Naoki Kishimoto, *et al.* ... S 467
- 440 Fatigue crack growth characteristic of Hastelloy X at elevated temperatures
in air and helium environments. Hirokazu Tsuji, *et al.* S 468
- 441 Surface alteration of Ni-Cr binary alloys in VHTR-He. Susumu Isobe, *et al.* S 469
- 442 Corrosion of Inconel 617 in high temperature steam. Fujio Abe, *et al.* S 470
- 443 Comparison in soundness between rolled plates and pre-forged plates.
(Study on the production of heavy section steel plates—I).
Makoto Yamada, *et al.* S 471
- 444 Rolling method of heavy section steel plates and those properties.
(Study on the production of heavy section steel plates—II).
Hisatoshi Tagawa, *et al.* S 472
- 445 Production of sound and homogeneous heavy section steel plates.
(Study on the production of heavy section steel plates—III).
Hiroaki Tsukamoto, *et al.* S 473
- 446 Behavior of austenite grain size of continuously cast slab during heating.
(Research on the effective use of continuous casting—I). Hiroshi Tamehiro, *et al.* ... S 474
- 447 Relation between Properties and cast structure of continuous cast slabs.
(Studies on rolling of continuous cast slabs—I). Michihiko Nagumo, *et al.* S 475
- 448 Effects of rolling reduction on properties of plates rolled from continuous cast slabs.
(Studies on rolling of continuous cast slabs—II). Toshiei Hasegawa, *et al.* S 476
- 449 Annihilation process of pores in continuous cast slabs during hot rolling.
(Studies on rolling of continuous cast slabs—III). Takeshi Kubota, *et al.* S 477
- 450 Rolling schedules for eliminating porosities. (Study on rolling of continuous
cast slabs—IV). Jun Hada, *et al.* S 478
- 451 Production method of heavy section steel plate from continuous cast slab.
Tetsuo Kikutake, *et al.* S 479
- 452 Low-Cycle fatigue life of carbon steel plate for boilers at elevated
temperature. Kenji Kanazawa, *et al.* S 480
- 453 The development of normalized and tempered aluminum-boron
treated steel plate. Seiichi Watanabe, *et al.* S 481
- 454 On creep embrittlement of Cr-Mo steel welds. Jun Furusawa, *et al.* S 482
- 455 Development of a normalized high tensile strength steel plate for
boiler drums. Tsuyoshi Nakamura, *et al.* S 483
- 456 Effect of intercritical heat treatment on toughness in low alloy steels for
pressure vessel. Isamu Takagi, *et al.* S 484
- 457 Effect of heat-treat condition on toughness of nuclear reactor pressure
vessel steels. (Manufacture of steels for nuclear reactor pressure vessel—I).
Noriaki Koshizuka, *et al.* S 485

- 458 Manufacture of heavy steel plates for 1 200 MWe class nuclear reactor pressure vessels. (Manufacture of steels for nuclear reactor pressure vessel—II). Yuji Kusuhara, *et al.* S 486
- 459 Manufacture of steel forgings for top head flange and bottom head dome. (Manufacture of steels for nuclear reactor pressure vessel—III). Kazuo Aso, *et al.* S 487
- 460 Forming of bottom head dome. (Manufacture of steels for nuclear reactor pressure vessel—IV). Masaki Takada, *et al.* S 488
- 461 Fracture toughness and fatigue properties of reactor pressure vessel steels. (Manufacture of steels for nuclear reactor pressure vessel—V). Michihiro Tanaka, *et al.* S 489
- 462 Fatigue properties in heavy section steels for nuclear pressure vessel. Kunihiro Kobayashi, *et al.* S 490
- 463 Analysis of impact properties of A533B steel for nuclear reactor pressure vessel by instrumented Charpy test. Hitoshi Matsubara, *et al.* S 491
- 464 The development of one side galvanizing method by electro magnetic pump. Seizun Higuchi, *et al.* S 492
- 465 Automatic zinc coating weight control by process computer. Toyoshi Fukuda, *et al.* S 493
- 466 Adherence of galvanized coating on steel containing high amount of silicon. Masaaki Urai, *et al.* S 494
- 467 The study on Zn-Sn alloy coated steel strip with hot dip method. Seizun Higuchi, *et al.* S 495
- 468 Correlation between bath composition plating solution velocity and allowable current density. (Basic study on high speed electric galvanizing process—I). Akira Tonouchi, *et al.* S 496
- 469 Design of optimum nozzle arrangement for actual process. (Basic study on high speed electrolytic galvanizing process—II). Masahiro Abe, *et al.* S 497
- 470 Manufacturing method of corrosion-resistant electrogalvanized steel. (Development of corrosion-resistant electrogalvanized steel—I) Tatsuro Anan, *et al.* S 498
- 471 Qualities of the development of corrosion-resistant electrogalvanized steel. (Development of corrosion-resistant electrogalvanized steel—II). Masaru Omura, *et al.* S 499
- 472 Chromate conversion treatment for corrosion-resistant electrogalvanized steel. (Development of corrosion-resistant electrogalvanized steel—III). Yasuhisa Tajiri, *et al.* S 500
- 473 The effect of test conditions on HIC and its evaluation. Yasuo Kobayashi, *et al.* ... S 501
- 474 Influence of environmental conditions on hydrogen induced cracking of line pipe steel. Teruo Kaneko, *et al.* S 502
- 475 The influence of non-metallic inclusions and applied stress on the hydrogen cracking of linepipe steels. Toshihide Kotera, *et al.* S 503
- 476 Effect of the stress on the hydrogen induced cracking of sour gas line pipe. Tetuo Takeda, *et al.* S 504
- 477 Hydrogen induced cracking susceptibility of line pipe steel in acid H₂S solution environment. Yasusi Torii, *et al.* S 505
- 478 The role of diffusible hydrogen in formation of hydrogen induced cracking of line pipe steels. Nobuhiro Seki, *et al.* S 506
- 479 Character of hydrogen entry into steels in sour gas environments. Takeshi Furukawa, *et al.* S 507

480	An analysis of hydrogen diffusion and accumulation at steel weldments. Nobutaka Yurioka, <i>et al.</i>	S 508
481	Critical content of hydrogen for formation of flake-like defects in quenched steels. (Development of direct quenching process of seamless pipes—V). Hiroshi Miyoshi, <i>et al.</i>	S 509
482	Constant strain rate test as applied to sulfide stress cracking of high strength steels. Noriyoshi Taniguchi, <i>et al.</i>	S 510
483	Effect of environment on delayed failure. Tetsuo Shiraga, <i>et al.</i>	S 511
484	On the growth behavior of stress corrosion cracks of 4340 high strength steel. Masaaki Zuda, <i>et al.</i>	S 512
485	Effect of specimen geometry and sampling position in the rolled section. (Some considerations on the delayed fracture test of high strength steels—I). Shinsaku Matsuyama, <i>et al.</i>	S 513
486	Properties of SCC free high tensile strength clad steel by teeming process. Osamu Tanigawa, <i>et al.</i>	S 514
487	Effects of phosphorus and lower carbon content on the corrosion resistance of steel. (Study on the improved corrosion resistant steel with high weldability—I). Tsuneyasu Watanabe, <i>et al.</i>	S 515
488	On mechanical properties and weldability of low carbon phosphorus containing steel. (Study on the improval corrosion resistant steel with high weldability—II). Makoto Sato, <i>et al.</i>	S 516

April 5, 1980

489	On the rolling contact fatigue life of steels for sendzimir rolls. Isao Takeuchi, <i>et al.</i>	S 517
490	Relation between the morphology of fire-crack and mechanical properties in high Cr steel. Noboru Saito, <i>et al.</i>	S 518
491	Effects of C content and austenitizing temperature on the fracture toughness of 5%Cr roll steel. Kazuo Yoshikawa, <i>et al.</i>	S 519
492	Effect of alloying elements on the softening on tempering of hot work tool steels. Kunio Namiki, <i>et al.</i>	S 520
493	The effect of matrix component on the precipitation strengthening of austenitic hot work die steels. Yuichi Seki, <i>et al.</i>	S 521
494	Effects of chemical composition on the strength and toughness of as-forged crank shafts. Toshio Sakai, <i>et al.</i>	S 522
495	On the properties of low sulfur Cr—Mo—V rotor forging. Kazuki Sato, <i>et al.</i>	S 523
496	Effect of Ni, Mo, Co and Ti contents on mechanical properties of high-Ni maraging steels. Ken-ichi Tsunaka, <i>et al.</i>	S 524
497	Optimization of Chemical compositions of an age-hardenable 0.13%C—Ni— Cr—Mo—Co steel. Norioki Uehara, <i>et al.</i>	S 525
498	On the influence of Te addition on cutting forces of steels for machine structural use. (Influence of Te addtion on machinability of steel—I) Atsuyoshi Kimura, <i>et al.</i>	S 526
499	On the influence of Te addition on drillability of steels for machine structural use. (Influence of Te addition on machinability of steel—II) Atsuyoshi Kimura, <i>et al.</i>	S 527
500	On the globing mechanism of S—Te composite inclusions in steel. Sadayuki Nakamura, <i>et al.</i>	S 528
501	Improvement in quality of specially deoxidized low carbon high sulfur free cutting steel. Tosio Ban-no, <i>et al.</i>	S 529

- 502 The measurement of cutting temperatures using a ceramic tool in auscutting.
Yasuo Fujioka, *et al.* S 530
- 503 On the influence of sulfide shape on anisotropy of mechanical properties.
Sadayuki Nakamura, *et al.* S 531
- 504 On the influence of sulfide shape on cold forgeability of steels.
Sadayuki Nakamura, *et al.* S 532
- 505 Improvement of transverse impact value of high strength bar
by sulfide shape control. Takeo Harada, *et al.* S 533
- 506 The effect of Si, Ti and Mo on the quenched structures and age-hardening
in 11Cr-7Ni steels. Hiroyuki Morimoto, *et al.* S 534
- 507 Influence of Mo on the σ phase formation and the pitting corrosion
resistance of two phase stainless steels. Akihiko Hoshino, *et al.* S 535
- 508 Study on hot workability of two phase stainless steel. Masao Koike, *et al.* S 536
- 509 Precipitation behavior of σ phase in duplex phase stainless steels.
Yasuhiro Machara, *et al.* S 537
- 510 The effect of carbon and nitrogen on the toughness of 19Cr-2Mo ferritic
stainless steels. Minoru Miura, *et al.* S 538
- 511 The effect of stabilizing elements on the toughness of 19Cr-2Mo ferritic
stainless steels. Minoru Miura, *et al.* S 539
- 512 Mechanical properties of aged 19Cr-2Mo-Nb ferritic stainless steel.
Hideo Abo, *et al.* S 540
- 513 On the mechanism of age hardening and embrittlement in 19%Cr-2%Mo-Nb
ferritic stainless steels. Mitsuru Tanino, *et al.* S 541
- 514 On the properties of heat affects zone of 19Cr-2Mo-Nb stainless steel.
Yasuo Okazaki, *et al.* S 542
- 515 The solidability of copper containing stainless steel. Masakatsu Abe, *et al.* S 543
- 516 On the high temperature corrosion of stainless steels caused
by the glaze for ceramics. Masaru Kisaichi, *et al.* S 544
- 517 Effect of Mn on hot crack susceptibility in welded austenitic stainless steels.
Keizi Ōsaki, *et al.* S 545
- 518 Strengthening and toughening of 13%Cr cast stainless steel by heat
treatment. Hiroshi Tachibana, *et al.* S 546
- 519 The effect of Si content on the high temperature corrosion property
of ferritic stainless steels in combustion atmospheres. Shun-ichirō Akiyama, *et al.* ... S 547
- 520 Effects of Mn and Si on the oxide films of bright annealed type 430 stainless steels.
Shozaburo Asami, *et al.* S 548
- 521 Creep rupture properties of iron in high pressure hydrogen gas
at elevated temperature. Kiyoshi Yokogawa, *et al.* S 549
- 522 Creep rupture strength of 2 1/4Cr-1Mo steel in sodium. Fumio Hataya, *et al.* S 550
- 523 Change of high temperature strength on 2 1/4Cr-1Mo steels after
immersion in sodium. Fumio Hataya, *et al.* S 551
- 524 Correlation between creep-rupture properties and fracture-mechanisms
of 1.3Mn-0.5Mo-Ni steel. Norio Shinya, *et al.* S 552
- 525 Evaluation of creep-rupture data on SB49, SBV2, SCM4V-4NT, STBA 25,
and STBA 26. (Long-term creep test data at NRIM-XX).
Shin Yokoi, *et al.* S 553
- 526 Creep-rupture data of 1Cr-1Mo-1/3V cast steel for turbine casing.
(Long-term creep test data at NRIM-XXI). Shin Yokoi, *et al.* S 554
- 527 A minicomputer system for temperature and creep-strain measurements

	at NRIM creep laboratory. Akimitsu Miyazaki, <i>et al.</i>	S 555
528	A program package for analysis of NRIM creep-rupture data by TTP methods. Yoshio Monma, <i>et al.</i>	S 556
529	The effects of Mo on high temperature creep rupture properties and microstructure of ferritic heat resisting steels. Kentaro Asakura, <i>et al.</i>	S 557
530	The effects of alloying elements and heat treatment on the creep strength of 10Cr-2Mo heat resisting steel. Hidenori Miyake, <i>et al.</i>	S 558
531	Studies of long term stress relaxation for 12Cr-Mo-W-V steel. Kozo Matsumoto, <i>et al.</i>	S 559
532	Stress drop experiments in high temperature creep of an austenitic 25Cr-20Ni stainless steel without precipitates in temperature range between 1 133 and 1 193 K. Yasuo Takahashi, <i>et al.</i>	S 560
533	Effects of alloying elements on creep rupture properties of 0.4C-20Cr-25Ni steels. Tomohiro Tutiya, <i>et al.</i>	S 561
534	Temperature dependence of the solid solution strengthening effect of Ti, Zr and Hf on the high temperature creep for carbon free 25Cr-35Ni steels. Yoshihiro Kondo, <i>et al.</i>	S 562
535	Effect of α_2 phase precipitating in Ni-20Cr-20W alloy on creep properties and its environmental dependence. Takashi Matsuo, <i>et al.</i>	S 563
536	Mechanical properties and welding joint characteristics of Si-Mn alloy steel castings. (A study on low temperature service steel—II). Tomio Takagi, <i>et al.</i>	S 564
537	Development of 80 kg/mm ² tensile strength steel for preventing the stress relief cracking. Kazushige Arimochi, <i>et al.</i>	S 565
538	Improvement in stress-relief cracking by Ca treatment. (Study on Ca treated steel—III). Yoshihiro Okamura, <i>et al.</i>	S 566
539	Variation of mechanical properties with cold working on a 35 kg/mm ² class-high yield strength steel. Masatake Tominaga, <i>et al.</i>	S 567
540	Temper embrittlement and embrittlement equation of a Ni-Cr steel doped with phosphorus. Shinji Takayama, <i>et al.</i>	S 568
541	Temper embrittlement and embrittlement equation of a Ni-Cr steel doped with tin. Tsugio Ogura, <i>et al.</i>	S 569
542	Temper embrittlement and embrittlement equation of a Ni-Cr steel doped with silicon. Shinji Takayama, <i>et al.</i>	S 570
543	Effect of ϵ -Cu precipitates to the strain aging in Fe-Cu alloy. Mitsunori Tamai, <i>et al.</i>	S 571
544	Description of continuous cooling transformation upon TTT diagram. Minoru Umemoto, <i>et al.</i>	S 572
545	Study on the mechanism of work hardening of pearlitic steels. Toshihiko Takahashi, <i>et al.</i>	S 573
546	The effect of heat transformation on the transformation behavior of pearlitic steels during continuous cooling. Nobuhiko Matsuzu, <i>et al.</i>	S 574
547	Effect of hot working on hardenability of steels. Hiro-oki Nakajima, <i>et al.</i>	S 575
548	Production of low carbon-equivalent normalizing plates by mist cooling. Hiromichi Ban, <i>et al.</i>	S 576
549	Practical test result of Nb bearing steel. (The improvement of low temperature toughness of quenched and tempered steel by controlled rolling—II) Tamotsu Hashimoto, <i>et al.</i>	S 577
550	Hydrogen traps in enameling steel sheets. Isao Takahashi, <i>et al.</i>	S 578

- 551 Effects of Ti and C contents on the notch ductility of high Mn-Ti bearing hot rolled high strength steel sheets. (Development of Ti bearing hot-rolled high strength steel sheet with good cold formability—I). Yasuo Takahashi, *et al.* S 579
- 552 Effects of rolling conditions on planar anisotropy of r value of Nb treated high strength hot-rolled steel sheets. Kazuaki Sato, *et al.* S 580
- 553 Study of as-rolled dual-phase high strength steel strip. Yoshihiro Hosoya, *et al.* S 581
- 554 Characteristics of an oxidation inhibitor composed of refractory powder-SiO₂-metallic oxides-coking bond. Hisao Odashima, *et al.* S 582
- 555 Characteristics of an oxidation inhibitor composed of refractory powder-SiO₂-metallic powder-mica-coking bond. Hisao Odashima, *et al.* S 583
- 556 Mechanism of oxidation prevention of steel at high temperature by coating a reagent consisted of a refractory-metal powder-mica system. Shigeyoshi Maeda, *et al.* S 584
- 557 Effect of specimen size on ductile absorbed energy in Charpy Test and Drop Weight Tear Test. Koichi Kitao, *et al.* S 585
- 558 A study of ductile absorbed energy in Drop Weight Tear Test by low blow testing. Koichi Kitao, *et al.* S 586
- 559 Estimation of pre-Crack DWTT. Kazuyoshi Ume, *et al.* S 587
- 560 Evaluation of fracture toughness in large diameter line pipe steels using instrumented DWTT. Ken-ichi Sano, *et al.* S 588
- 561 Relation between Charpy and DWTT absorbed energy. (DWTT of high toughness line pipe steel—IV). Yoshio Sumitomo, *et al.* S 589
- 562 Improvement of DWTT characteristics by multiple induction heat treatment. (Study on DWTT characteristics of Q & T steel—I). Akira Yagi, *et al.* S 590
- 563 Manufacturing of steel plates with API5LX-X80 class properties using controlled rolling. Takeshi Choji, *et al.* S 591
- 564 Application of coke oven gas to a paint-curing furnace of epoxy-coated steel tube. Makoto Inoue, *et al.* S 592
- 565 Effect of controlled cooling on the mechanical properties of Nb bearing controlled rolled steels. Masahiro Machida, *et al.* S 593
- 566 Development of high strength fittings for line pipes by warm working process using controlled rolled steel plates. Tamotsu Hashimoto, *et al.* S 594
- 567 The effects of N and strain rate on the dynamic strain aging in low alloy steels. Yoji Kohsaka, *et al.* S 595
- 568 Fundamental investigation on the intercritical rolling of heavy plate. Kouichi Uchino, *et al.* S 596
- 569 Estimation of austenite grain size recrystallized immediately after hot rolling. Masahiro Machida, *et al.* S 597
- 570 The effect of Nb on the dynamic recovery and recrystallization behavior of austenite. (Study on hot deformation behavior of steels—III). Sadahiro Yamamoto, *et al.* S 598
- 571 Static recrystallization behavior in high manganese austenitic steels. (Study of hot deformation behavior in steels—IV). Chiaki Ouchi, *et al.* S 599

Symposium*

— IRONMAKING —

April 4, 1980 13:00~17:00

Theme I. Operation of a direct reduction furnace and analysis of chemical engineering of it.

- 1 Estimation of coke quality from coal maceral and component. Yukiaki Hara, *et al.* ... A1
- 2 Study of coke-strength after reaction with CO₂ by petrographic analyses.
Masahiro Yamagi, *et al.* A5
- 3 Classification of the texture of optical anisotropy by the reflectance of
coke and its application. Hideo Fujita, *et al.*
- 4 Influence of the formation of the texture of coke to its high temperature properties.
Tetsu Nishi, *et al.* A9
- 5 The thermal degradation of metallurgical coke at high temperature at high temp.
Yasuo Okuyama, *et al.* A13
- 6 Relationship between coke qualities at high temperature and petrographic
constituents of coal. Kunihiro Nishioka, *et al.* A17
- 7 Relationship between structural strength of coke after CO₂ reaction and characteristics
of coal. Tsugio Miyagawa, *et al.* A21

— STEELMAKING —

April 5, 1980 13:30~17:00

Theme II. Behaviour of gas jet in hot metal and its metallurgical reaction in injection metallurgy.

- 8 Experience of the continuously cast small billets for austenitic stainless steel.
Toshio Watanabe, *et al.* A25
- 9 Continuous bloom caster for special steel and the quality of its products.
Toshiyasu Nishi, *et al.* A29
- 10 On the continuous casting of blooms for bars for machine structural steel.
Isao Suzuki, *et al.* A33
- 11 On the quality of continuously cast big blooms for bars, wire rods and seamless
tubes, and beam blanks for shapes. Hiroyuki Uesugi, *et al.* A37
- 12 Operation of the new bloom caster for seamless tube and its quality aspects.
Kazushige Kimura, *et al.* A41

— FABRICATION —

April 4, 1980 13:00~17:00

Theme III. Technical development of blooming and slabbing.

- 13 Mechanics of U.O.E. pipe forming and its applications. Takaaki Hira, *et al.* A45
- 14 The forming of thick-walled high strength steel E.O. pipes. Tsuyoshi Kawano, *et al.* ... A49
- 15 On the forming behavior of U.O. pipes. Toshihiro Tamaki, *et al.* A53
- 16 The forming of thick-walled U.O.E. pipes. Yutaka Mihara, *et al.* A57

— PROPERTIES —

April 5, 1980 13:00~17:00

Theme IV. Technical development and mechanical properties in hot rolling process.

- 17 Some consideration on steel plate for offshore structure use. Yasuhiro Nishio, *et al.* A61

*The preprints of symposium except Theme I-3 were published in *Tetsu-to-Hagane* (Journal of The Iron and Steel Institute of Japan), **66** (1980), No. 2, A1 to A117, in Japanese.

- 18 On the properties for avoiding lamellar tearing on offshore structures.
Takashi Inoue, *et al.* A65
- 19 Fracture properties of heavy plates for offshore construction. Michihiro Tanaka, *et al.* A69
- 20 High cycle corrosion fatigue in steels for offshore structure under low frequency.
Kenji Hirakawa, *et al.* A73

April 4, 1980 13:30~17:00

Theme V Corrosion fatigue.

- 21 Study on the surface properties of continuously cast cold-rolled steel sheets.
Mitsuo Higashi, *et al.* A77
- 22 Surface characterization of continuously cast steel. Nobukatsu Fujino, *et al.* A81
- 23 Effects of continuously cast steel composition on the corrosion behavior
of tin plate. Tatsushi Janome, *et al.* A85
- 24 The corrosion behavior of tin plate manufactured from box annealed continuously
cast steel. Kinji Saijo, *et al.* A89
- 25 Effect of chemical compositions of killed steels on the corrosion resistance of
tin plate. Kazuo Mochizuki, *et al.* A93

April 5, 1980 13:00~17:00

Theme VI Current status of continuous casting for bloom and billet and its problems

- 26 Practical use of fluorescent X-ray spectrometry in ultrasoft X-ray region to
the analysis of iron and steel. Isamu Tanaka, *et al.* A97
- 27 Application of X-ray analysis to steel industry. Nobukatsu Fujino, *et al.* A101
- 28 Evaluation of ICP (Inductively Coupled Plasma) for iron and steel analysis.
Noritaka, Sakao, *et al.* A105
- 29 Emission spectrochemical analysis of steel by PDA method (New principle
and its applications). Koichi Nishizaka, *et al.* A109
- 30 Investigation of the pulse distribution analysis method in emission spectrochemical
analysis. Kiyota Kondo, *et al.* A113
- 31 Recent attempts for excitation sources in emission spectrochemical
analysis of steels. Kimitaka Sato, *et al.* A117