

The 106th ISIJ Meeting Programme (October, 1983)*

S Y M P O S I A

-- IRONMAKING --

OCTOBER 4, 1983 13:00 - 17:00 Chairman: Shigeyoshi Yabe

Theme I. Coke Behavior in the Blast Furnace

- | | |
|--|------|
| 1 Recent research on degradation behavior of coke in the blast furance
Mitsuru Tate, et al. | A153 |
| 2 Influence of coke strength after reaction on blast furnace operation.
Kazuyoshi Yamaguchi, et al. | A157 |
| 3 Coke properties at high temperature in relating to blast furnace
operation. Yasuo Okuyama, et al. | A161 |
| 4 Fundamental study on the degradation behavior of coke at high temper-
atures. Yuji Iwanaga, et al. | A165 |
| 5 Evaluation of coke quality based on the fragile sample at the part of
tuyere. Masashi Kitamura, et al. | A169 |
| 6 Evaluation of coke qualities at high temperature. Tetsu Nishi, et al. | A173 |
| 7 Effect of dry quenched coke on properties. Ken-ichi Kaneko, et al. | A177 |

-- STEELMAKING --

OCTOBER 5, 1983 10:00 - 17:00 Chairman: Hisashi Mori
Vice-chairman: Toru Kitagawa

Theme II. Current Status of Segregation in Continuously Cast Steels
and Its Problems

- | | |
|--|------|
| 8 Prevention of segregation in continuously cast bloom by electromagnetic
stirring. Hirobumi Maede, et al. | A181 |
| 9 Improvement of macrosegregation in continuously cast blooms and
billets by electromagnetic stirring. Yasuo Hitomi, et al. | A185 |
| 10 Improvement in center-line segregation of continuously cast blooms by applying
electromagnetic stirring of liquid steel at the crater end.
Ken-ichiro Suzuki, et al. | A189 |
| 11 Improvement of macrosegregation in continuously cast blooms and billets
by electromagnetic stirring. Kenzo Ayata, et al. | A193 |
| 12 New elevation methods of segregation in continuously cast steels.
Ko Miyamura, et al. | A197 |
| 13 Improvement of centerline semimacroscopic segregation in strand cast slabs
and mechanical characteristics of steel product. Hidenari Kitaoka, et al. | A201 |
| 14 The segregation in continuously cast slabs and its prevention.
Morio Kawasaki, et al. | A205 |
| 15 Effect of bulging on segregation and solidification structure of
continuous cast slab. Tsuyoshi Saeki, et al. | A209 |
| 16 Behavior of semimacroscopic segregation in continuously cast slabs and
technique for reducing the segregation. Yutaka Tsuchida, et al. | A213 |
| 17 Mathematical analysis of segregation in continuously cast slabs.
Tooru Matsumiya, et al. | A217 |

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

OCTOBER 5, 1983 13:00 - 17:30 Chairman: Hiroshi Hirano

Theme III. Wide Control of Hot Strip in Hot Strip Mill

- | | |
|---|------|
| 18 Experimental and analytical studies on rolling of slab in width direction.
Jun-ichi Kokado, et al. | A221 |
|---|------|

* Tetsu-to-Haganè, 69(1983), No. 12 contains S713 to S1053 preprints in Japanese for Paper Presentations and Tetsu-to-Haganè, 69(1983), No. 13 does S1055 to S1504 pre-prints for them.

The preprints of Symposia were published in Tetsu-to-Haganè, 69(1983), No. 11, A153 to A320, in Japanese.

Part of those preprints for Paper Presentations are to be published in Transactions ISIJ, 24(1984), Nos. 1 to 6, in English.

19	Development of hot rolling of slab in width direction.	
	Nobumasa Mizoguchi, et al.	A225
20	Heavy reduction of width and minimization of crop-loss at roughing mill in hot strip mill. Hideo Abe, et al.	A229
21	Deformation in width direction of rougher train in hot strip mill. Haruhiro Ibata, et al.	A233
22	Width control at roughing stands in hot strip mill. Teruo Kono, et al.	A237
23	Automatic width control at rougher in hot strip mill. Masaharu Yamamoto, et al.	A241
24	Analysis and development of tension control system in hot strip finishing mills. Morio Saito, et al.	A245

-- PROPERTIES OF IRON AND STEEL --

OCTOBER 4, 1983 13:00 - 17:30 Chairman: Kōe Nakajima

Theme IV. High Puring Steels and Their Properties

25	Advances of refining processes of high purity steel. Koki Gunji.	A249
26	Effect of S content on the toughness of controlled rolling type steel plates for low temperature service. Yohji Kohsaka, et al.	A253
27	Effects of S and P contents on fracture toughness and strength of 9 % Ni steel. Yoshifumi Nakano, et al.	A257
28	Alloy design of nitrate cracking resistant steel by minor elements control. Yasuo Sogo, et al.	A261
29	Effect of reduction of C, N, and S contents on the corrosion resistance of stainless steel. Taishi Moroishi, et al.	A265
30	Effects of alloying elements on stretchability of high purity ferritic stainless steels. Katsuhisa Miyakusu, et al.	A269
31	Effects of reduction of P, S, O, and N contents on various quality characteristics of wire rods and bars. Jiro Koarai, et al.	A273
32	Effects of reduction of P, S, and N contents of workability of wire rods. Hiroshi Yada, et al.	A277
33	Impurities and strength properties of spring steels. Yasuaki Kasai, et al.	A281
34	Machinability of high purity steel. Tadahisa Akasawa, et al.	A285

OCTOBER 5, 1983 13:00 - 17:30 Chairman: Tatsuro Kunitake

Theme V. Micro-alloying in Steels

35	Functions of micro-alloying elements in steel. Yasuji Nishizawa.	A289
36	Hot ductility of micro-alloyed HSLA steels. Chiaki Ouchi, et al.	A293
37	Effect of boron on the mechanical properties of continuous- annealed steel sheets. Nobuyuki Takahashi, et al.	A297
38	Development of continuous-annealed deep-drawable cold rolled steel sheet with extra low-carbon content. Susumu Sato, et al.	A301
39	Correlation between notch toughness and precipitation of nitrides on cooling stage of welding thermal cycle. Motoaki Suzuki, et al.	A305
40	Microstructure and mechanical properties of boron-treated controlled rolled HSLA Steels. Tamotsu Hashimoto, et al.	A309
41	Grain refining and the properties of carburizing steels. Yoshiharu Tanaka, et al.	A313
42	Effects of boron addition on the properties of structural low-alloy steels. Tsuyoshi Inoue, et al.	A317

PAPER PRESENTATIONS

-- IRONMAKING --

OCTOBER 4, 1983

1	Influences of the characteristics of iron ores on production and quality of sinter. (Study on assortment model of sinter feeds--I). Masami Wajima, et al.	S713
2	Permeability test for raw materials by hot air suction method. (Development of technique for preparation of raw materials centering around the improvement of quasi-particles--II). Yoshiaki Shimakawa, et al.	S714
3	Production of sinter with high reducibility by selective refining of raw materials. Eiichi Shimozawa, et al.	S715

4	Influence of each factor to upper layer of sintering bed. Nobuhiko Takamatsu, et al.	S716
5	Semi-empirical size prediction of quasi-particles for sinter mix. Fukuo Aratani, et al.	S717
6	Effect of wind distribution on sinter quality and yield. Kazuma Nakazima, et al.	S718
7	Property distribution of sintering mix and coke in sintering bed. Katsuhiro Takemoto, et al.	S719
8	Sintering process observation with fiberscope. Katsuhiro Takemoto, et al.	S720
9	Improvement of combustion performance in sintering process using quasi-particle coke breeze. Takahiro Nasuno, et al.	S721
10	Application of magnetic type FeO meter to sintering operation. Jun-ichi Kodama, et al.	S722
11	Combustion rate of coke in packed beds of alumina-coke mixture. Hiroyumi Taketomi, et al.	S723
12	Mathematical model of sintering process considering melt-formation and solidification phenomena. Eiki Kasai, et al.	S724
13	Measurement of pressure drop at combustion and assimilation zones in sintering process by using a laboratory-scale simulator and its analysis. Eiki Kasai, et al.	S725
14	Variation of softening-melting zone by burden distribution. Masakata Shimizu, et al.	S726
15	Burden distribution control for prevention of permeability deterioration in the lower part of blast furnace. Hirohisa Endo, et al.	S727
16	Measurement of configuration of burden distribution by using a laser profilemeter. (Studies on characteristics of burden distribution--III). Shinroku Matsusaki, et al.	S728
17	Measuring and control of burden distribution by use of profile meter. Osamu Nishimura, et al.	S729
18	Effect of armour plate position on burden distribution of blast furnace. Yukio Konishi, et al.	S730
19	Use of small size coke (7 ~ 20 mm) mixed with ore in the blast furnace. Tsuyoshi Inoue, et al.	S731
20	Kokura No. 2 blast furnace operation at low productivity. Akiyoshi Kometani, et al.	S732
21	Structure and permeability of bell-less charged sinter layers. Nicholas Standish.	S733
22	Model studies of liquid flow in blast furnace hearths. Nicholas Standish.	S734
23	Burden distribution control by thermoviewer data analyzer. Akihiro Tsuda, et al.	S735
24	Development of controlling technique for fine particles size sinter on gas distribution of blast furnace. Toshiro Sawada, et al.	S736

OCTOBER 5, 1983

25	Measurement of permeability in sintering bed and its analysis. (Analysis of sintering operation--IV). Hirohisa Hotta, et al.	S737
26	Measuring system of sintering heat pattern. (Development of sintering heat pattern--II). Terutoshi Sawada, et al.	S738
27	Relation between sintering operation and heat pattern. (Development of sintering heat pattern--III). Terutoshi Sawada, et al.	S739
28	Thermal dissociation and reoxidization reaction of melt formed in sintering process. Haruo Kokubu, et al.	S740
29	Properties of calcium ferrite at high temperature. (Study on high-reducibility sinter--I). Tsukasa Takada, et al.	S741
30	The reduction degradation of sintered ore. Junsuke Haruna, et al.	S742
31	Effect of reactivity of iron ores on the sintering properties. (Sintering characteristics of iron ores--I). Hitoshi Kawata, et al.	S743
32	Influences of fine sinter materials on sinter qualities. Shun Sato, et al.	S744
33	Effect of particle size in raw mix on formation of calcium ferrite in heating course of sintering. Norio Kurihara, et al.	S745
34	Influence of mineralogical properties of coarse ore on its assimilation with flux in the sintering process. Kaoru Itō, et al.	S746
35	Influence of ore properties on the formation of calcium ferrite at the heating pattern in sintering bed. (Production of "acicular calcium ferrite bonded" sinter--II). Masahiko Taniguchi, et al.	S747
36	Method for volume measurement of pellets by sodiumoleate aqueous solution and kerosine treatment. Yasuo Omori, et al.	S748
37	Quantitative analyzing method of sinter's microstructure. Mitsuo Kama, et al.	S749
38	Sample number of sinter particles for their characterization by microstructures. Katsuhiko Sato, et al.	S750
39	Quantitative measurement of skeletal type hematite in sinter.	

Shirou Tarumoto, et al.	S751
40 Application of quantitative image analysis to sintering operation. (Unification of sintering heat pattern--V). Nobuo Kusakabe, et al.	S752
41 Behavior of constituent minerals in the reduction of low FeO sinter. Takayuki Maeda, et al.	S753
42 Production of high-TiO ₂ pellets. Nobuhiro Hasegawa, et al.	S754
43 High temperature property test of sinter under conditions simulated actual furnace. Ken-ichi Asai, et al.	S755
44 Low FeO and low SiO ₂ sintering operation at Sakai Works, Nippon Steel Corp. Ken-ichi Nakamura, et al.	S756
45 Results of on-strand cooling test in Wakayama No. 1 Sintering Plant, Sumitomo Metal Industries, Ltd. Kouichi Yazama, et al.	S757
46 Optimum productivity at decreasing sinter production. Yoshio Shimoda, et al.	S758
47 Effect of the addition of Al ₂ O ₃ and CaO on the reduction of dense wustite with H ₂ . Nobukazu Shigematsu, et al.	S759
48 Reduction rate of a sinter with CO-CO ₂ -N ₂ gas mixture. Shigeaki Hirashima, et al.	S760
49 Rate of reduction of liquid iron oxide with CO. Tetsuya Nagasaka, et al.	S761
50 Gasification mechanism in coal gasification using iron bath. (Study on gasification of coal by impinging on iron bath--III). Ken-ichi Otsuka, et al.	S762
51 Experimental apparatus using quadrupole mass spectrometer. (Simultaneous reaction of iron ore reduction and coke gasification--I). Tomohiro Akiyama, et al.	S763
52 Effect of CO ₂ addition to Ar-H ₂ gas mixture. (Simultaneous reaction of iron ore reduction and coke gasification--II). Yoshiaki Kashiyawa, et al.	S764
53 Experiment on melting of reduced iron by using pulverized coal and oxygen. Tomio Miyazaki, et al.	S765
54 Development on cold briquetting of reduced iron fine. (Development on briquetting of reduced iron--I). Kunio Hachisuka, et al.	S766
55 Development on hot briquetting of reduced iron. (Development of briquetting of reduced iron--II). Kunio Hachisuka, et al.	S767
56 Direct reduction of cement bonded cold pellets containing char by pressurized moving bed reactor. Masao Ishii, et al.	S768
57 Kinetic analysis of hydrogen reduction of iron ore by high pressure fluidized bed. Kyōji Satō, et al.	S769
58 Computational procedure for kinetic analysis of reduction of iron ore with fluidized bed. Kyōji Satō, et al.	S770
59 Direct reduction of iron oxide pellets by pressurized moving bed reactor. Yoshikazu Takahashi, et al.	S771
60 Side reaction in production of reduced pellets by pressurized moving bed reactor. Masahiro Ishigaki, et al.	S772
61 Mathematical simulation of pressurized moving bed reactor for direct reduction of iron oxide pellets. Reijiro Takahashi, et al.	S773
62 Thermal conductivity and specific heat of CaO-SiO ₂ -Al ₂ O ₃ slags. Makoto Kishimoto, et al.	S774
63 Gases in slowly cooled blast furnace slags. Hidenobu Kondou, et al.	S775
64 Application of slag-based soil stabilizer to various submarine clayey soils. (Development of the slag-containing soil stabilizer--II). Hideaki Hoshi, et al.	S776
65 Stabilizing characteristics of vitreous BF slag mixed with slow- hardening cement. (Development of slag-containing soil stabilizer --III). Hideaki Hoshi, et al.	S777
66 Strength characteristics of slag-based soil stabilizer under actual temperature condition. (Development of the slag-containing soil stabilizer--IV). Kazuyoshi Sato, et al.	S778
67 Recovery system of bell hopper gas at Chiba No. 5 blast furnace of Kawasaki Steel Corp. Ryoji Takabe, et al.	S779
68 Property of carbon mixed cold pellet and operating result in blast furnace. Kiyoshi Kojima, et al.	S780
69 Experience of long delay at No. 2 blast furnace of Mizushima Works, Kawasaki Steel Corp. Osamu Nishimura, et al.	S781
70 Development and application of thermal control system in blast furnace. Atsushi Sakai, et al.	S782
71 Investigation of growing scab mechanism on lower part of blast furnace. Kouichi Mukai, et al.	S783
72 Dissective investigation of Wakayama No. 5 BF(2nd Campaign) of Sumitomo Metal Industries, Ltd. Hiroyuki Yoshioka, et al.	S784
73 Blow down operation and N ₂ cooling at Kobe No. 2 blast furnace of Kobe Steel, Ltd. (3rd Campaign). Sei Takano, et al.	S785
74 Descending operation of BF by no charging. Hironao Matsuoka, et al.	S786
75 Consideration on the blast furnace permeability deterioration based on the change of shaft gas pressure distribution. Kazuyoshi Yamaguchi, et al.	S787

76 Effects of the blast velocity through tuyere on the packing characteristics of the lower part of a blast furnace. (Study on the packing characteristics of the lower part of a blast furnace and its control method--III). Morimasa Ichida, et al.	S788
77 Operation with lower blast temperature at Sakai No. 1 blast furnace of Nippon Steel Corp. Hideharu Shibaike, et al.	S789
78 Operation of Fukuyama No. 4 blast furnace of Nippon Kakan K.K. with low Si content. Hiromi Nakamura, et al.	S790
79 CaCO ₃ injection into blast furnace. (Powder injection test--I). Yasuhiko Sakaguchi, et al.	S791
80 Iron oxide injection into blast furnace. (Powder injection test--II). Yasuhiko Sakaguchi, et al.	S792
81 Oxygen partial pressure and dissolved elements in pig iron in blast furnace. Hiroshi Kanayama, et al.	S793
82 Variation of microscopical properties of coke by heat treatment at high temperatures. (Study of coke degradation in blast furnace--I). Masaji Kitamura, et al.	S794
83 Relation between the coke properties at the tuyere level and the blast furnace operation. Kuniyoshi Anan, et al.	S795
84 Effects of alkali on the solution-loss reaction of coke. Yoshiyuki Matsuoka, et al.	S796
85 CTM injection into all tuyeres of Kashima No. 3 blast furnace, Sumitomo Metal Industries, Ltd. Yohichi Aminaga, et al.	S797
86 Development of blast furnace inner-reaction simulator (BIS). (Study on the inner-reaction of a blast furnace by using BIS--I) Masaaki Naitō, et al.	S798
87 Effect of H ₂ on the behavior of sinter. (Study on the inner-reaction of a blast furnace by using BIS--II). Yoshihiro Inoue, et al.	S799
88 Water-gas shift reaction in a blast furnace. (Study on the inner-reaction of a blast furnace by using BIS--III). Yoshihiro Inoue, et al.	S800
89 Pellet blend coking process. Shigeki Tanaka, et al.	S801
90 Mineralogical effect on softening and melting properties of coal ash. Takao Kawai, et al.	S802
91 Technology survey for producing formed coke. (Research on binder--I). Masao Tsukamoto, et al.	S803
92 Blending and carbonization survey PVA briquette. (Research on binder --II). Mitsumasa Hijiriya, et al.	S804
93 Automatic control system of mixed gas calory for coke ovens. Shun-ichi Yamazaki, et al.	S805
94 Automatic combustion control system of coke battery. Akikazu Nakazaki, et al.	S806
95 Combustion characteristics of coke oven. (Developments of combustion control for coke oven--I). Toshiyuki Yamamoto, et al.	S807
96 Analysis of coke oven operation. (Developments of combustion control for coke oven--II). Toshiyuki Yamamoto, et al.	S808
97 Developments of combustion control system for coke oven. (Developments of combustion control for coke oven--III). Haruo Yamamura, et al.	S809
98 Effect of agglomeration of none of slightly caking coal with binder. Katsutoshi Igawa, et al.	S810
99 Development of press stamping method for coking. Ken-ichi Nemoto, et al.	S811
100 Thermal cracking of solvent deasphalted asphalt to produce substitute caking coal. Hidenori Sawabe, et al.	S812
101 Influence of the coke oven width on coking time. Nobuo Suzuki, et al.	S813
102 Comminution properties of blast furnace coke in JIS drum tester. Yasuo Okuyama, et al.	S814
103 Coke quality along the width in oven chamber. (Distribution of coke quality in coke oven chamber--III). Hiroshi Uematsu, et al.	S815
104 Coke quality in low working ratio. Shozo Itagaki, et al.	S816
105 Evaluation model of coke quality for CDQ coke. Kiyoshi Miura, et al.	S817
106 Effect of heating rate during carbonization on coke strength after reaction with CO ₂ . Kazuma Amamoto, et al.	S818
107 Selective reactivity of coke textures. Jose J. Briceño, et al.	S819
108 Selective reactivity of coke textures at high temperatures. Jose J. Briceño, et al.	S820
109 Development of automatic measuring equipment for microscopy structure in coal and coke. Ken-ichi Nemoto, et al.	S821

OCTOBER 6, 1983

110 Countermeasure for uniform burning on sintering process. (Development of control technique of sintering process--I). Akira Takaki, et al.	S822
111 Combustion test of pulverized coke and coal in the ignition furnace at Kure No. 1 Sintering Plant, Nisshin Steel Co., Ltd. Kiyonori Yamamoto, et al.	S823

112 Development of the burner at ignition furnace of sinter plant. Nobuhiro Futagami, et al.	S824
113 Charging ratio control for dry-type horizontal electrostatic precipitators. Akira Shiomi, et al.	S825
114 Cooler heat recovery system and operating results of Chiba No. 4 Sintering Plant, Kawasaki Steel Corp. Ryoichi Machishima, et al.	S826
115 Waste heat recovery system at Mizushima No. 4 Sinter Plant, Kawasaki Steel Corp. Kazuma Nakashima, et al.	S827
116 Hot air circulation system in the waste heat recovery equipment of Kimitsu No. 3 Sintering Plant, Nippon Steel Corp. Yoshio Kamiko, et al.	S828
117 Heat recovery from sinter cooler at Sakai Works, Nippon Steel Corp. Shigeya Kubo, et al.	S829
118 Reduction of fluctuation in chemical composition of fine ore bed. Yukio Sato, et al.	S830
119 Development of slipring-less signal transmitter system by optical-fiber at raw material yard machine. Noboru Yamasita, et al.	S831
120 Smelting reduction of iron ore with dissolved carbon in iron melt. Toshio Takaoka, et al.	S832
121 Smelting reduction reaction of chromium ore by carbon in liquid iron. Hisashi Yamana, et al.	S833
122 Smelting test of ferro chromium with miniature rotary furnace. (Development of a new ferro chromium smelting process--I). Tutomu Fukushima, et al.	S834
123 Smelting behavior of ferro chromium in rotary furnace. (Development of a new ferro chromium smelting process--II). Tutomu Fukushima, et al.	S835
124 Reduction rate of chromium ore with gas containing C ₃ H ₈ in a fluidized bed. (Development of ferrochrome production process by smelting reduction--IV). Hideshi Katayama, et al.	S836
125 Smelting reduction of chromite ore in a small scale coke packed bed under batch condition. (Development of ferrochrome production process by smelting reduction--V). Yoshiyasu Takada, et al.	S837
126 Smelting reduction of chromite ore in a small scale coke packed bed under continuous ore charging. (Development of ferrochrome production process by smelting reduction--VI). Yoshiyasu Takada, et al.	S838
127 Development of heat recovery technology for blast furnace slag. Katsumi Nakamoto, et al.	S839
128 Blast granulation of BF molten slag and collecting condition. (Heat recovery method of blast furnace slag--I). Michiaki Sakakibara, et al.	S840
129 Adhesive temperature between hot slag particles and a piece of collision plate. (Heat recovery method of blast furnace slag--II). Masami Fujimoto, et al.	S841
130 Quality control of granulated blast furnace slag. (Development of heat recovery technology for blast furnace slag--II). Masao Watanabe, et al.	S842
131 Basic conditions of attaining a high glass content. (Development of heat recovery of blast furnace slag--III). Hiroaki Sato, et al.	S843
132 Production of high glass content slag. (Development of heat recovery of blast furnace slag--IV). Yoshinobu Yanagida, et al.	S844
133 Improvement of the lining and shell structure of tubular joint portion. Yoshiyasu Morita, et al.	S845
134 Changes of blast furnace operation by hot linings repair. Masao Kawanabe, et al.	S846
135 High temperature behavior of tap hole mix for blast furnaces. Haruo Mitsui, et al.	S847
136 Apparent elastic modulus and creep behaviour of carbon block for blast furnace at elevated temperature. Tsutomu Wakasa, et al.	S848
137 Thermal structural strength of blast furnace hearth bricks. Yoshiyasu Morita, et al.	S849
138 Analysis of thermal stress failure of alkali-containing bricks at blast furnace hearth. Hiroshi Kanaya, et al.	S850
139 Crack patterns in carbon brick under partial compressive loading. Akibumi Fujiwara, et al.	S851
140 Experimental results from hot model hearth tests. (Some structural studies on blast furnace hearth linings--I). Masakazu Ikeda, et al.	S852
141 Stress analysis in carbon blocks under eccentric load. (Some structural studies on blast furnace hearth linings--II). Masakazu Ikeda, et al.	S853
142 FEM analysis on thermal stresses in the annular structure. (Some structural studies on blast furnace hearth linings--III). Masakazu Ikeda, et al.	S854
143 Development of high strength castable refractories for blast furnace. (Monolithic-refractories lining of blast furnace--I). Motonobu Kobayashi, et al.	S855
144 Properties of high strength castable refractories for blast furnace. (Monolithic-refractories lining of blast furnace--II). Motonobu Kobayashi, et al.	S856

145	Experiment of high strength castable refractories for blast furnace. (Monolithic-refractories lining of blast furnace--III). Shintaro Sudo, et al.	S857
146	Effect of H ₂ gas on high temperature properties of blast furnace burdens. Masaharu Kohno, et al.	S858
147	Mathematical model of 3-dimensional gas flow in packed bed. (Investigation of 3-dimensional gas flow in blast furnace--I). Kunihiro Kondo, et al.	S859
148	Mathematical model of 3-dimensional gas flow in blast furnace. (Investigation of 3-dimensional gas flow in blast furnace--II). Kunihiro Kondo, et al.	S860
149	Heat balance and heat loss through the wall of moving bed. Jun-ichiro Yagi, et al.	S861
150	Development of 2-dimensional mathematical model for blast furnace. Takashi Sugiyama, et al.	S862
151	Estimation of cohesive zone shape by the blast furnace total model. Takashi Sugiyama, et al.	S863
152	Gas flow estimation model on the upper shaft of the blast furnace. Kazumasa Wakimoto, et al.	S864
153	Analysis of operating conditions at Kakogawa No. 3 BF of Kobe Steel, Ltd. using an estimation model of melting zone profile. Mitutoshi Isobe, et al.	S865
154	Simulation of Si content of hot metal in blast furnace by an axially symmetrical mathematical model. Shigemi Murakawa, et al.	S866
155	Development of probes. (Development of new flexible vertical probe--I). Norito Iwao, et al.	S867
156	Investigation on inside state of blast furnace and its operation by vertical probe. (Development of new flexible vertical probe--II). Kohji Kawaoka, et al.	S868
157	Observation of burden descent in the blast furnace by fiber scope. Akio Tsuda, et al.	S869
158	Properties of sinter sampled from the root of cohesive zone in blast furnace by using belly probe. Muneyuki Higuchi, et al.	S870
159	Result of measurement of BF raceway coke by high speed shutter ITV. Masaro Izumi, et al.	S871
160	Method of concentrating and separating hydrogen using porous glass. Eiji Taketomo, et al.	S872

-- STEELMAKING --

OCTOBER 4, 1983

161	Effect of gas flow rate on the volumetric mass transfer coefficient between a horizontal submerged gas jet and a liquid. (Water model study of AOD process--I). Yasuhisa Fujita, et al.	S873
162	Recoverization in AOD for stainless steel making. (Development of AOD process--I). Haruki Ariyoshi, et al.	S874
163	Refining in AOD for stainless steel making. (Development of AOD process--II). Haruki Ariyoshi, et al.	S875
164	Application of top and bottom blowing method to 90T AOD furnace. (Development of top and bottom blowing AOD process--I). Masayoshi Yokoyama, et al.	S876
165	Investigation of top and bottom blowing of AOD by water model. (Development of top and bottom blowing AOD process--II). Minoru Ishikawa, et al.	S877
166	Production of low-phosphorus stainless steel by AOD process using Li ₂ CO ₃ -added CaO-CaF ₂ -FeO flux. Takashi Yamauchi, et al.	S878
167	Decarburization behavior in ultra-low carbon area. (Production of ultra-low carbon steel by RH degasser--II). Keiji Yoshioka, et al.	S879
168	Development of ultra low carbon steel. Masafumi Ikeda, et al.	S880
169	Denitrogen at RH degasser. Masafumi Ikeda, et al.	S881
170	Decarburization of high chrome molten steel. Hajime Mori, et al.	S882
171	Wear pattern in refractory for RH degasser at Sakai Works, Nippon Steel Corp. Katsuhiko Sakamoto, et al.	S883
172	Slag corrosion resistance of refractories for ladle refining. Kazuhiko Taniguchi, et al.	S884
173	Quality improvement of horizontal continuous casting steel billet by electromagnetic stirrer in the mould. (Development of horizontal continuous casting--V). Yoshiharu Fukushima, et al.	S885
174	Cast of stainless steel by H.C.C. Jun Miyazaki, et al.	S886
175	Facial longitudinal cracks of round billet C.C. (Round billet casting process--II). Chitoshi Matsumura, et al.	S887
176	Application of compact eddy-current type level meter to casting operation at billet C.C. (Round billet casting process--III).	

Chitoshi Matsumura, et al.	S888
177 Friction between mold and strand in round billet C.C. (Round billet casting process--IV). Chitoshi Matsumura, et al.	S889
178 Operation and the quality of its products, result of the slab-bloom combination caster. (Techniques for twin bloom castings--I). Hiromi Takahashi, et al.	S890
179 Quality improvement at the bottom part of continuously cast bloom. Yasuo Suzuki, et al.	S891
180 Continuous casting of class 80 kg·f/mm ² high strength low alloy steel. Jun-ichi Fukumi, et al.	S892
181 Black spots in C.C. slabs of S-free cutting stainless steel. Tadahito Sudo, et al.	S893
182 S-center segregation in C.C. slabs of S-free cutting stainless steel. Tadahito Sudo, et al.	S894
183 Plant outline of hot metal desiliconization and its operation. Keiji Arima, et al.	S895
184 Desiliconization of hot metal with sinter ore. (Development of hot metal treatment at casting floor of BF--I). Hiroshi Shibuta, et al.	S896
185 Rapid measurement of silicon content in molten iron by silicate electrolyte. Seiji Nishi, et al.	S897
186 Oxidation mechanism of silicon in hot metal. Akihide Hikosaka, et al.	S898
187 Optimum flux for desiliconization at BF runner. (Development of continuous hot metal pretreatment--V). Kenzo Yamada, et al.	S899
188 Model study of continuous hot metal pretreatment at BF runner. (Development of continuous hot metal pretreatment--VI). Katsuhiro Iwasaki, et al.	S900
189 Influence of iron oxide feeding method on desiliconization reaction. Toshiyuki Matsumoto, et al.	S901
190 Operation results of the casthouse desiliconization treatment. (Development of continuous desiliconization process of molten pig iron--II). Shunsuke Nagata, et al.	S902
191 Behavior of Si in molten pig iron in the casthouse desiliconization treatment. (Development of continuous desiliconization process of molten pig iron--III). Shunsuke Nagata, et al.	S903
192 Removal of silicon from hot metal by oxygen injection. Kazuo Ohnuki, et al.	S904
193 Installation of microwave type level meter to measure the hot metal level in a torpedo car and its contribution to energy saving. Yunosuke Maki, et al.	S905
194 Improvement of castable refractories for injection lance lining. (Development of refractories for hot metal pretreatment--I). Akira Ohte, et al.	S906
195 Development of new type electro-magnetic stirrer. Daijiro Mizukoshi, et al.	S907
196 Application of mold EMS for slab caster. Taizo Sera, et al.	S908
197 Effects of number of segregations and heating conditions on hydrogen induced cracking. Katsuhiko Murakami, et al.	S909
198 Formation mechanism of equi-axed crystals by electromagnetic stirring of steel. (Application of electromagnetic stirring to continuous casting--VII). Hideaki Mizukami, et al.	S910
199 Effect of electro-magnetic-brake on inclusion decrease. Masanori Nira, et al.	S911
200 Flow field control of liquid steel in the mold of a continuous slab caster by an electromagnetic brake, mold EMBR. Ken-ichiro Suzuki, et al.	S912
201 Behavior of inclusions in tundish. (Development of inclusion removal method in tundish--I). Keiji Nakajima, et al.	S913
202 Reoxidation of ladle pouring stream and its influence on strand quality. Toshiaki Suzuki, et al.	S914
203 Technique of decreasing non metallic inclusions high carbon steel for fine wire. Kanji Yokoe, et al.	S915
204 Removal of alumina inclusions by ceramic filter. Hideaki Mizukami, et al.	S916
205 Behavior of inclusion on continuously cast carbon steel for cold heading and cold forging. Katsuchi Kimura, et al.	S917
206 Estimation of inclusion on continuously cast carbon steel for heading and cold forging. Iwao Nakazawa, et al.	S918

OCTOBER 5, 1983

207 Quality improvement of slab surface by the uniform intensive cooling. (Application of mist cooling to the intensive cooling--II). Koshihiro Akai, et al.	S919
---	------

208 Application of dynamic control to mist cooling. (Improvement of secondary cooling system in bloom C.C.--III). Takayuki Shimizu, et al.	S920
209 Improvement of surface cracks of cast bloom by mist cooling. (Improvement of secondary cooling system in bloom C.C.--IV). Yoshinori Onoe, et al.	S921
210 Cooling proficiency of the mist nozzle. (A study on the optimum mist cooling conditions for slab caster--I).	S922
211 Development of mist spray nozzle for continuous casting machine. (Development of mist cooling technique--I). Toshio Teshima, et al.	S923
212 Adoption of mist spray on continuous casting. (Development of mist cooling technique--II). Tsuneo Kondō, et al.	S924
213 Improvement of slab surface quality by mist cooling method. Hiroshi Nakatao, et al.	S925
214 Countermeasures for C.C. bloom surface cracks in conjunction with hot tensile test. Susumu Tsujita, et al.	S926
215 Secondary cooling model control in continuous casting for CC-DR process. Yuuji Chida, et al.	S927
216 Prevention of transverse facial cracks by in-line surface-quenching of C.C. strand. Takeshi Shibata, et al.	S928
217 Improvement of surface qualities of high carbon continuously cast blooms. Syoichi Ohashi, et al.	S929
218 Effect of coating on cold laps of continuously cast billets. Hideyo Kodama, et al.	S930
219 Improvement of surface qualities on stainless steels cast in continuous casting under the control of casting temperature. (Development on the controlling method of casting temperature in continuous casting--III). Yutaka Yoshiii, et al.	S931
220 Effect of high cycle oscillation on slab surface quality of stainless steel. (Development of continuous casting by high cycle oscillation --I). Hiromu Oka, et al.	S932
221 Influence of fluctuated meniscus level on the formation of oscillation marks on slab. (Development of high cycle oscillation casting--II). Hakaru Nakato, et al.	S933
222 Development of the secondary cooling technology for CC-DR. (Development of technology for producing no defect hot slab for direct rolling process--I). Zenji Kajita, et al.	S934
223 Technology for estimating the CC slab's crater end using EMUST. (Development of technology for producing no defect hot slab for direct rolling process--II). Toru Yoshida, et al.	S935
224 Hot ductility and deformation resistance in high speed tensile test of continuous casting slabs. Chihiro Nagasaki, et al.	S936
225 Investigation of slab bulging during continuous casting by simulation of a plasticine model. J.Y. Lamant, et al.	S937
226 Measurement of bulging. (Studies on bulging of continuously cast slabs--I). Shigeyuki Maeno, et al.	S938
227 Analysis of the behavior of bulging. (Studies on bulging of continuously cast slabs--II). Shigeyuki Maeno, et al.	S939
228 Separation of signals for the resonant frequency and noise with chemical reaction on instantaneous viscosity measurements by the oscillating-plate viscometer. Masayuki Kawamoto, et al.	S940
229 A model experiment on η curves in viscosity measurement of melts by the oscillating-plate viscometer. Masayuki Kawamoto, et al.	S941
230 Changes of viscosity of molten fluxes in the reaction between Na_2CO_3 - Li_2CO_3 fluxes and Sn-P alloys. Takamichi Iida, et al.	S942
231 Activity of Na_2O in slag and oxygen pressure at slag-metal interface during dephosphorization of C-saturated iron by soda ash. Tsuyoshi Kawashima, et al.	S943
232 Thermodynamics of $\text{Fe}_t\text{O}-\text{Na}_2\text{O}$, $\text{Fe}_t\text{O}-\text{SiO}_2-\text{Na}_2\text{O}$, and $\text{Fe}_t\text{O}-\text{P}_2\text{O}_5-\text{SiO}_2-\text{Na}_2\text{O}$ slags. Hidetaka Takezoe, et al.	S944
233 Measurement of Na_2O activity, distribution of manganese and vanadium, and solubility of nitrogen for the soda slag system. Fumitaka Tsukihashi, et al.	S945
234 Injection technics into torpedo car. (Development of hot metal pretreatment process--IV). Hiroyuki Ikemiya, et al.	S946
235 Some phenomena during dephosphorization by soda ash in torpedo car. (Development of hot metal pretreatment process--V). Shoji Anezaki, et al.	S947
236 Fume formation during hot metal dephosphorization with soda ash. (Development of hot metal pretreatment process--VI). Akira Takahashi, et al.	S948
237 State of lime on desulphurization of high sulphur hot metal by use of solid lime. Mitsuru Ueda, et al.	S949
238 Development of pretreatments of hot metal in torpedo car. (Development of pretreatments of hot metal with lime base flux--III). Motoki Yoshida, et al.	S950

-
- 239 Effect of BaO on the activities of FeO in CaO-based fluxes used for external dephosphorization of hot metal. Noriaki Yamada, et al. S951
 240 Dephosphorization of hot metal by the bottom injection using of CaO-based fluxes with oxygen gas. Yoshio Nakajima, et al. S952
 241 Dephosphorization mechanism of hot metal with lime-oxygen injection. Toshiyuki Kaneko. S953
 242 Effects of CaF₂ and CaCl₂ in CaO-based flux on hot metal dephosphorization. Akira Ishizaka, et al. S954
 243 Thermodynamic study on hot metal dephosphorization by lime based fluxes and iron oxides. (Development of optimum refining process--II). Hiroki Goto, et al. S955
 244 A reaction model for hot metal dephosphorization with lime based flux injection. (Development of optimum refining process--III). Morihiro Sumida, et al. S956
 245 Fluid dynamic studies of powder injection into torpedo car of water model. (Development of optimum refining process--IV). Ryoji Tsujino, et al. S957
 246 Status of hot metal pre-treatment in Yawata Works, Nippon Steel Corp. Nobuo Sato, et al. S958
 247 Steelmaking process with a newly developed hot metal treatment. (Development of optimum refining process--I). Morihito Sumida, et al. S959
 248 Structure of gas jet injected through orifice in liquid metal. Masamichi Sano, et al. S960
 249 Stirring and reaction rates during gas blowing into the ladle. Kenji Takahashi, et al. S961
 250 Refinement of centerline segregation at as cast slab. (Studies on quality improvement by in-roll EMS at Kakogawa Works, Kobe Steel, Ltd.--I). Hiroshi Nakatao, et al. S962
 251 Hot model experiments on conditions of electromagnetic stirring for the purpose to improve centerline segregation in continuously cast blooms. Ken-ichiro Suzuki, et al. S963
 252 Effect of composition of molten steel on segregation in CC slab. Hideyuki Misumi, et al. S964

OCTOBER 6, 1983

- 253 Sensing tips of oxygen probe for molten steel. Hiroaki Kosaka, et al. S965
 254 Boundary of cubic/cubic+tetragonal domain in ZrO₂-MgO solid electrolyte for oxygen probe in steelmaking process. Hajime Nakamura, et al. S966
 255 Temperature and composition dependencies of thermal conductivities of firebricks for ironmaking and steelmaking. Yasushi Hasegawa, et al. S967
 256 Effect of CaO addition on the durability of MgO-CaO bricks. Ritsu Ebizawa, et al. S968
 257 Eroded boundary of MgO-C brick in ladle. Takao Suzuki, et al. S969
 258 Relation between wearing rate of MgO-C brick and characteristics of MgO grains. Makoto Yokoi, et al. S970
 259 Effect of boron carbide addition to MgO-C brick used in BOF. Isao Kifune, et al. S971
 260 Lining of MgO-C bricks for BOF. Yasuo Imaiida, et al. S972
 261 The equilibrium of vanadium-nitride formation in liquid Fe-V alloys. Toshiaki Yanai, et al. S973
 262 Solubility of CO₂ in basic slags. Tetsuro Kawahara, et al. S974
 263 Heat of formation of Fe_xO-CaO slag. Haruhiko Ishizuka, et al. S975
 264 Effect of CaF₂ on phosphorus distribution between MgO saturated FeO_x-CaO-MgO-SiO₂-P₂O₅ slags and liquid iron. Takehiko Ichimoto, et al. S976
 265 Development for dephosphorization method of molten steel with CaO-based fluxes. (Production of clean steel by ladle refining technology--II). Naoto Tsutsumi, et al. S977
 266 Steel dephosphorization using BOF slag in the ladle. (Development of steel dephosphorization--III). Hitoshi Kobayashi, et al. S978
 267 Reduction dephosphorization of molten stainless steels by metallic calcium. Toshiaki Arato, et al. S979
 268 Desulfurization of molten steel in ladle by flux injection. Hiroshi Nishikawa, et al. S980
 269 Construction and operation of powder injection process at Oita Works, Nippon Steel Corp. Yasuo Obana, et al. S981
 270 Construction and operational results of No.2 Continuous Casting Machine of No.3 Steelmaking Plant in Yawata Works, Nippon Steel Corp. Mayumi Okimori, et al. S982
 271 Reconstruction of No.1 bloom caster at Mizushima Works, Kawasaki Steel Corp. Jun-ichi Hasunuma, et al. S983

- 272 Remodeling of Kimitsu No.1 Slab Caster, Nippon Steel Corp., to the slab-bloom combination caster. (Techniques for twin bloom casting--I).
Hidehiro Kashiwamura, et al. S984
- 273 Application of high speed mold width changing to CC-DR.
(Development of high speed mold width changing method--I).
Wataru Ohashi, et al. S985
- 274 Prevention of C.C. slab surface cracks during high-speed slab width changing. (Development of high-speed mold width changing method--II).
Kazuhiko Tsutsumi, et al. S986
- 275 Optimum mold width changing method. (Development of high speed mold width changing method--III). Takeyoshi Ninomiya, et al. S987
- 276 Automatic tundish level control system with rotary nozzle.
Hiroyuki Tezuka, et al. S988
- 277 Metallurgical effects of perfect sealing and gas bubbling on molten steel in the tundish. Yoshio Nuri, et al. S989
- 278 Development of high efficiency tundish heating method.
Eiji Ikezaki, et al. S990
- 279 Application of CaO refractories to tundish lining. Ryō Itō, et al. S991
- 280 Evaluation of the thermal shock resistance of alumina-carbon bricks by their mechanical properties. Tsuyoshi Okamoto, et al. S992
- 281 Short lever mold oscillation equipment for high cycle operation.
Tohru Shima, et al. S993
- 282 Controlled crimp of continuous casting mold. Akio Fujisawa, et al. S994
- 283 Measurement of Load on split roll in unbending zone of continuous casting machine. Setsuo Kakihara, et al. S995
- 284 Examination for pinch roll life of continuous casting machine.
Yoshinori Kawasaki, et al. S996
- 285 Development of split drive roll for continuous caster.
Takashi Yamaguchi, et al. S997
- 286 New control system of No.1 CCM at Mizushima Works, Kawasaki Steel Corp.
Yoshitaka Ohiwa, et al. S998
- 287 Radiation pyrometer with rotary brush descaler for continuous casting.
Hiroyuki Tezuka, et al. S999
- 288 Development of the acquisition and analysis system for experimental data. Keita Harada, et al. S1000
- 289 Improvement on the dynamic control system for blowing practice in LD converter. Hiroshi Nomura, et al. S1001
- 290 Phosphorus content at the blow-end in 160T BOF.
Takashi Tanioku, et al. S1002
- 291 End point sublance measurement of soluble oxygen contents for quick tapping. Youichi Nimura, et al. S1003
- 292 Consideration of optimum temperature at turn down on LD-arc heating ladle refining process. Hirotaka Hanaoka, et al. S1004
- 293 Production of high carbon steel with pretreated low phosphorus hot metal in combined blown converter. Nobuyuki Genma, et al. S1005
- 294 Low-nitrogen steel making method by slag level control in LD converter.
Yasushi Sawada, et al. S1006
- 295 Stainless steel refining using top and bottom blown converter.
(Reactions of reduction period in stainless steel refining by top and bottom blown converter--I). Akiteru Tamida, et al. S1007
- 296 Enhancement of reaction rate of chromium oxide reduction and desulfurization by CaO powder injection through bottom tuyeres.
(Reactions of reduction period in stainless steel refining by top and bottom blown converter--II). Yoshiei Kato, et al. S1008
- 297 Behavior of nitrogen concentration during blowing in bottom blowing converter. Hideo Nakamura, et al. S1009
- 298 Dependence of the fire spot temperature of oxygen bottom blown converter on the blowing conditions. Nobuo Harada, et al. S1010
- 299 Cold model study of mass transfer between gas and liquid in bottom-, top-, and top and bottom-blown converter. Yoshiei Kato, et al. S1011
- 300 Development and operation of a new combined blowing using a small amount of CO₂. (Operating results of a new combined blowing using CO₂--I). Keiji Arima, et al. S1012
- 301 Some new knowledges about the combined blowing process based on the analysis with the amounts of oxygen accumulated in slag (Os). (Operating results of a new combined blowing using CO₂--II). Yujiro Ueda, et al. S1013
- 302 Dephosphorization mechanism in STB-P process. (Development of top and bottom blowing process with lime-powder injection from top lance in BOF--V). Seiichi Masuda, et al. S1014
- 303 Bath agitation of combined-blown converter. Haruji Okuda, et al. S1015
- 304 Effective utilization of porous green dolomite in Q-BOP.
Masaru Washio, et al. S1016
- 305 Test results of postcombustion process in a 15 ton STB converter.

(Improvement of the heat balance in STB process--I). Hidemasa Nakajima, et al.	S1017
306 Application of post combustion method to 160T-STB. (Improvement of the heat balance in STB process--II). Kiyoshi Ichihara, et al.	S1018
307 Test results of coal injection process in a 15 ton STB converter. (Improvement of the heat balance in STB process--III). Hidemasa Nakajima, et al.	S1019
308 Vacuum bottom pouring method for large ingot making. Toshio Kato, et al.	S1020
309 Numerical prediction of cavity defects in large ingot by temperature gradiene method. Minoru Yao, et al.	S1021
310 Solidification analysis of ingot by considering the thermal convection of molten steel. Minoru Yao, et al.	S1022
311 Effect of solute interactions on the equilibrium distribution of solute elements between solid and liquid phases in iron base multicomponent systems. Toshihiro Tanaka, et al.	S1023
312 Solidification characteristics of iron-base superalloy A-286. Kazuo Kitamura, et al.	S1024
313 Some aspects of solidification structure of low alloy Cr-Mo-V steel. Kyoji Nakanishi, et al.	S1025
314 Effect of centrifugal force on dendrite refinement in round ingot. Katsuo Kinoshita, et al.	S1026
315 Effect of anti-stirrer on the qualities of VAR ingots. Masayoshi Okamura, et al.	S1027
316 Manufacturing of heavy ESR ingots with low aluminum content. Masayoshi Okamura, et al.	S1028
317 Thermal conductivities of commercial powders for continuous casting. Ippou Hirai, et al.	S1029
318 Measurement of molten powder thickness in C.C. mould by eddy current method. (Development of the measurement method of the powder flow condition between a mould and a C.C. slab--II). Yukio Nakamori, et al.	S1030
319 Effect of powder properties on mold powder consumption. Hajime Bada, et al.	S1031
320 Influence of short stroke, high cycle oscillation on friction force between mould wall and strand. (Basic study on interaction between mould wall and solidified shell in C.C. of steel--II). Hideaki Mizukami, et al.	S1032
321 Powder inflow and friction force between mould and slab. (New prediction method of surface defects of C.C. slabs--V). Kenji Tokiwa, et al.	S1033
322 Prediction of sticking type breakout by friction force between mould and slab. (New method for predicting surface defects of C.C. slab--VI). Kenji Tokiwa, et al.	S1034
323 Friction between mould and C.C. slab by oscillation analysis of mould. (New method for predicting surface defects of C.C. slab--VII). Yukio Nakamori, et al.	S1035
324 Relation between casting speed and viscosity of molten powder. (Study on the mold powder technology in continuous casting--VII). Kunio Koyama, et al.	S1036
325 Analyzing the lubrication between mold and shell by a visualized cold model for a continuous casting. (Study on the mold powder technology in continuous casting--VIII). Teiichi Ando, et al.	S1037
326 Mathematical analysis of the lubrication between mold and shell. (Study on the mold powder technology in continuous casting--IX).	S1038

-- ANALYSIS --

OCTOBER 6, 1983

777 Determination of trace amounts of phosphorus in clean steel by active Al_2O_3 adsorption-flow injection method. Takao Kenmochi, et al.	S1039
778 Trace analysis of sulfur in steel by coulometric titration method. Takamasa Takahashi, et al.	S1040
779 Sample preparation for determining of oxygen in steel by the reduction with hydrogen. Yutaka Yoshioka, et al.	S1041
780 Determination of arsenic, tin, antimony, bismuth and lead in steel by hydride generation-atomic absorption spectrometry. Shin-ichi Matsunaga, et al.	S1042
781 Emission spectrometry of sinter low alloy steel by low voltage spark. Katsuhiro Akasaki, et al.	S1043
782 Analysis of oxide layer with ion microprobe mass analyzer. Toshiko Suzuki, et al.	S1044

783	Micro analysis of steel surface by scanning auger electron spectroscopy. Yoko Baba, et al.	S1045
784	Applications of EPMA with image analyzers to steel analysis. Nobukatsu Fujino, et al.	S1046
785	Analysis of σ -phase, carbide, and nitride in duplex stainless steel. Atushi Chino, et al.	S1047
786	Extraction and determination of phosphide in steel. Yoshiko Funahashi, et al.	S1048
787	Phase and precipitation behavior of phosphides in Fe-M-P ternary alloys. Yoshika Funahashi, et al.	S1049
788	New aqueous electrolytic solution for selective potentiostatic etching of carbides in low carbon steel and its application to metallographic analysis. Seishirō Bandō, et al.	S1050
789	Quantitative surface analysis by glow discharge lamp. Kazuya Oshiba, et al.	S1051
790	Quantitative analysis of plated layer on galvannealed steel sheets by glow discharge spectroscopy. Yoshiharu Ohashi, et al.	S1052
791	Determination of C,P and S in iron and steel by glow discharge spectrometry. Teruo Okano, et al.	S1053