

The 106th ISIJ Meeting Programme (October, 1983)*

S Y M P O S I A

-- IRONMAKING --

OCTOBER 4, 1983 13:00 - 17:00 Chairman: Shigeyoshi Yabe

Theme I. Coke Behavior in the Blast Furnace

- | | |
|--|------|
| 1 Recent research on degradation behavior of coke in the blast furance
Mitsuru Tate. | A153 |
| 2 Influence of coke strength after reaction on blast furnace operation.
Kazuyoshi Yamaguchi, et al. | A157 |
| 3 Coke properties at high temperature in relating to blast furnace
operation. Yasuo Okuyama, et al. | A161 |
| 4 Fundamental study on the degradation behavior of coke at high temper-
atures. Yuji Iwanaga, et al. | A165 |
| 5 Evaluation of coke quality based on the fragile sample at the part of
tuyere. Masashi Kitamura, et al. | A169 |
| 6 Evaluation of coke qualities at high temperature. Tetsu Nishi, et al. | A173 |
| 7 Effect of dry quenched coke on properties. Ken-ichi Kaneko, et al. | A177 |

-- STEELMAKING --

OCTOBER 5, 1983 10:00 - 17:00 Chairman: Hisashi Mori
Vice-chairman: Toru Kitagawa

Theme II. Current Status of Segregation in Continuously Cast Steels
and Its Problems

- | | |
|--|------|
| 8 Prevention of segregation in continuously cast bloom by electromagnetic
stirring. Hirobumi Maede, et al. | A181 |
| 9 Improvement of macrosegregation in continuously cast blooms and
billets by electromagnetic stirring. Yasuo Hitomi, et al. | A185 |
| 10 Improvement in center-line segregation of continuously cast blooms by applying
electromagnetic stirring of liquid steel at the crater end.
Ken-ichiro Suzuki, et al. | A189 |
| 11 Improvement of macrosegregation in continuously cast blooms and billets
by electromagnetic stirring. Kenzo Ayata, et al. | A193 |
| 12 New elevation methods of segregation in continuously cast steels.
Ko Miyamura, et al. | A197 |
| 13 Improvement of centerline semimacroscopic segregation in strand cast slabs
and mechanical characteristics of steel product. Hidenari Kitaoka, et al. | A201 |
| 14 The segregation in continuously cast slabs and its prevention.
Morio Kawasaki, et al. | A205 |
| 15 Effect of bulging on segregation and solidification structure of
continuous cast slab. Tsuyoshi Saeki, et al. | A209 |
| 16 Behavior of semimacroscopic segregation in continuously cast slabs and
technique for reducing the segregation. Yutaka Tsuchida, et al. | A213 |
| 17 Mathematical analysis of segregation in continuously cast slabs.
Tooru Matsumiya, et al. | A217 |

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

OCTOBER 5, 1983 13:00 - 17:30 Chairman: Hiroshi Hirano

Theme III. Wide Control of Hot Strip in Hot Strip Mill

- | | |
|---|------|
| 18 Experimental and analytical studies on rolling of slab in width direction.
Jun-ichi Kokado, et al. | A221 |
|---|------|

* Tetsu-to-Haganè, 69(1983), No. 12 contains S713 to S1053 preprints in Japanese for Paper Presentations and Tetsu-to-Haganè, 69(1983), No. 13 does S1055 to S1504 pre-prints for them.

The preprints of Symposia were published in Tetsu-to-Haganè, 69(1983), No. 11, A153 to A320, in Japanese.

Part of those preprints for Paper Presentations are to be published in Transactions ISIJ, 24(1984), Nos. 1 to 6, in English.

19	Development of hot rolling of slab in width direction. Nobumasa Mizoguchi, et al.	A225
20	Heavy reduction of width and minimization of crop-loss at roughing mill in hot strip mill. Hideo Abe, et al.	A229
21	Deformation in width direction of rougher train in hot strip mill. Haruhiro Ibata, et al.	A233
22	Width control at roughing stands in hot strip mill. Teruo Kono, et al.	A237
23	Automatic width control at rougher in hot strip mill. Masaharu Yamamoto, et al.	A241
24	Analysis and development of tension control system in hot strip finishing mills. Morio Saito, et al.	A245

-- PROPERTIES OF IRON AND STEEL --

OCTOBER 4, 1983 13:00 - 17:30 Chairman: Kōe Nakajima

Theme IV. High Puring Steels and Their Properties

25	Advances of refining processes of high purity steel. Koki Gunji.	A249
26	Effect of S content on the toughness of controlled rolling type steel plates for low temperature service. Yohji Kohsaka, et al.	A253
27	Effects of S and P contents on fracture toughness and strength of 9 % Ni steel. Yoshifumi Nakano, et al.	A257
28	Alloy design of nitrate cracking resistant steel by minon elements control. Yasuo Sogo, et al.	A261
29	Effect of reduction of C, N, and S contents on the corrosion resistance of stainless steel. Taishi Moroishi, et al.	A265
30	Effects of alloying elements on stretchability of high purity ferritic stainless steels. Katsuhisa Miyakusu, et al.	A269
31	Effects of reduction of P, S, O, and N contents on various quality characteristics of wire rods and bars. Jiro Koarai, et al.	A273
32	Effects of reduction of P, S, and N contents of warkability of wire rods. Hiroshi Yada, et al.	A277
33	Impurities and strength properties of spring steels. Yasuaki Kasai, et al.	A281
34	Machinability of high purity steel. Tadahisa Akasawa, et al.	A285

OCTOBER 5, 1983 13:00 - 17:30 Chairman: Tatsuro Kunitake

Theme V. Micro-alloying in Steels

35	Functions of micro-alloying elements in steel. Yasuji Nishizawa.	A289
36	Hot ductility of micro-alloyed HSLA steels. Chiaki Ouchi, et al.	A293
37	Effect of boron on the mechanical properties of continuous- annealed steel sheets. Nobuyuki Takahashi, et al.	A297
38	Development of continuous-annealed deep-drawable cold rolled steel sheet with extra low-carbon content. Susumu Sato, et al.	A301
39	Correlation between notch toughness and precipitation of nitrides on cooling stage of welding thermal cycle. Motoaki Suzuki, et al.	A305
40	Microstructure and mechanical properties of boron-treated controlled rolled HSLA Steels. Tamotsu Hashimoto, et al.	A309
41	Grain refining and the properties of carburizing steels. Yoshiharu Tanaka, et al.	A313
42	Effects of boron addition on the properties of structural low-alloy steels. Tsuyoshi Inoue, et al.	A317

P A P E R P R E S E N T A T I O N S

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

OCTOBER 4, 1983

327	Some factors to the dark-colored change of galvanized steel sheet in high humidity environment. (Surface dark-colored change of galvanized steel sheet in high humidity environment--I). Kenji Koshiishi, et al.	S1055
328	Change of compositions on the surface of galvanized steel sheet in high humidity environment. (Surface dark-colored change of galvanized steel sheet in high humidity environment--II). Hideaki Ishida, et al.	S1056

329 Relations between alloy layer structure and wetting of steel sheets dipped in molten Zn-Al alloy. Yukio Uchida, et al.	S1057
330 Effect of chromate treatment on corrosion resistance of hot dip aluminized steel sheet. Kazuko Uchida, et al.	S1058
331 Application of GDS to the depth analysis of the hot dip galvanized steel sheet. Jun-ichi Inagaki, et al.	S1059
332 Formability in the coating of high alloy-galvannealed steel sheet. Junji Kawabe, et al.	S1060
333 Effect of Ti content in steel and Al content in Zn bath on iron-zinc reactivity during hot dip galvanizing. Masaki Abe, et al.	S1061
334 Outline of Keihin No.3 Continuous Galvanizing Line, Nippon Kokan K.K. Saburo Ito, et al.	S1062
335 Industrial robot in continuous galvanizing line. Yasumasa Nariai, et al.	S1063
336 Zinc coating weight control equipment in hot dip galvanizing. Toshihiko Aikawa, et al.	S1064
337 Equipment of pre Ni coated terne sheet. Yu Ando, et al.	S1065
338 Infrared thickness sensor of paint film for colored steel sheet. Shiro Hamada, et al.	S1066
339 Influence of lubrication on the redundant shear strain in high speed hot strip rolling. Hiromi Nakata, et al.	S1067
340 Automation of hot charge slab handling in hot strip mill. Keiji Nishimura, et al.	S1068
341 Improvement of sheet bar crop shape by using the preforming press in hot strip mill--II. Tsuyoshi Nunokawa, et al.	S1069
342 Reinforcement of drum type crop shears in hot strip mills. Kiyoshi Takagi, et al.	S1070
343 Introduction of crop recognition system to the new hot-strip mills at Yawata Works, Nippon Steel Corp. Kazuo Takashima, et al.	S1071
344 Cracks caused by hot shortness of directly rolled slabs. (Crack- prevention technique during hot rolling on CC-DR process--I). Takeshi Fujimoto, et al.	S1072
345 Influence of chemical compositions and thermal histories on cracks caused by hot shortness of directly rolled slabs. (Crack-prevention technique during hot rolling on CC-DR process--II). Takeshi Fujimoto, et al.	S1073
346 Surface conditioning by hot scarfing and heating condition for the sides of slabs. (Crack-prevention technique during hot rolling on CC-DR process--III). Takeshi Fujimoto, et al.	S1074
347 Operations of CC-DR process. Hidemitsu Takahashi, et al.	S1075
348 Development of heat retention technology in hot charge. Katsuki Takada, et al.	S1076
349 Computer set up for roughing mills of Yawata Hot Strip Mill, Nippon Steel Corp. Hiroshi Omi, et al.	S1077
350 Automated operation and edger set up system at roughing stands in hot strip mill. Takashi Shibahara, et al.	S1078
351 Development of casting and rolling unit composition system. Shigehisa Ito, et al.	S1079
352 Functions and constitution of computer system. (Development of total information and control system of billet mill--I). Kazuyuki Fukuda, et al.	S1080
353 Ingot delivery scheduling system in soaking pit. (Development of total information and control system of billet mill--II). Mikio Morita, et al.	S1081
354 Development of process control system for tempering furnace. Kazuo Omata, et al.	S1082
355 Development of hot technical information control system. Makoto Tagomori, et al.	S1083
356 Operating system for hot charge rolling at high temperature--I. Yasuyoshi Shirai, et al.	S1084
357 Combustion control system of reheating furnace--II. Hitotoku Tachiki, et al.	S1085
358 Development of condition diagnosis technique system in Yawata Hot Strip Mill, Nippon Steel Corp. Hiroshi Kobayashi, et al.	S1086
359 Automatic control system of Yawata Hot Strip Mill, Nippon Steel Corp. Yuzo Ooshima, et al.	S1087
360 Automatic operation system of Yawata Hot Strip Mill, Nippon Steel Corp. Asayuki Shino, et al.	S1088
361 Pipe flow control system for medium diameter seamless pipe factory. Mikio Aratama, et al.	S1089
362 Remote monitoring system for water treatment plant of steel works. Yasumasa Nariai, et al.	S1090
363 Section new rolling from mono-size continuous casting bloom. Yuzo Numata, et al.	S1091

364	Rolling of H shapes from C.C. slabs. Teiichi Sakata, et al.	S1092
365	Rolling method of H-type sheet piling. (Development of H-type sheet piling--I). Takashi Ehiro, et al.	S1093
366	Production result and special quality of H-type sheet piling. (Development of H-type sheet piling--II). Takashi Ehiro, et al.	S1094
367	Rolling of large diameter round bar. Shin-ichi Nagahashi, et al.	S1095
368	Rotary cutting of round billet. Kazuo Kobayashi, et al.	S1096
369	Development of automatic ultrasonic testing equipment for square billets. Mitsuo Yoshida, et al.	S1097
370	Automatic inspection system for round billet. Takashi Ueki, et al.	S1098
371	Hot eddy current testing system of wire by encircling coil and rotating probe. Ken-ichi Miyata, et al.	S1099
372	Effects of thread pitch accuracy of thread bar on connector rigidity ratio and high accurate thread pitch rolling methods. Takashi Ueno, et al.	S1100
373	Automatical control of acid concentration. (Refreshment of pickling line--II). Noboru Tsuruda, et al.	S1101
374	Pickling of hot rolled stainless strips by hydrochloric acid. Masayuki Hino, et al.	S1102

OCTOBER 5, 1983

375	Organic-silicate composite coated on Ni-Zn plated sheet with high corrosion resistance for automobile body panel. (Organic-silicate composite coated Ni-Zn plated sheet--I). Masaaki Yamashita, et al.	S1103
376	Adhesion improvement of zincrometal. Hideo Okuda, et al.	S1104
377	Effect of Zn-Mg alloy powder addition. (Film properties of the new-zinc rich primer coated steel sheets--I). Masatoshi Yokoyama et al.	S1105
378	Interaction between Zn-Mg alloy powder-added zinc rich primer and metal coatings on multilayer product. (Film properties of the new-zinc rich primer coated steel sheets--II). Masatoshi Yokoyama, et al.	S1106
379	Effect of surface finishes at RD portion of the die on drawing. (Film properties of the new-zinc rich primer coated steel sheets--III). Hironori Kozawa, et al.	S1107
380	Black tarnishing on the electrogalvanized steel sheets. Masaru Omura, et al.	S1108
381	Effect of impurities in electrolyte on the performance of electro-galvanized steel sheet. Toshinori Mizuguchi, et al.	S1109
382	Phosphate coating of excellent whiteness on electrogalvanizing sheets. Akira Matsuda, et al.	S1110
383	High current density Zn-Ni alloy electroplating by radial cell. Akira Matsuda, et al.	S1111
384	Deposition behavior of the Zn-Ni alloy electroplating using a chloride bath. Takahisa Yoshihara, et al.	S1112
385	Features in the corrosion resistance of Ni-Zn alloy electroplated steel sheet. Tatsuo Kurimoto, et al.	S1113
386	Effect of electroplating conditions on corrosion resistance. (Ti-containing Zn-Ni alloy electroplated steel sheet--I). Yoshitaka Nakagawa, et al.	S1114
387	Ti-deposit structure. (Ti-containing Zn-Ni alloy electroplated steel sheet--II). Taisuke Irie, et al.	S1115
388	Chemical structure of the blackened layer treated on composite electrolytic galvanized steel sheet. Yoshiki Sakamoto, et al.	S1116
389	Treatment for blackening the surface of composite electrolytic galvanized steel sheet. Toshiaki Miyata, et al.	S1117
390	Corrosion behavior under paint of Zn-Fe alloy electroplated steel sheet. (Study on the various Zn alloy electroplated steel sheets--II). Kazumi Nishimura, et al.	S1118
391	Relationship between the composition of electroplated zinc-iron alloys and surface striated patterns. Kouki Ikeda, et al.	S1119
392	Phase and workability of electro-deposited Fe-Zn alloy. Toshiyuki Homma, et al.	S1120
393	Electro-galvanized steel sheet post-alloyed by light coil annealing process. Koji Shimazoe, et al.	S1121
394	High purity electrolytic iron capable to cold working without melting or annealing. Kenji Abiko, et al.	S1122
395	Profile and shape control by load distribution of hot strip mill. Ryoichi Takahashi, et al.	S1123
396	Screw and rolling speeds setting. (Computer set up for a finishing train of Yawata hot strip mill, Nippon Steel Corp.--I). Takashi Oda, et al.	S1124
397	Crown and shape control set up. (Computer set up for a finishing train of Yawata hot strip mill, Nippon Steel Corp.--II). Akira Tanaka, et al.	S1125

398 Application of looperless rolling system in hot strip mill. (Study on the tension control system of hot strip finishing mills--IV). Shigeru Ueki, et al.	S1126
399 Development of automatic width control system of hot strip rougher. Kazumasa Shoji, et al.	S1127
400 Automatic width control by edger mill of M-stand. Masahiro Tomita, et al.	S1128
401 Feasibility study on edger in finishing mills. (Study on strip edging--I). Tetsu Matoba, et al.	S1129
402 Characteristics of metal deformation by strip edging. (Study on strip edging--II). Nobuhiro Tazoe, et al.	S1130
403 Application on inter-stand edger at finishing mill. (Study on strip edging--III). Kunio Kawamura, et al.	S1131
404 Black film of rolls in hot strip mill. Akira Ohnuki, et al.	S1132
405 Influence of the back-up roll contact stress on work roll surface deterioration in hot strip mill. Akira Ohnuki, et al.	S1133
406 Solidification structure of grain roll material with unidirectional solidification method. Toshiaki Himemiya, et al.	S1134
407 Method for shrink-fitting of sleeved backup rolls. Yasuo Fujiwara, et al.	S1135
408 Development of save energy gear oil. Motofumi Kurahashi, et al.	S1136
409 Development of high performance detergent for mill clean. Tadayoshi Takeno, et al.	S1137
410 Effects of lubricant's composition and temperature on wear down speed. (An experimental study about the cause of work roll wear on the cold reduction of Al-killed CC steel--II). Shuichi Iwadoh, et al.	S1138
411 Effects of free fatty acids discussing about its activity against steel and characteristics of ferric compound. (An experimental study about the cause of work roll wear on the cold reduction of Al-killed CC steel--III). Shuichi Iwadoh, et al.	S1139
412 Effect of rolled materials and roll materials on the reduction in roughness of work roll in cold rolling. Junji Kihara, et al.	S1140
413 HCR plant for plate mill and its optimum operation. Shozo Kaminaga, et al.	S1141
414 High level yield of heavy plate and its stabilization. Yoshio Murai, et al.	S1142
415 Advanced slab preparation method for heavy plates. Hajime Saitoh, et al.	S1143
416 Crown model and adaptive control model in plate rolling. Yoshitaka Iwasaki, et al.	S1144
417 Improvement of flatness control in plate rolling by crown-meter. Shoji Takahashi, et al.	S1145
418 Improvement on width control accuracy in plate rolling. Koichi Terasaki, et al.	S1146
419 Numerical model of edge profile in flat rolling. (Properties of lateral deformation--II). Sadakazu Masuda, et al.	S1147
420 New controlled rolling process at Kimitsu plate mill, Nippon Steel Corp. Masato Takahara, et al.	S1148
421 Development of facilities for on-line controlled cooling of plate. (Development of a new process for manufacturing steel plates by controlled cooling--I). Yoshikazu Ōbanya, et al.	S1149
422 Controlled cooling technique for temperature and thermal deflection of steel plate. (Development of a new process for manufacturing steel plates by controlled cooling--II). Akinori Otomo, et al.	S1150
423 Continuous finishing line for stainless steel plate. Ryosuke Takahashi, et al.	S1151
424 Unification of Kimitsu plate mill shear lines, Nippon Steel Corp. Masataka Nakame, et al.	S1152
425 Adaptive strip temperature control of continuous annealing furnace. Katsumi Suehiro, et al.	S1153
426 Mechanics of buckling and weaving of strip in continuous annealing furnace. (Study of stable operation in continuous annealing furnace--I). Takaaki Hira, et al.	S1154
427 Basic analysis for contact cooling ability of strip by water cooled roller. (Application of roll quench system for continuous annealing line--IV). Naotake Yoshihara, et al.	S1155
428 Radiation thermometry in a continuous annealing furnace. Fumio Tanaka, et al.	S1156
429 Application of high manganese steel to wiping roll in salt-bath of stainless steel CAPL. Takashi Shiokawa, et al.	S1157
430 Filler feed plasma utilizing CO ₂ laser welding. Katsuhiro Minamida, et al.	S1158
431 Homogenization of shell penetration in electro slag welding. Yasuo Kondo, et al.	S1159

432	Welding condition of Invar by restraint cracking test. (Study on prevention of weld cracking in Invar--II).	S1160
	Nobuharu Sakabata, et al.	
433	Operation of reheating furnace for CC-BL. Akio Mitoya, et al.	S1161
434	Outline of reheating furnace computer control system. (Development of reheating furnace computer control system in hot strip mill--I). Kenji Ueda, et al.	S1162
435	Operating results of reheating furnace computer control system. (Development of reheating furnace computer control system in hot strip mill--II). Masanori Ebihara, et al.	S1163
436	Experimental results of characteristics for heating in reheating furnace. (Development of the open radiant tube type reheating furnace--II).	
	Koichiro Goto, et al.	S1164
437	Equipment and operation of skid boiler system adapted for reheating furnace. Susumu Kameda, et al.	S1165
438	Reheating furnace combustion control system of Yawata hot strip mill, Nippon Steel Corp. Takanori Esaki, et al.	S1166
439	Application of LD-gas for reheating furnace. Yoichi Hyakuda, et al.	S1167
440	New continuous reheating furnace at Yawata plate mill, Nippon Steel Corp. Isao Nagai, et al.	S1168
441	Hot charge rolling for plate mill at Keihin Works, Nippon Kokan K.K. Haruo Miyano, et al.	S1169
442	Fuel saving by uniflow annealing system. Atsushi Sato, et al.	S1170
443	Development of airless mist cooling for shape rolls. Shuji Noguchi, et al.	S1171
444	Mean value of heat transfer coefficient during quenching with grouser shoe. Yoshio Hamajima, et al.	S1172

OCTOBER 6, 1983

445	Effects of Fe solubility on phosphatability. Shigeru Naito, et al.	S1173
446	Effects of surface properties on phosphatability of cold rolled steel sheet. Akihiko Furuta, et al.	S1174
447	Dehydration and rehydration of the crystal water in zinc phosphate coating under the paint film. Katsuaki Yoshioka, et al.	S1175
448	Corrosion behavior of coatings having various kinds of paint substratum in saline water. Yoshiaki Shimizu, et al.	S1176
449	Monitoring of corrosion loss of zinc alloy coated steel sheets by galvanic couples. Ichiro Suzuki, et al.	S1177
450	Perforation simulation test methods for automotive precoated steel sheet. Yoichi Ito, et al.	S1178
451	Effect of rinsing after phosphate treatment on wet adhesion of paint on electrogalvanized steel sheet. Kazuhiro Masuda, et al.	S1179
452	Corrosion resistance of zinc-alloy plated steel sheets under various corrosive environments. Kouki Ikeda, et al.	S1180
453	Effects of coating weight of electroplated zinc on phosphate and wet adhesion of paint. Shigeru Naito, et al.	S1181
454	Epoxy powder coating equipments of steel pipe and characteristics of film. Yoritaka Ueda, et al.	S1182
455	Impact resistance of epoxy powder coated pipes. Masami Ishida, et al.	S1183
456	Progressive characteristics of heat resistant polypropylene coated pipes under low temperature. Masami Ishida, et al.	S1184
457	Properties of coating for sour gas service. Shoichi Osuga, et al.	S1185
458	Effect of organic saline pretreatment on the corrosion resistance of polyethylene coated pipe. Toshiyuki Okuma, et al.	S1186
459	Automatic steering control system in hot finishing tandem mills for preventing tail pinch occurrence. Yoshio Inoi, et al.	S1187
460	Cooling capacity of run-out-table of hot strip mill in actual operation. (Study on cooling of run-out-table of hot strip mill--I). Masashi Mitsutsuka, et al.	S1188
461	Cooling test of the bottom surface of strip at run-out-table. (Study on cooling of run-out-table of hot strip mill--II). Keiji Fukuda, et al.	S1189
462	Cooling test of the top surface of strip at run-out-table. (Study on cooling of run-out-table of hot strip mill--III). Teruo Yokokura, et al.	S1190
463	Development of the coiler automatic width control in hot strip mill. Hiroshi Ohashi, et al.	S1191
464	Flatness control of hot strip by 2 high skinpass mill. Masao Okamura, et al.	S1192
465	Analysis of roll profile in cold rolling of ultra thin steel strip. Shogo Tomita, et al.	S1193

466	Flash-butt welder of continuous cold strip producing line at Hirohata Works, Nippon Steel Corp. Kimiharu Furui, et al.	S1194
467	Surface defect as "gold dust" on ferritic stainless steel sheet. Akio Yamamoto, et al.	S1195
468	Improvements of a hydraulic device and AGC system in 80" reversing cold mill. Ryuma Kamigori, et al.	S1196
469	Outline of the installation of the fully continuous tandem cold mill at Kashima Steel Works, Sumitomo Metal Industries, Ltd. (The development of KCM--I). Yukio Matsuda, et al.	S1197
470	Fundamental rolling characteristics of the tri-star-rolling-mill. (Development of new cold strip mill--I). Ryoji Terakado, et al.	S1198
471	Thermal characteristic analysis of the center roll in the tri-star-rolling-mill. (Development of new cold strip mill--II). Gen Yoshida, et al.	S1199
472	Theoretical analysis of the tri-star-rolling-mill. (Development of new cold strip mill--III). Yasuyuki Nishiyama, et al.	S1200
473	Outline of high speed temper and processing line. (Construction of high speed temper and processing line-I). Toko Teshiba, et al.	S1201
474	Rationalization of continuous coil production for black plate. (Construction of high speed temper and processing line--II). Shunji Fujiwara, et al.	S1202
475	Side trimming at high speed and automatic disposal of trimming scraps. (Construction of high speed temper and processing line--III). Isamu Shiota, et al.	S1203
476	Apparatus for the wall thickness measurement of steel pipes using the tunnel type electrodynamic ultrasonic transducers. (Development of the wall thickness measuring system for hot seamless tubes using the electrodynamic ultrasonic transducers--I). Takashi Kadowaki, et al.	S1204
477	Characteristics of the wall thickness measuring system using the electrodynamic ultrasonic transducers. (Development of the wall thickness measuring system for hot seamless tubes using the electrodynamic ultrasonic transducers--II). Riichi Murayama, et al.	S1205
478	On-line measurement of the wall thickness of seamless pipe in the hot rolling process. (Development of the wall thickness measuring system for hot seamless tubes using the electrodynamic ultrasonic transducers--III). Renpei Nakaniishi, et al.	S1206
479	Some improvements on the thin wall tube rolling of the Mandrel mill. Yasuyuki Hayashi, et al.	S1207
480	Improvement of the wall thickness variation induced by the elongator rolling of seamless pipe. Fusao Togashi, et al.	S1208
481	Calculation of roll separating force and torque in sizer rolling after quench and temper. Ken-ichi Yamamoto, et al.	S1209
482	Theoretical analysis of heat dissipation during hot tube rolling. (Feasibility study on seamless tube rolling process through a heat dissipation of shells--I). Masayuki Hatanaka, et al.	S1210
483	Results of thermal analysis in various seamless tube rolling process. (Feasibility study on seamless tube rolling process through a heat dissipation of shells--II). Tatsuro Udagawa, et al.	S1211
484	Heat and stress analysis of piercer guide shoe. Motohiro Egawa, et al.	S1212
485	Selection of cooling method. (Engineering of direct quenching of long seamless pipe--I). Hiroshi Kamio, et al.	S1213
486	Optimum condition of cooling equipment and operation. (Engineering of direct quenching of long seamless pipe--II). Hiroshi Kamio, et al.	S1214
487	Development of the UOE entire surface magnetic particle inspection. Yoichi Ishizaka, et al.	S1215
488	Automatic eddy current testing system for 4" ERW pipe. Toshiyuki Matsumi, et al.	S1216
489	Development of the sophisticated ERW tube mill for black and pickled coils. Yasuo Kimiya, et al.	S1217
490	Measure of current during ERW. (A study on heating and melting phenomena in ERW--II). Michio Saito, et al.	S1218
491	Influence on welding quality. (Utilization of high-efficiency impeder for electric resistance tube welding--I). Hirohisa Ichihara, et al.	S1219
492	Properties of welding quality in medium diameter ERW pipe with heavy wall. Hirotomo Tominaga, et al.	S1220
493	Development of ERW rifled tube. (Factors affecting the deformation). Daigo Sumimoto, et al.	S1221
494	Development of hot spot scarfing equipment. Shunji Saito, et al.	S1222
495	Effect of multiple reflection in radiation thermometry. Naoki Harada, et al.	S1223
496	Simultaneous measurement of emissivity and temperature by using reflection plate. Naoki Harada, et al.	S1224

497	Edge pinhole detector. Hiroyuki Yokota, et al.	S1225
498	Development and application of surface wave UST equipment. Nobuaki Nitta, et al.	S1226
499	Electromagnetic surface ultrasonic waves. Yoichi Fujikake, et al.	S1227
500	Dynamic visualization of ultrasonic waves in glass pipe and block. Yoichi Fujikake, et al.	S1228
501	Development of demagnetizer for as cold rolled sheet. Akira Saito, et al.	S1229
502	Outline of mechanical testing equipments at Chiba Works, Kawasaki Steel Corp. Toshiaki Shiraishi, et al.	S1230
503	Corrosion resistance of lightly coated tinplate with Ni diffusion treatment. (Development of lightly coated tinplate for welded cans--I). Kazuo Mochizuki, et al.	S1231
504	Weldability of lightly coated tinplate with Ni diffusion treatment. (Development of lightly coated tinplate for welded cans--II). Hisatada Nakakoji, et al.	S1232
505	Effect of Ni-preplating on the property of lightly tin coated steel. Hirokazu Moriyama, et al.	S1233
506	Electric contact resistance and forging property of materials for welded cans. (Investigation of the phenomena in seam welding of cans--III). Tsukasa Fujimura, et al.	S1234
507	Seam weldability of materials for welded cans. (Investigation of the phenomena in seam welding of cans--IV). Kenji Yasunaka, et al.	S1235
508	Formability of low tin coated tinplate in DWI process. Hideo Omura, et al.	S1236
509	Development of TFS with good lacquer adhesion by reverse electrolysis-free anion chemical process. Hajime Ogata, et al.	S1237
510	Electrodeposition of metallic chromium on tinplate. (Application of electro-chromate treatment to lightly tin coated steel--II). Hiroki Iwasa, et al.	S1238
511	Investigation for surface character of tin plate. Kaku Sato, et al.	S1239
512	Investigation for plating conductor roll of electrolytic tinning line. Kaku Sato, et al.	S1240

-- PROPERTIES OF IRON AND STEEL --

OCTOBER 4, 1983

513	Development of YP 36 kgf/mm ² class steel plate for low temperature service. (High strength steel produced by continuous on-line-control process (CLC)--V). Atsuo Tanaka, et al.	S1241
514	Development of low C-2.5%Ni steel. (Development of low temperature service steels with good arrestability to brittle fracture--I). Makoto Yamada, et al.	S1242
515	Mill trial study of low carbon-2.5% Nickel steel. (Development of low temperature service steels with good arrestability to brittle fracture--II). Koshiro Tsukada, et al.	S1243
516	The toughness of TIG welded joints of 6 % Mn cryogenic steels. Takashi Kumamoto, et al.	S1244
517	The relation between the crack arrest toughness and the microstructure of 9 % Ni steel. Hiroyuki Kagawa, et al.	S1245
518	Improvement in arrestability of 9 % Ni steel by L-heat treatment. (Study on manufacturing method of high tough 9 % Ni steel--I). Naoki Saito, et al.	S1246
519	Serration and temperature rise in stainless steels tested in superfluid helium. Toshio Ogata, et al.	S1247
520	Effect of P on the fracture toughness of Mn steels. Ken-ichi Sano, et al.	S1248
521	Some observations for difference between U notch and V notch on Charpy impact test. Sumihisa Aoki, et al.	S1249
522	Effect of applied stress on COD behavior under constant load. Akira Kiuchi, et al.	S1250
523	Estimation of fracture toughness by instrumented drop weight tear test. Kenji Aoyagi, et al.	S1251
524	Effect of heat treatment on elevated temperature strength and room temperature toughness of 9Cr-2Mo-V-Nb steel. Masanori Kumakura, et al.	S1252
525	Creep rupture strength and Charpy impact properties of low-Si 9Cr-2Mo-V-Nb heat resisting steels. Kentaro Asakura, et al.	S1253

526 Effect of alloy elements on long-term creep rupture strength and toughness after long-term reheating of 9Cr-Mo-V-Nb heat resisting steels. Kentaro Asakura, et al.	S1254
527 Mechanical properties and weldability of 9Cr-2Mo-V-Nb boiler tube manufactured by EF-AOD-CC process. Katsukuni Hashimoto, et al.	S1255
528 Development of advanced 12%Cr-Mo-V steels for 593 °C application. Hideyuki Kawamoto, et al.	S1256
529 Effect of Mo, Si and Nb on creep rupture strength and toughness of 12 Cr heat-resisting steel. Liu Xing Yang, et al.	S1257
530 Metallurgical properties and short time strength of 12 % Cr steel disc. (Development of 12 % Cr steel for disc--I). Seikichi Yamada, et al.	S1258
531 Long time strength and temper embrittlement at high temperature of 12 % Cr steel disc. (Development of 12 % Cr steel for disc--II). Hisataka Kawai, et al.	S1259
532 Heat treatment of 12 Cr steel turbine rotor shaft. (Manufacture of 12 Cr steel turbine rotor shaft--III). Kimihiko Akahori, et al.	S1260
533 Effect of H ₂ O and O ₂ contents in atmosphere on the oxidation resistance of ferritic stainless steels. (Study on the Si-bearing 18 Cr ferritic stainless steel for heaters--I). Hisao Fujikawa, et al.	S1261
534 Effects of alloying elements and hot rolling conditions on some properties of ferritic stainless steels. (Study on the Si-bearing 18 Cr ferritic stainless steel for heaters--II). Shun-ichiro Akiyama, et al.	S1262
535 Heat-resisting performance of high chromium austenitic alloy. Naotsugu Yamanouchi, et al.	S1263
536 Development of stress relieving resistant HT50 steels by controlled cooling. Yokimi Kawashima, et al.	S1264
537 Development of high YP steels by controlled cooling. Shiro Imai, et al.	S1265
538 Investigation of chemical compositions and microstructures of controlled rolled and cooled 50k HT steels with low carbon equivalent. (Research about the property control of the controlled cooled thick plates--II). Shiro Imai, et al.	S1266
539 Production of hull structural steel plate with yield strength of 36 kgf/mm ² by controlled cooling. (Development of a new process for manufacturing steel plates by controlled cooling--III). Noriaki Akiyama, et al.	S1267
540 Development of class 50 kgf/mm ² steel for arctic offshore structure. (Production of steels for low temperature service by on-line accelerated cooling--I). Koshiro Tsukada, et al.	S1268
541 Weldability and toughness of welded joint in the arctic offshore structural steel. (Production of steels for low temperature service by on-line accelerated cooling--II). Koshiro Tsukada, et al.	S1269
542 Alloy design and manufacture of HT60 angle steel. (Development of HT60 angle steel for a power transmission steel tower--I). Hiroki Masumoto, et al.	S1270
543 Mechanical properties and buckling strength of HT60 angle steels. (Development of HT60 angle steel for a power transmission steel tower--II). Hiroki Masumoto, et al.	S1271
544 Thermal deformation analysis model for edge wave of steel plate. (Thermal deformation analysis of steel plate with controlled cooling process--I). Ken-ichi Ohe, et al.	S1272
545 Effect of non-uniform temperature distribution on occurrence of thermal buckling in steel plate. (Thermal deformation analysis of steel plate with controlled cooling process--II). Ken-ichi Ohe, et al.	S1273
546 Yield stress model of steel (Si-Mn) during phase transformation. (Thermal deformation analysis of steel plate with controlled cooling process--III). Kouro Takatsuka, et al.	S1274
547 Heat transfer in a steel disk during cooling. Atsushi Watanabe, et al.	S1275
548 Effects of P and C on the texture of phosphorus containing steels. Hirosuke Inagaki, et al.	S1276
549 Textures of cold rolled and 2-stage annealed P-bearing low C Al-killed steel. Kunio Ito, et al.	S1277
550 Effects of copper on the texture development in cold rolled and annealed low carbon steel sheets. Masayuki Okamoto, et al.	S1278
551 Surface textures in control-rolled plate. Hirosuke Inagaki.	S1279
552 Concept of uniform allocation of pole intensities and method of improvement. (Improvement of vector method considering the uniform allocation of pole intensities (σ -NM) method--I). Ryo Shimizu, et al.	S1280

553 Example of the texture analysis of SUS 430 stainless steel by σ -NM method. (Improvement of vector method considering the uniform allocation of pole intensities (σ -NM) method--II).	S1281
Kuniteru Ota, et al.	
554 Influence of recoverization during recrystallization annealing on texture of 3%Si-Fe. Yoshiaki Iida, et al.	S1282
555 Influence of aging treatment before cold rolling process on the magnetic properties of grain oriented electrical steel.	
Katsuro Kuroki, et al.	S1283
556 Transmission Kossel study of origin of Goss texture in grain oriented silicon steel containing a small amount of Mo.	
Yukio Inokuti, et al.	S1284
557 Improvement on the surface conditions in grain oriented silicon steel containing a small amount of Mo. Yukio Inokuti, et al.	S1285
558 Effect of Cr, Si and Al contents on properties of Fe-Cr-Si-Al alloy. Akihiko Yanagitani, et al.	S1286
559 Investigation on the chemical composition of precipitated austenite in maraging steels. (Effect of precipitation on strength and toughness of maraging steels-V).	
Yasutaka Okada, et al.	S1287
560 Effect of cold rolling on the dilatometric behaviour of a 18 % Ni maraging steel. Takayuki Nakamura, et al.	S1288
561 Effect of Cr and Ni contents on strength and corrosion resistance of maraging stainless steel. Kensai Shitani, et al.	S1289
562 Improvement of strength and toughness by means of heat treatment in weld joint of 18 Ni maraging steel for use of rocked chambers.	
Kazuhiko Kurabayashi, et al.	S1290
563 Mechanical properties of 3.5%Ni-Cr-Mo-V steel forged with the FM process. Itaru Tamura, et al.	S1291
564 Effect of the microstructure on the toughness of the 4.4Cr-4.4W-2V-Co hot work alloy tool steel. Toshio Okuno.	S1292
565 Mechanical and heat-crack resistant properties of surfacing materials for continuous casting roll. Tsuguo Honda, et al.	S1293
566 Effect of microstructures on wear properties of adamite roll material at elevated temperatures. Hiroshi Noguchi, et al.	S1294
567 Plastic behavior of the rolling contact surface of rails.	
Yukio Sato, et al.	S1295
568 Development of high speed rail testing machine. (Study on contact rolling fatigue of rails--I).	
Shin-ichi Nishida, et al.	S1296
569 Result by high speed rail testing machine. (Study on contact rolling fatigue of rails--II).	
Shin-ichi Nishida, et al.	S1297
570 Effect of segregation on fatigue strength. (Study on fatigue properties of rails--V).	
Chikayuki Urashima, et al.	S1298

OCTOBER 5, 1983

571 Quality characteristics of the new controlled cooled wire rod (SCS rod). (Wire rod inline heat treatment technology--III).	
Kenjiro Araki, et al.	S1299
572 The cold headability of SCS wire rods. (Wire rod inline heat treatment technology--IV).	
Shozan Kumagai.	S1300
573 Estimation of cooling velocity from 800 °C to 500 °C during air patenting of steel wire.	
Toshiyuki Murakami, et al.	S1301
574 Influence of silicon content on the relaxation characteristics of eutectoid steel wire. (Development of direct-patented high strength steel wire rod--IV).	
Tadayoshi Kumagai, et al.	S1302
575 Research and development of high carbon low alloy high tensile steel wire.	
Hitoshi Tashiro, et al.	S1303
576 Development of low-relaxation and large-diameter steel wire rod for prestressed concrete wire.	
Hideo Kanisawa, et al.	S1304
577 Effect of alloying elements on the delamination behavior of eutectoid and hyper-eutectoid steel wires.	
Yutaka Kanetsuki, et al.	S1305
578 Effect of Al and N content on grain coarsening of low carbon steel wire. (Behaviour of grain growth of low carbon steel wire during annealing--II).	
Hiroshi Oba, et al.	S1306
579 The study of an assumption for the cause of scab on wire rods.	
Tuneyo Kuwahata, et al.	S1307
580 Mechanical properties of up-quenched-austempering in Si-Mn spring steels. (Study of up-quenched austempering--II).	
Hisao Imatomii, et al.	S1308
581 Study on the controlled conditions for heat treatment free machine structural steel bars.	
Hisao Maeda, et al.	S1309
582 Mechanical properties of as-rolled high-strength steels. (Thermo-mechanical treatment of steel bars--V).	
Fukukazu Nakasato, et al.	S1310

-
- 583 The effects of chemical composition, rolling condition and cooling rate
 on the mechanical properties of steel wire for non-heat-treated JIS-9T,
 10T high tensile bolts. Shoji Okamoto, et al. S1311
 584 Development of high toughness microalloyed steels for hot forging.
 Takashi Abe, et al. S1312
 585 Fatigue properties of non heat-treated bolts. Tetsuo Shiraga, et al. S1313
 586 Effects of heating and cooling condition on the mechanical properties
 of microalloyed medium carbon steel bars. Nobuyuki Kondo, et al. S1314
 587 Properties of leaded free machining steels made from continuous casting.
 Kazuhiro Kobayashi, et al. S1315
 588 Influence of free-machining additives on machinability in gearhobbing
 and cold forgability. Toyofumi Hasagawa, et al. S1316
 589 Heat treatment characteristics of boron steel & its application.
 Norihiko Akamatsu, et al. S1317
 590 Effects of Ti, N, B contents on the impact value and hardenability of
 ausforged boron steel. Yutaka Tsuchida, et al. S1318
 591 Effect of center segregation on the lamellar tear nucleation on the
 heavy plate. Hiroyuki Ogawa, et al. S1319
 592 The unhomogeneity in the through-thickness middle portion of heavy
 plates from CC-slabs, and the mechanical properties.
 Masana Imagunbai, et al. S1320
 593 Properties of ultra heavy plates manufactured from unidirectionally
 solidified ingots. Motonori Uemura, et al. S1321
 594 The steel with high strength and toughness for clad steel.
 Hidehiko Ohtsu, et al. S1322
 595 Alloying system design and properties of 60 kg/mm² class steels for power
 transmission steel tower. Tsutomu Ikoma, et al. S1323
 596 Extra low nitrogen high strength steel for high heat input welding
 manufactured by direct quenching after rolling. Masataka Suga, et al. S1324
 597 Influences of rolling conditions on hardenability of direct-quenched
 steel plates. Nozomi Komatsubara, et al. S1325
 598 Investigation on the hot rolling conditions in direct-quenching process.
 Nozomi Komatsubara, et al. S1326
 599 Relationship between strength and structural factors in directly quenched
 and tempered steel. Katsuhiro Itayama, et al. S1327
 600 Effects of temperature and stress on creep-rupture properties of ISIJ
 Specimen Bank material (SUS 304). Akimitsu Miyazaki, et al. S1328
 601 Effects of aging treatment on elevated temperature low-cycle fatigue of
 SUS 304 type stainless steels. Takemi Yamada. S1329
 602 Effects of strain rate on elevated temperature low-cycle fatigue of
 SUS 304 type stainless steels. Takemi Yamada. S1330
 603 Influence of stress ageing on rupture life under combined creep
 fatigue loading condition for SUS 304 steel. Koichi Yagi, et al. S1331
 604 Microstructures and mechanical properties of 304 steels serviced for
 prolonged time at 520~610 °C. Masaru Tanaka, et al. S1332
 605 Effect of recovery treatment on the mechanical properties of SUS 304
 steel serviced for prolonged time at elevated temperature.
 Yoshihiro Kondo, et al. S1333
 606 Development of stainless steel forgings for fast breeder reactor.
 (Study on manufacturing technology of heavy stainless steel--V).
 Shigeo Mori, et al. S1334
 607 Manufacturing technique and material properties of SUS F304H forgings
 for FBR nuclear power plant component. Kazuo Asoh, et al. S1335
 608 Creep rupture properties in relation to microstructure of type 321
 stainless steel. Hideo Tanaka, et al. S1336
 609 The effect of N on high temperature creep properties of 18Cr-10Ni
 steel containing P and Mo. Nobuhiko Morioka, et al. S1337
 610 Effects of W on high temperature creep properties of C free 18Cr-14Ni
 steel. Guan Gao, et al. S1338
 611 Effect of creep deformation on Charpy impact energy of SUS 316 steel.
 Tomohiro Tsuchiyama, et al. S1339
 612 Effect of Al+Ti, Al/Ti and C, on high temperature strength in Ni-20Cr-Al,
 Ti alloys. Takashi Motoda, et al. S1340
 613 The effect of Nb content on creep rupture strength of cold worked
 15Cr-15Ni-2.5Mo steels for fast breeder reactor fuel cladding tubes.
 Hiroyuki Uchida, et al. S1341
 614 High cycle fatigue properties of γ' precipitation-hardened Fe-42Ni-15Cr
 alloys subjected to hot corrosion. Masayuki Yoshiba, et al. S1342
 615 Effects of alloying elements and structure on high temperature strength.
 (Study of high strength austenitic heat resisting steel--I).
 Katsumi Suzuki, et al. S1343
 616 Structural changes and mechanical properties. (Study of high strength
 austenitic heat resisting steel-II). Masao Kikuchi, et al. S1344
 617 The effect of Cr, Ni and Si contents on hot corrosion resistance of
 austenitic high-strength heat-resisting steel. (Study of high strength

austenitic heat resisting steel--III). Satoshi Araki, et al.	S1345
618 Effect of Ti and Nb on creep rupture strength of austenitic heat resisting steel. Jian-Yih Wang, et al.	S1346
619 Relation between crystal systems of pure metals and hot hardness. (Estimation of properties of heat-resistant metallic materials by hot hardness and indentation creep--II). Yasuhisa Yamamoto, et al.	S1347
620 Effect of chromium on hot hardness properties of nickel-chromium system heat-resistant alloys. (Estimation of properties of heat-resistant metallic materials by hot hardness and indentation creep--III). Hiroshi Takahashi, et al.	S1348
621 Relationship between Nv and mechanical properties of cast HK-40. Komei Kasahara, et al.	S1349
622 Mechanical properties and resistance to wet sour gas in low carbon line pipe steels. (Development of low carbon line pipe steels for sour gas service--I). Kazuaki Matsumoto, et al.	S1350
623 Mechanical properties in welded joint of low carbon line pipe steels. (Development of low carbon line pipe steels for sour gas service--II). Kazutaka Akao, et al.	S1351
624 Metallurgical factors on HIC phenomena in HAZ of ultra low carbon steels. (Development of low carbon line pipe steels for sour gas service--III). Masakazu Niikura, et al.	S1352
625 Trapping of hydrogen by precipitates in steel. Makio Iino, et al.	S1353
626 Effect of hydrogen content on formation of hair-line cracks. Toshio Ogawa, et al.	S1354
627 Influences of alloying elements and NaCl contents on HIC resistance of line pipe steels. Toshio Nakazawa, et al.	S1355
628 Effect of environmental factors on hydrogen permeation for linepipe steel. Mitsuo Kimura, et al.	S1356
629 Effect of P, S, N on delayed fracture of induction quenched and tempered high tensile strength steel. Osami Serikawa, et al.	S1357
630 Properties of controlled-rolled low C-Ni-Nb line pipe steel for low temperature service. Masahiko Murata, et al.	S1358
631 Development of deep drawable cold rolled steel sheet by controlled cooling in continuous annealing. Osamu Hashimoto, et al.	S1359
632 Effect of AlN precipitates on the grain growth in continuously annealed mild steel sheets. Teruo Suzuki, et al.	S1360
633 Effect of cooling conditions on the solute carbon content of the rapidly cooled steels in continuous annealing. Kiwami Kurihara, et al.	S1361
634 The effect of retained austenite on the ductility of dual-phase steels. Tetu Narutani, et al.	S1362
635 Effect of annealing temperature on ductility of cold rolled dual phase steel sheets. Yoshiki Tanaka, et al.	S1363
636 Effect of annealing conditions on the mechanical properties of cold-rolled high strength dual-phase steel sheet. Hisao Kawase, et al.	S1364
637 Improvement of resistance to brittle fracture in extra low carbon niobium stabilized steel after press-forming. (Development of ultra- deepdrawing cold rolled steel with less tendency for brittleness--I). Katsuhiko Tayama, et al.	S1365
638 Production and qualities of extra low carbon niobium stabilized steel added with small amounts of boron. (Development of ultra-deepdrawing cold rolled steel with less tendency for brittleness--II). Morihiro Wada, et al.	S1366
639 Enameling properties of Ti bearing extra low C steel sheet. Akira Yasuda, et al.	S1367
640 Production of ultra low carbon-high oxygen steel sheets by continuous casting for porcelain enameling use. Junsuke Takasaki, et al.	S1368
641 Effects of chemical compositions on the mechanical properties of low C-low Al CC-DR sheet steel. (Study of CC-DR process metallurgy--I). Kunio Watanabe, et al.	S1369
642 Effect of chemical compositions and rolling process on the grain coarsening of box annealed low C-low Al CC-DR cold rolled steel. (Study of CC-DR process metallurgy--II). Toyohiko Satō, et al.	S1370
643 Initial stage of disbonding in austenitic stainless steel weld overlay. Takuichi Imanaka, et al.	S1371
644 Improvement of solidification cracking susceptibility of fully austenitic type 316 stainless steel. Yoshikuni Nakao, et al.	S1372
645 Effect of rare earth metal on weld hot crack susceptibility of austenitic stainless steels. Keiji Ōsaki, et al.	S1373
646 r- α transformation and behavior of precipitation of carbide in process of heating and slow cooling. (Study on thermomechanical treatment of martensitic stainless steel--III). Hajime Ikeda, et al.	S1374
647 Effects of hot-rolling conditions on behavior of recrystallization. (Study on 18Cr-8Ni stainless steel with small amount of Nb--I). Daiharu Doi, et al.	S1375

- 648 Mechanical properties and corrosion resistance of weld zone of the plate. (Study on 18-8 stainless steel with small amount of Nb--II).
Masami Furukawa, et al. S1376
- 649 Recrystallization behavior of SUS 430 stainless steel in hot deformation--V.
Tetsuro Takemoto, et al. S1377
- 650 Effect of roll diameter of cold rolling mill on the formability of
SUS 430 stainless steel sheet--VI. Jirou Harase, et al. S1378
- 651 Effect of different preferal speed rolling on the formability of
SUS 430 stainless steel sheet--VII. Jirou Harase, et al. S1379
- 652 Effects of alloying elements on atmospheric corrosion of ferritic
stainless steel. Satoshi Ito, et al. S1380
- 653 Rusting resistance of the surface film on HAZ of SUS 304.
Kozo Nishimura, et al. S1381
- 654 The effect of sulfur and phosphorus content on the corrosion resistance
of the ferritic stainless steel. Masanori Ueda, et al. S1382
- 655 Effects of S and Mn contents on crevice corrosion behavior of 18-8
stainless steel. Kikuo Takizawa, et al. S1383
- 656 The development of 13 Cr martensitic stainless steel having good
toughness and corrosion resistance without tempering treatment after
quenching. Keiichi Yoshioka, et al. S1384
- 657 Development of martensitic stainless runner casting with superior
corrosion resistance. Yoshitaka Iwabuchi, et al. S1385
- 658 Mechanical properties of 13 Cr (high Ni) stainless cast steel.
Mitsuo Yamashita, et al. S1386
- 659 Austenite stability of stainless steel at cryogenic temperatures.
(Low temperature strength of austenitic stainless steel--III).
Tetsu Sakamoto, et al. S1387
- 660 Influence of solution and Nb₃Sn heat treatments on cryogenic property
of V-bearing 316 LN stainless steel. Kiyohiko Nohara, et al. S1388
- 661 Effect of inclusions on the wear of SUS 316 type steels in liquidized
nitrogen. Hajime Suto, et al. S1389
- 662 Influence of cold drawing on machinability of austenitic stainless
steels. Yoshifumi Oomura, et al. S1390
- 663 Measurement of inside corrosion and service life in buried pipe line.
(Corrosion maintenance of industrial line pipe--I).
Shin-ichiro Nagano, et al. S1391
- 664 Service life prediction of ERW pipe in water supply system.
(Corrosion maintenance of industrial line pipe--II).
Shigeru Mizoguti, et al. S1392
- 665 Effect of Cu on steam corrosion resistance of carbon steel for boilers.
Hideaki Itoh, et al. S1393
- 666 Elevated temperature property of ERW rifled tube.
Kazuhiro Kakinuma, et al. S1394
- 667 The embrittlement zone in welded joint of ERW pipe. (Study on welded
joint of ERW pipe--III). Toshihiro Takamura, et al. S1395
- 668 Mechanical property of high-carbon and alloy steel ERW tubes.
Yasuo Kimiya, et al. S1396
- 669 Effect of geometry. (FEM analysis of the collapse strength of a seamless
tube--I). Ken-ichi Tanaka, et al. S1397
- 670 Effect of residual stress. (FEM analysis of the collapse strength of
a seamless tube--II). Ken-ichi Tanaka, et al. S1398
- 671 Fracture toughness of cold-reduced, high alloy OCTG.
Toru Shimada, et al. S1399
- 672 Hot workability of 13 Cr martensitic stainless steel for OCTG.
Hiroshi Ohtsubo, et al. S1400
- 673 Threading tool materials for 13 Cr seamless steel pipe and machined
surface finish. Tatsuya Imai, et al. S1401
- 674 Development of tin plated high seal buttress casing joint.
Kazuhiro Itoh, et al. S1402
- 675 CO₂ corrosion behavior in two phase flow (gas-liquid) and condensed
water environment. Akio Ikeda, et al. S1403
- 676 A measure to corrosion resistance of high alloyed steel in sour
environment. Ryō Matsuhashi, et al. S1404
- 677 Corrosion and stress corrosion behavior of duplex stainless steels in
H₂S-CO₂-Cl⁻ environment. Hayao Kurahashi, et al. S1405
- OCTOBER 6, 1983
- 678 Effect of Si and Cr on ductility of eutectoid steel. (Improvement in
ductility and toughness of high carbon steel--I). Tunemi Wada, et al. S1406
- 679 Development of ultra high strength and high toughness steel for case
hardening. (Fracture toughness of a product by a developed
3.8Ni-1.6Cr-Mo-V steel--IV). Tadao Iwadate, et al. S1407
- 680 Development of super strength and toughness carburizing steel.
(Crack initiation strength of carburized and hardened zone--III).
Michihiro Ito, et al. S1408

681 Micro-structural observation of eutectoid steels after cycle-heattreatment. Masaharu Hara, et al.	S1409
682 Behavior of carbrizing case in continuous casted carbrizing steels. Yutaka Mikami, et al.	S1410
683 Spheroidizing annealing of carbon steels. (Influence of pre-structure--I). Susumu Kanbara, et al.	S1411
684 Characteristic of steels after short tempering. Hitoshi Asahi, et al.	S1412
685 Surface hardening of pure iron by CO ₂ laser. Yuichi Seki, et al.	S1413
686 Effect of impurity elements on the ferrite formation in spheroidal graphite cast iron. Yasuhiro Sekimoto, et al.	S1414
687 Decomposition of Mn-C dipoles during quench-ageing in low-carbon steels. Susumu Okada, et al.	S1415
688 Dissolution and precipitation behavior of Ti and Al in a low alloy steel. Syuzo Ueda, et al.	S1416
689 Nucleation sites of cementites in grains that precipitate during overaging of C.A.P.L. process. Koichi Kawasaki, et al.	S1417
690 Influence of dynamic precipitate ferrite on the ductility of steels in ($\delta+\gamma$) two phase region. Tsuneaki Nagamichi, et al.	S1418
691 Application of internal stress theory to phase-transformation plasticity in steels. Toshiharu Okada, et al.	S1419
692 Micro-segregation in iron-cromium binary alloys. Shinji Sato, et al.	S1420
693 Deformation and recrystallization of SUS 304 austenitic stainless steel during high speed hot rolling. Tetsuo Sakai, et al.	S1421
694 Influence of precipitates on flow stress of austenite in low alloy steels. Katsuhiro Itayama, et al.	S1422
695 Effect of hydrogen addition on Charpy impact properties of 2.25Cr-1Mo steels. Isamu Takagi, et al.	S1423
696 Effect of C and Nb contents on mechanical properties of 2 $\frac{1}{4}$ Cr-1MoNiNb steel forgings. (Manufacturing and material properties of 2 $\frac{1}{4}$ Cr-1MoNiNb steel for steam generator of fast breeder reactor--I). Mikio Kusuhashi, et al.	S1424
697 Grain refining and production test of low carbon 2 $\frac{1}{4}$ Cr-1MoNiNb steel forgings. (Manufacturing and material properties of 2 $\frac{1}{4}$ Cr-1MoNiNb steel for steam generator of fast breeder reactor--II). Ikuo Sato, et al.	S1425
698 Effects of Nb and austenitizing temperature on mechanical properties of 2 $\frac{1}{4}$ Cr-1Mo steel. Shingo Sato, et al.	S1426
699 Development of high weldability 1 $\frac{1}{4}$ Cr- $\frac{1}{2}$ Mo steel. (Stabilization of properties of heavy section 1 $\frac{1}{4}$ Cr- $\frac{1}{2}$ Mo steel plates--IV). Haruo Suzuki, et al.	S1427
700 Improvement in toughness of heavy section 1 $\frac{1}{4}$ Cr- $\frac{1}{2}$ Mo steel plates. (Stabilization of properties of heavy section 1 $\frac{1}{4}$ Cr- $\frac{1}{2}$ Mo steel plates--V). Seishi Tsuyama, et al.	S1428
701 Properties of A387-11 steel plate with heavy section. Tetsuo Kikutake, et al.	S1429
702 Effect of precipitate morphology of 2 $\frac{1}{4}$ Cr-1Mo steel on diffusion coefficient of hydrogen. Jun-ichi Shimomura, et al.	S1430
703 Hydrogen embrittlement of temper embrittled Cr-Mo steels. (Hydrogen assisted crack propagation behavior--III). Tohru Nomura, et al.	S1431
704 Effects of Cr and V on the hydrogen attack susceptibility of Cr-Mo pressure vessel steels. (Study on coal liquefaction pressure vessel steel--II). Tohru Ishiguro, et al.	S1432
705 Hydrogen permeability at the condition of high temperature and high pressure. Takuichi Imanaka, et al.	S1433
706 Effect of heat treatment on hydrogen attack of C-0.5Mo steels. Ryuichi Chiba, et al.	S1434
707 Manufacture of 9/1Cu-Ni clad steel plate by brazing method. Isao Kawauti, et al.	S1435
708 Tearing modulus and creep crack growth rate of welded joints of Cr-Mo steels for a pressure vessel. Toshiki Kabutomori, et al.	S1436
709 Creep properties of commercial 2 $\frac{1}{4}$ Cr-1Mo steels with different heat treatment. Masao Sakamoto, et al.	S1437
710 Microstructural factors to determine the creep resistance in accelerating stage of Cr-Mo-V steel. Kazuhiro Kimura, et al.	S1438
711 Effect of creep damage on high-temperature fatigue life of Cr-Mo-V steel. Junro Kyono, et al.	S1439
712 Investigation of 23Cr-34Ni iron based alloy with high strength and high ductility. (Investigation of incoloy 800 based alloy--II). Hiroyuki Doi, et al.	S1440
713 Effect of Si content on the properties of an iron base super-alloy. Tateo Ohhashi, et al.	S1441
714 Effect of alloying elements on embrittlement of iron-base alloy after long heating. Katsumi Iijima, et al.	S1442
715 Effect of loading conditions on strength properties of a nickel-base superalloy subjected to creep-fatigue interaction in hot corrosive	

environment. Jun Iwai, et al.	S1443
716 Effect of microstructure near grain boundary of inconel x750 on SCC susceptibility. Kazuharu Hattori, et al.	S1444
717 Mechanical properties of Ni-base 718 alloy disk manufactured from ESR ingot. Tetsuo Yamada, et al.	S1445
718 Microstructure and diffusion of liquid phase diffusion bonding in oxide dispersion strengthened alloy of nickel-base. Teruo Hirane, et al.	S1446
719 Grain refinement and superplasticity of P/M Ni-base superalloy. Hiroshi Takigawa, et al.	S1447
720 Thermal fatigue of Ni-base superalloys by fluidized-bed technique. Yōzō Kawasaki, et al.	S1448
721 Hot corrosion of Ni base superalloys in a burner rig tester. Akira Ishida, et al.	S1449
722 Laboratory estimating method of durability of exhaust valve materials for marine engine. Hideo Sekiguchi, et al.	S1450
723 Plastic deformation of nimonic 80A type alloys. Takehiko Itagaki, et al.	S1451
724 Effects of orientation on the high temperature low-cycle fatigue properties of directionally solidified Mar-M 247. (Evaluation of high temperature mechanical strength for directionally solidified material --II). Hiroshi Hattori, et al.	S1452
725 Creep properties of directionally solidified Mar-M 247. (Evaluation of high temperature mechanical strength for directionally solidified material--III. Hiroshi Hattori, et al.	S1453
726 Creep-fatigue life prediction using creep rupture ductility. Koji Yamaguchi, et al.	S1454
727 Computer calculation of the Ni-Cr-W-C quaternary phase diagram $\gamma/\alpha_1, \alpha_2, \delta, M_{23}C_6, M_6C$ phase equilibria in low carbon-activity region. (Phase equilibrium in the Ni-Cr-W-C system--V). Masanori Kajihara, et al.	S1455
728 Lattice parameter of Ni-Cr-W solid solution. Fujio Abe, et al.	S1456
729 Creep rupture properties of Ni-Cr-W base superalloys in impure He. Fujio Abe, et al.	S1457
730 Corrosion behaviours of inconel 617 coated with silicon oxide in impure helium. Yoshikazu Sakai, et al.	S1458
731 Formation of fine ferrite in low-carbon steel during multipass sequential hot rolling. Hiroshi Yada, et al.	S1459
732 Grain size control on γ/α transformation by controlled cooling. (Development of control technique of properties by steelmaking and hot rolling processes--V). Jun-ichi Wakita, et al.	S1460
733 Development of 55 kgf/mm ² grade, formable hot rolled steel sheet by controlled cooling on run-out-table. Nobuhiko Matsuzu, et al.	S1461
734 Results of production of high strength hot rolled steel sheet with good formability. Seishirou Katou, et al.	S1462
735 Production of hot-rolled coil for high strength steel tube with good cold formability. Nobuo Aoyagi, et al.	S1463
736 Effect of coiling temperature on scale adhesion of hot rolled steel sheets. Masakazu Oshimi, et al.	S1464
737 Investigation on fatigue properties of spot welded steel sheets. Kazuo Yoshikawa, et al.	S1465
738 The effect of C, P and Mn. (Influence of chemical composition on the cross tension fatigue strength of spot-weld in high strength steel sheets--II). Tomoo Sekine, et al.	S1466
739 Development of spot-weldable composite sheet. Yoshihiro Matsumoto, et al.	S1467
740 Influence of mechanical properties on wall-breakage in the press forming of high strength steel sheets. Yoshio Ishii, et al.	S1468
741 Extension behavior of edge crack at the burring work of thin plate. Tadafumi Honda, et al.	S1469
742 A practical evaluation method of combined formability of steel sheets undergone twisting and stretch-flanging. Hidenori Shirasawa, et al.	S1470
743 Effect of mechanical properties in steel sheet on the surface-deflection around door emboss at press forming. Yoshio Ishii, et al.	S1471
744 Effect of temper rolling on deformation band and residual strain of cold rolled steel sheets. Hiroshi Hayakawa, et al.	S1472
745 Formability of SUS 304 cold sheets with reduced Ni content. Tsuyoshi Azuma, et al.	S1473
746 Annealing characteristics of stainless steels for light transit car application. Ryuichi Hasegawa, et al.	S1474
747 Experimental equation of tensile properties of low carbon type 301 stainless steel. (Development of low carbon high strength stainless steels--IV). Teruo Tanaka, et al.	S1475
748 Effect of hot-forging conditions on mechanical properties of high N-20Cr-15Mn-4Ni-2Mo non-magnetic steels. Yuji Ikegami, et al.	S1476

749 The workability and corrosion resistance of direct heat treating austenitic stainless steel wire rods. (Method for direct heat treating austenitic stainless steel wire rod--III). Wataru Murata, et al.	S1477
750 Precipitation behavior in duplex stainless steel. Tatsuo Takaoka, et al.	S1478
751 Precipitations of $M_{23}C_6$ and σ phase in δ/γ duplex stainless steels. Yasuhiro Maehara, et al.	S1479
752 Effects of heat treatment and alloying elements on toughness of high manganese steels. Tomio Takagi, et al.	S1480
753 Strength and toughness of 32~35 % Mn non-magnetic steels at cryogenic temperatures. Koji Shibata, et al.	S1481
754 Effects of stacking fault energy on the low-temperature brittleness of high Mn austenite steel. Tomohide Matsumura, et al.	S1482
755 Grain refining of high manganese austenitic cast steel by heat treatment. Yoshiharu Waku, et al.	S1483
756 Influence of cooling rates and alloying elements on mechanical properties of high manganese steel. Atsushi Yoshida, et al.	S1484
757 Effect of elements on high temperature ductility and strength of high manganese non-magnetic steels. Terufumi Sasaki, et al.	S1485
758 Optimum alloy system of a high manganese stainless steel. (Development of a high-strength high manganese stainless steel for cryogenic use--I). Ken-ichiro Suemune, et al.	S1486
759 Sensitivity of stress corrosion cracking on 18Mn-5Cr nonmagnetic steels. Koichi Tajima, et al.	S1487
760 Effect of chemical composition and mechanical property on machinability of high manganese non-magnetic steels. Yoshinobu Honkura, et al.	S1488
761 Drilling of austenitic manganese steel. Chieko Matsumoto, et al.	S1489
762 Detection of defects in welded joint of a structural steel and prediction of fatigue and corrosion fatigue lives for the joints containing those defects. Takao Aoki, et al.	S1490
763 Effect of temperature on corrosion fatigue crack growth rate of high strength steels. Tetsuya Saito.	S1491
764 Development of fatigue and tensile testing machine in the high temperature and high pressure hydrogen gas. Takuichi Imanaka, et al.	S1492
765 Fretting fatigue of SUP9 and S45C steels. Kohichi Tanaka, et al.	S1493
766 Effect of temperature on fatigue crack growth behavior of reactor pressure vessel steel in high temperature pressurized water. Yasuyuki Katada, et al.	S1494
767 Fatigue crack growth rates and their thresholds of high yield strength steels in various kinds of waters at potentials. Masae Sumita, et al.	S1495
768 Prediction of fatigue life of carbon steel in high temperature water. (Low cycle fatigue of carbon steel in high temperature water environment--III). Makoto Higuchi, et al.	S1496
769 Rotary bending fatigue strength of carburized large scale tilted shaft. (Fatigue of carburized large scale tilted shaft--II). Hideki Kawamura, et al.	S1497
770 Effect of stress relieving on sulfide stress corrosion cracking resistance of cold worked steel. Norio Ishikawa, et al.	S1498
771 Initiation and propagation morphology of sulfide stress corrosion cracking at welds. (Study on sulfide stress corrosion cracking of linepipe--I). Tomoaki Hyodo, et al.	S1499
772 Sulfide stress corrosion cracking of 13Cr stainless steels. Hayao Kurahashi, et al.	S1500
773 Effect of alloying elements on the SCC susceptibility of nickel-base weld metals in oxygenated, high purity water at high temperature. Masatsune Akashi, et al.	S1501
774 Effect of P and Cu on stress corrosion cracking of 19Cr-9Ni stainless steels in dilute NaCl solution. Haruki Watanabe, et al.	S1502
775 Pitting corrosion and stress corrosion cracking characteristics of high Ni austenitic stainless steels. Masaharu Honda, et al.	S1503
776 Index for zinc induced-cracking and cracking mechanism. (Liquid metal embrittlement--IV). Tetsujiro Takeda, et al.	S1504

~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ .

© Copyright 1983, ISIJ

This publication, or any part thereof, may not be reproduced in any form without the written permission of the ISIJ.