

The 110th ISIJ Meeting Programme*

S Y M P O S I A

-- IRONMAKING --

OCTOBER 4, 1985 13:00 - 17:20 Chairman: Mitsuo Saino

Theme I. Preparation of Materials for Sintering

- | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 1 Progress of research and technology on preparation for raw materials of sintered ore in recent years. Yasuo Omori, et al. | A169 |
| 2 Granulation of sinter feed and its role in sintering. Seiki Nagano, et al. | A173 |
| 3 Increase in permeability of sinter bed by improvement of quasi-particles of raw materials. Mikio Deguchi, et al. | A177 |
| 4 Improvement of the charging method of sinter material. Kiyonori Yamamoto, et al. | A181 |
| 5 Feeding method for size segregation of sinter mix. Hiroshi Itaya, et al. | A185 |
| 6 Estimation for iron sinter feeds and optimization of their combinations. Shun Satou, et al. | A189 |
| 7 Improvement of sinter production by the preparation of quasi-particles according to the mineralogical properties of iron ores. Yukihiko Hida, et al. | A193 |

-- STEELMAKING --

OCTOBER 5, 1985 9:30 - 17:00 Chairman: Takaji Kusakawa
Chairman: Yasuhiro Habu

Theme II. Rapid Solidification Processing of Iron and Steel

- | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 8 Continuous casting of nonferrous thin feedstocks. Hiroshi Tanaka. | A197 |
| 9 Strip casting of iron and steel. Takaji Kusakawa. | A200 |
| 10 Fundamentals rapid solidification processing. Merton C. Flemings, et al. | A204 |
| 11 Rapid solidification of levitation melted Ni-Sn alloy droplets with high undercooling. Yuh Shiohara, et al. | A209 |
| 12 Rapid quenching, undercooling, metastable equilibria. P. Hideo Shingu, et al. | A213 |
| 13 Structures of splat-cooled Fe-Cr-Ni alloys. Moriyuki Mushiake, et al. | A217 |
| 14 Production and properties of Fe-Si alloy wire by in-rotating-water spinning process. Isamu Yamauchi, et al. | A221 |
| 15 Consideration on the rapid solidification of steels. Akio Kasama, et al. | A225 |
| 16 Solidification Mechanism and properties of rapidly solidified high-silicon-steel strip. Fumio Kogiku, et al. | A229 |
| 17 Structural changes of steels induced by rapid solidification, and their application. Jin-ichi Inagaki, et al. | A233 |
| 18 Characteristics of rapidly solidified cast iron and high carbon steel. Chisato Yoshida, et al. | A237 |
| 19 Solidification behavior in the twin-roll casting process. By Shin-ichi Nishioka, et al. | A241 |
| 20 Direct casting of 18-8 stainless steel plate by unequal diameter twin-roll method. Naoto Toyama, et al. | A245 |
| 21 Development and solidification characteristics of horizontal thin slab caster. Seishi Itoyama, et al. | A249 |
| 22 Solidification structure of continuously cast thin steel slab by the twin-belt method and its cooling characteristics. Masanobu Nakamura, et al. | A253 |

* Tetsu-to-Hagané, 71(1985), No. 12 contains S781 to S1204 preprints in Japanese for Paper Presentations and Tetsu-to-Hagané, 81(1985), No. 13 does S1205 to S1652 pre-prints for them.

The preprints for Symposia were published in Tetsu-to-Hagané, 71(1985), No. 10, A169 to A316, in Japanese.

Part of those preprints for Paper Presentations are to be published in Transactions ISIJ, 26(1986), Nos. 1 to 6, in English.

-- SHAPING & FABRICATION • INSTRUMENTATION & CONTROL --

OCTOBER 4, 1985 13:00 - 17:20 Chariman: Akira Ohnuki

Theme III. Improvement of Roll Life in Rolling Mills

- 23 Changes in surface condition of high chromium work rolls in hot strip finishing mill. Hisashi Hiraoka, et al. A257
24 Effects of rolling oil on edge rolling mill. Katsumi Takada, et al. A261
25 Macro-analysis of spalling of work rolls at rear stand in hot strip finishing mills. Yoshikazu Sano, et al. A265
26 Examination of spalling of back-up roll in hot strip mill. Yoshihiro Ohkonomi, et al. A269

-- PRODUCTS AND PROPERTIES --

OCTOBER 5, 1985 13:00 - 17:20 Chairman: Ohmi Miyagawa

Theme IV. Strength Properties of High Temperature Alloys in Aggressive Environment

- 27 High temperature corrosion damages under the heavy oil combustion environment. Yoshio Harada, et al. A273

28 Strength properties of heat resisting alloys in hot corrosive environment induced by molten salt. Masayuki Yoshioka, et al. A277

29 Creep and fatigue behaviors of exhaust valve alloys in $\text{CaSO}_4\text{-C}$ induced high temperature corrosive environment. Kazufumi Morimoto, et al. A281

30 Effect of creep deformation on sulfidation behavior of Fe-Cr alloys in $\text{H}_2\text{S}\text{-H}_2$ atmosphere. Toshio Narita, et al. A285

31 Environmental effect of impure helium on strengthening factors of several Ni-base superalloys for HTGR. Fujio Abe, et al. A289

32 Effect of environment on creep-fatigue behavior on Ni-base superalloys for HTGR application. Hiroshi Hattori, et al. A293

-- NEW MATERIALS AND NEW PROCESSING --

OCTOBER 4, 1985 13:00 - 17:20 Chairman: Matsuo Miyagawa
Vice-Chairman: Hisashi Nishimura

Theme V. Recent Development in Technology of Superplasticity

- | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 33 Review of research and development of superplasticity.
Matsuo Miyagawa, et al. | A297 |
| 34 Superplasticity in powder-consolidated nickel-base superalloy Mod.IN-100
under the various conditions of extrusion preforming.
Yasunori Torisaka, et al. | A301 |
| 35 Superplasticity in ultrahigh carbon steel. Masaharu Tokizane. | A305 |
| 36 Superplasticity in aluminium based alloys and its forming.
Hisashi Nishimura. | A309 |
| 37 Superplasticity in titanium based alloys and its forming.
Toshiro Kimura, et al. | A313 |

PAPER PRESENTATIONS

--- IRONMAKING --

OCTOBER 4, 1985

- 1 Hydraulic hardening capacity of high fineness blast furnace slag powder.
(Properties of blast furnace slag powder produced by classification process--I). Kazuyoshi Sato, et al. S781
 - 2 Effectiveness of high fineness blast furnace slag powder in preventing expansion due to the alkali-aggregate reaction. (Properties of blast furnace slag powder produced by classification process--II). Kazuyoshi Sato, et al. S782
 - 3 Durability of hardened cement paste based on high fineness blast furnace slag against sea water. (Properties of blast furnace slag powder produced by classification process--III). Eiichiro Konishi, et al. S783

4	Rapid stabilization of LD-slag by steam. Shigeru Araki, et al.	S784
5	Starting up of the dry EP at Fukuyama No. 2 BF of Nippon Kokan K.K. (Development of dry type blast furnace gas energy recovery system--III). Norio Saitoh, et al.	S785
6	Mini-plant experiment for waste heat recovery of BF slag. Kazutoshi Iwami, et al.	S786
7	Reduction of chromium ore pellet containing carbonaceous materials in flowing N ₂ -CH ₄ and N ₂ -H ₂ atmosphere. Hiroshi G. Katayama, et al.	S787
8	Rate of reduction of TiO ₂ in blast furnace type slags by carbon- saturated iron. Nobuya Shinozaki, et al.	S788
9	Experimental study on viscosity of blast furnace slag. Tomoyuki Nakagawa, et al.	S789
10	Characteristics of pulverized coke combustion. Ken-ichi Yakashiro, et al.	S790
11	Kinetic analysis of the solution loss reaction of coke. Kouji Takatani, et al.	S791
12	In situ measurement of diffusivity of gas through porous media such as coke or graphite at elevated temperatures. Yoshihito Shigeno, et al.	S792
13	Analyses of gasification reaction of ash in coke by use of mathematical simulation model. Chisato Yamagata, et al.	S793

OCTOBER 5, 1985

14	Improvement of sinter reducibility by use of selective granulation. (Production of high reducibility sinter--I). Jun-ichi Kodama, et al.	S794
15	Plant test result of the selective granulation for sinter production. (Production of high reducibility sinter--II). Jun-ichi Kodama, et al.	S795
16	Blast furnace using test of high reducibility sinter ore. (Production of high reducibility sinter--III). Hironao Matsuoka, et al.	S796
17	Granulation of sinter mix by use of drum mixer with rotary vane. (Development of technique for preparation of raw materials centering around the improvement of quasi-particles--III). Yoshiaki Shimakawa, et al.	S797
18	Effect of powder ore size on the productivity and the quality of sinter. (Investigation on the use of a large quantity of iron ore with excessive fusibility--II). Nobuo Kusakabe, et al.	S798
19	Effect of oxygen-converter dust content on the quasi-particle formation of sinter mix. Kouichi Oyama, et al.	S799
20	Increase in permeability of sintering mixture granulated with fine ores. Masayoshi Fukuoka, et al.	S800
21	Application of quasi-particle model to sintering operation at Chiba Works, Kawasaki Steel Corporation. Yukio Sato, et al.	S801
22	Agglomeration rate of sinter mix in drum mixer. Shun-ichi Mizukami, et al.	S802
23	Fundamental study on the qualities of sinter produced by pre-granulation method of iron ore and limestone. (Development of iron ore and limestone pre-granulation method for sintering process--I). Takazo Kawaguchi, et al.	S803
24	Analysis of the sintering process on the pre-granulation method. (Development of the ore and limestone pre-granulation method for sintering process--II). Kozo Takata, et al.	S804
25	Operation of iron-ore sintering process by the application of selective granulation method. Tetsuzo Haga, et al.	S805
26	Transportation degradation of quasi-particle from sintering raw material. Masami Fujimoto, et al.	S806
27	Effect of the granulation conditions and charging method on the permeability of sintering bed. Shunsuke Arino, et al.	S807
28	Analysis of charging distribution of sinter mix by the segregation test. (Optimization of sinter mix distribution in the sinter bed--I). Akira Takaki, et al.	S808
29	Improvement of coke combustion efficiency by steam injection into suction air of sinter. Shigeki Kawakami, et al.	S809
30	Accerelation of heat transfer by H ₂ O addition into the air in sintering process. Kiyoshi Kojima, et al.	S810
31	Increase of yield in the sintering process under load. (Development of sinter yield improvement--I). Akira Takaki, et al.	S811
32	Automatic control for sintering operation. Kazuma Nakashima, et al.	S812
33	Development of synthetic evaluation system on sinter. (Forecast system of sintering operation--V). Tsutomu Sato, et al.	S813
34	Development of integrated process computer system in ironmaking department. Akira Kato, et al.	S814
35	Decrease in total energy consumption at Kokura No. 3 Sinter Plant of Sumitomo Metal Industries, Ltd. Kazuaki Sato, et al.	S815
36	Decrease of COG consumption at Sakai Sinter Plant of Nippon Steel Corporation. Keiichi Nakamura, et al.	S816

37 Rate of stepwise reduction of sinter having various size with CO-CO ₂ -N ₂ gas mixture. Tateo Usui, et al.	S817
38 Rate of reduction of sinter to iron with CO-CO ₂ -N ₂ gas mixture. Tateo Usui, et al.	S818
39 Relationship between parameters included in Wen's model and unreacted-core model. Takeaki Murayama, et al.	S819
40 Repair of shaft profile and operating results at Kimitsu No. 4 BF of Nippon Steel Corporation. Shin-ichi Niinuma, et al.	S820
41 Influence of repair of blast furnace throat on burden descent. Akio Shimomura, et al.	S821
42 Development of ceramics-coated long-life blower. Yoshiaki Shia, et al.	S822
43 Experimental study on crack initiation condition of an axisymmetric refractory structure. Akibumi Fujiwara, et al.	S823
44 Reaction between pig iron and silicon carbide in the C-sic bricks. Tatsuhito Takahashi, et al.	S824
45 Influence of molten iron flow on erosion of blast furnace hearth refractories by using a cold model. Ken-ichiro Uemura, et al.	S825
46 Development of monitoring method of blast furnace burden using neutron and γ -ray simultaneously. Hiroshi Nishikawa, et al.	S826
47 Gas velocity sensor for blast furnace. Takao Miyazaki, et al.	S827
48 Development of a sonde at the lower shaft of blast furnace. Shigenobu Takada, et al.	S828
49 Development of a burden top probe and its application in the blast furnace. Toshiyuki Yamamoto, et al.	S829
50 Blowing off operation and water cooling results of Nippon Steel Nagoya No. 3 Blast Furnace. Tamio Noda, et al.	S830
51 Blowing out operation and cooling of Kamaishi No. 1 Blast Furnace of Nippon Steel Corporation. Hironao Matsuoka, et al.	S831
52 Influence of the high temperature properties of sinter on blast furnace operation. Shinji Imamura, et al.	S832
53 Behaviour of sinter at the stack of blast furnace. (Investigation of burden properties in blast furnace--I). Masaaki Sakurai, et al.	S833
54 Result of high CaO/SiO ₂ , low FeO and low SiO ₂ sinter operation and the blast furnace operation. Toshiya Kumada, et al.	S834
55 Improvement of the material segregation at the charging equipments of blast furnace. Makoto Nomura, et al.	S835
56 Improvement of burden distribution at Kobe No. 3 BF with Bell-less top. Korehito Kadoguchi, et al.	S836
57 Gas distribution control in low productivity operation of blast furnace. Yoshizumi Kawaguchi, et al.	S837
58 Relation between the fine coke sampled at the tuyere level and the blast furnace operation. Shunji Takagi, et al.	S838
59 Influence of blast conditions on coke degradation at Kashima No. 1 BF of Sumitomo Metal Industries, Ltd. Yukihiro Ebisawa, et al.	S839
60 Experimental Study in the forming method of coal without binder. Shigeru Kuwashima.	S840
61 Effect of coal particles on compacting of coals. (Fundamental studies on binderless compacting of coal--I). Katsuaki Kobayashi, et al.	S841
62 Effect of coal characteristics on compacting of coals. (Fundamental studies on binderless compacting of coal--II). Katsuaki Kobayashi, et al.	S842
63 Effect of the bulk density distribution in coke oven on heat consumption. Katsutoshi Igawa, et al.	S843
64 Study on coking time with the test coke oven. (Influence of the coke oven width on coking time--II). Shozo Itagaki, et al.	S844
65 Estimation of carbonized product yields by petrographic analysis of coal. Kiyoshi Yoda, et al.	S845
66 Direct coal preheating test by coke oven gas. (Investigations on the coal preheating by coke oven gas--I). Shigeru Oohashi, et al.	S846
67 Pressure control of coke oven by the vortex chamber. (Investigations on the coal preheating by coke oven gas--II). Yasunori Ohnishi, et al.	S847
68 Combustion control system for 4CO-A coke oven battery in Fukuyama Works, Nippon Kokan K.K. Mamoru Inaba, et al.	S848
69 Relation between shrinkage of coke and coal properties. Kazuhito Sakamoto, et al.	S849
70 Properties of coke treated at high temperature. Masashi Nagata, et al.	S850
71 Influence of dry quenching on the quality of precarbon coke. Masahiko Yokomizo, et al.	S851
72 Examination of coke quality in the coke oven using the hot coke sampler. Kouki Sato, et al.	S852
73 Comminution of metallurgical coke. Tsuneo Isso, et al.	S853
74 Analysis of the coke breeze formation by drum tests. Hidetaka Suginobe.	S854
75 Development of vibration leveller for coke oven. Miyoshi Ushikubo, et al.	S855

76	Development of rotary coke bucket in coke dry quenching apparatus. Shoji Kutsunura, et al.	S856
77	Improvement of coke oven door brick. Hirofumi Kakimoto, et al.	S857
78	Hot repair of coke oven regenerator at Kashima Works, Sumitomo Metal Industries, Ltd. Yoshiteru Kitayama, et al.	S858
79	Compressive force on the oven wall during pushing coke cake. Shuhei Yoshida, et al.	S859
80	Application of a five-hole pitot tube to measurement of cooling-gas flow distribution in the coke-dry-quench furnace. Toshiyuki Yamamoto, et al.	S860

OCTOBER 6, 1985

81	Refreshing of Wakayama No. 4 Sinter Plant of Sumitomo Metal Industires, Ltd. Hisashi Hashikawa, et al.	S861
82	Mathematical approach for the optimization for the sintering process operation. (Development of the control technology for the sintering process operation--I). Naoki Tamura, et al.	S862
83	Application of mathematical model to analize the sintering process data. (Development of the control technology for the sintering process operation--II). Naoki Tamura, et al.	S863
84	Combustion rate of coke at various states prepared by using fine alumina instead of iron ore. Eiki Kasai, et al.	S864
85	Change of the bed structure in the iron ore sintering. Eiki Kasai, et al.	S865
86	Reduction and oxidation of iron oxide at liquid and solid states in the iron ore sintering. Eiki Kasaki, et al.	S866
87	Formation of calcium ferrite liquid under Ar atmosphere condition. Haruhito Noro, et al.	S867
88	Influence of the amount of melt formed during the sintering on the sinter strength. Takuma Kodame, et al.	S868
89	Quantitative analysis of sinter minerals by X-ray internal standard method. Mineo Sawada, et al.	S869
90	Effect of H ₂ on reduction of iron ore sinter by CO-CO ₂ gas mixtures under heating-up test conditions. Naoki Kasai, et al.	S870
91	Effects of K ₂ CO ₃ on the reducibility of iron ore sinter. Hiroshi Nakagawa, et al.	S871
92	Relationship between low temperature reduction degradation and micro-structures of synthesized sinter of Fe ₂ O ₃ -CaO system. Takayuki Maeda, et al.	S872
93	Measurement of void of sinter by a X-ray tomographic scanner. Mitio Sasaki, et al.	S873
94	Relation between reductive property and mineral structure of sintered ores. Junsuke Haruna, et al.	S874
95	Reduction degradation of primary hematite. Junsuke Haruna, et al.	S875
96	Effect of the oxydizing gas content and pressure on the reduction rate of cold bonded pellet including char. Masao Ishii, et al.	S876
97	Effect of pelletizing condition and ore mixture on graving up the strength of cold bonded pellets. Hajime Yamada, et al.	S877
98	Pulverized coal injection equipment and its operation at Chiba No. 5 BF of Kawasaki Steel Corporation. Yasuhiko Sakaguchi, et al.	S878
99	Investigation of inside state of the blast furnace operated with pulverized coal injection. (Development of new flexible vertical probe--V). Chikashi Susuki, et al.	S879
100	Combustion characteristic of coal-water slurry in raceway. Hiroyuki Ishimatsu, et al.	S880
101	"In situ" measurement of silicon monoxide by infrared spectroscopy. Yosikazu Kuwano, et al.	S881
102	Direct measurement of oxygen partial pressure in blast furnace raceway. Kiyoshi Shibata, et al.	S882
103	Control of raceway depth by use of hot blast control valve. (Investigation of raceway behavior--I). Tomoo Kamoshida, et al.	S883
104	Application of observation data to the 2-dimensional blast furnace total model. Takashi Sugiyama, et al.	S884
105	Blast furnace simulation under the high production ratio. Takashi Sugiyama, et al.	S885
106	Development of 2-dimensional simulation program for blast furnace. Yoshihisa Otsuka, et al.	S886
107	Influence of operating conditions on the level and shape of cohesive zone measured at Ohgishima No. 2 Blast Furnace of Nippon Kokan K.K. Sigeki Furuya, et al.	S887
108	The inside state of the cohesive zone at lower part of the blast furnace. Toshikatsu Ashimura, et al.	S888

109	Observation of the layer structure at cohesive zone root in the blast furnace. Toshikatsu Ashimura, et al.	S889
110	Estimation of the shape of softening-melting zone by the vertical temperature distribution on the wall and its use for operation control of blast furnace. Shigeki Sasahara, et al.	S890
111	Effect of circumferential ununiformity of gas flow rate from tuyeres on burden descent and cohesive zone shape in blast furnace. Masakata Shimizu, et al.	S891
112	Two dimensional behavior of powders in packed bed. Hideyuki Yamaoka.	S892
113	Characteristics of the vertical counter current flow of gas and solid. Mohamad Arif Khan, et al.	S893
114	Effect of productivity on the packing characteristics of the lower part of a blast furnace. (Study on the packing characteristics of the lower part of a blast furnace and its control method--IV). Kenji Tamura, et al.	S894
115	Characteristics of irregular burden descent caused by local fluidization in the blast furnace. Kanji Takeda, et al.	S895
116	Investigation of burden thickness and descent speed meter. (Study of burden descent in blast furnace--III). Takashi Takebe, et al.	S896

-- IRONMAKING/STEELMAKING --

OCTOBER 4, 1985

117	Liquid-liquid mass transfer in a gas-stirred tank. Yuichi Ohga, et al.	S897
118	Effect of injected gas-flow rate on the mass-transfer rate between slag and molten metal. Masahiro Hirasawa, et al.	S898
119	Cold model study on effect of stirring on slag/metal reaction. Sadamichi Endoh, et al.	S899
120	Consideration about phenomenon of slag penetrating by eddy. Hidehiro Kuwatori, et al.	S900
121	Dephosphorization of high manganese molten iron by sodium silicate flux. Kyoji Kunisada, et al.	S901
122	Dephosphorization reaction of Fe-P alloy using Na_2CO_3 . Michitaka Matsuo, et al.	S902
123	Equilibrium study of phosphorus distribution between $\text{Fe}_3\text{O}-\text{CaO}-\text{P}_2\text{O}_5-\text{SiO}_2-\text{MgO}$ slags and liquid iron. Retsu Nagabayashi, et al.	S903
124	Dephosphorization reaction with CaO-based flux and estimation of oxygen potential at slag-metal interface. Hisashi Watanabe, et al.	S904
125	Thermodynamic study of $\text{BaO}-\text{BaCl}_2-\text{FeO}$ fluxes used for dephosphorization of hot metal. Mao-Fa Jiang, et al.	S905
126	Sulphur distribution between liquid iron and $\text{CaO}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ slags saturated with MgO. Tsao Ting, et al.	S906
127	Desulphurization efficiency of hot metals with CaO calcined under various conditions. Mitsuru Ueda, et al.	S907
128	Reactivities of burnt lime for steelmaking. Kazuhiko Katō, et al.	S908

OCTOBER 5, 1985

129	Analysis of the RH vacuum degassing system by water model. Jun-ichi Nakagawa, et al.	S909
130	Dispersion behavior of powder injected into horizontally flowing water. Toshio Shimada, et al.	S910
131	Stabilization of the submerged jet by using the control-plate. Kimihisa Ito, et al.	S911
132	Formation of fine bubbles by the submerged jet with the control-plate. Kimihisa Ito, et al.	S912
133	Effective kinematic viscosity in gas-stirred system. Hitoshi Matsuzaki, et al.	S913
134	Removal of boron from molten pig iron and dissolution of B_2O_3 slag into water. (Refining of pig iron containing Nb--IV). Akira Sato, et al.	S914
135	Disiliconization plant at the cast house of Fukuyama No. 2 BF of Nippon Kokan K.K. (Development of continuous hot metal pretreatment --XIII). Norio Saitoh, et al.	S915
136	Continuous dephosphorization pretreatment by top injection method at BF runner. (Development of continuous hot metal pretreatment--XIV). Haruo Itoh, et al.	S916
137	Behavior of dephosphorization reaction at blast furnace runner. (Development of continuous hot metal pretreatment--XV). Katsuhiro Iwasaki, et al.	S917
138	Concept and fundamental problems of smelting reduction process for ironmaking. Masanori Tokuda.	S918
139	Assessment of smelting reduction processes compared with BF-BOF and DF-EF routes. Reiji Nishida.	S920

140	Fundamental study of production of ferro-chrome by the smelting reduction. Hiroyuki Kajioka, et al.	S922
141	Laboratory test for manufacturing of chromite coke. Toshio Yanagawa, et al.	S924
142	Smelting reduction of powder iron-ore charged simultaneously with carbonaceous materials. Masayoshi Amatatsu, et al.	S925
143	Dissolution and gasification of carbon by the bottom blowing of pulverized coal into molten iron. Naoki Tokumitsu, et al.	S926
144	Chromium ore reduction in the top and bottom-blown converter. Takashi Arai, et al.	S927
145	Operation results by the method of heating with lumpy coke and oxygen gas in 10 t experimental converter. (Development of a smelting reduction method for chromium ore--II). Takeyuki Hirata, et al.	S928
146	Assessment of a smelting reduction practice of chromium ore by using 10 t experimental converter. (Development of a smelting reduction method for chromium ore--III). Minoru Ishikawa, et al.	S929
147	Development of the steel making method from 100 % scrap in a combined blowing converter. (Development of a new steel making method from scrap--I). Takeyuki Hirata, et al.	S930
148	Experimental results on scrap preheating by shooter type furnace. Takahiro Itou, et al.	S931

OCTOBER 6, 1985

149	Thermodynamics of tin and antimony in CaO-CaF ₂ melts under reducing conditions. Tomoo Isawa, et al.	S932
150	Activities of the constituents in Fe _x O-SiO ₂ -MnO-CaO slags. Noriyoshi Yuge, et al.	S933
151	Oxidation-reduction Equilibria of manganese in MnO _x -CaO-SiO ₂ (-Al ₂ O ₃) melts. Nobuo Sano, et al.	S934
152	Dissolution of carbon dioxide in Na ₂ O-SiO ₂ slags. Hideya Sato, et al.	S935
153	Application of the optical basicity for steelmaking reactions. Takashi Nakamura, et al.	S936
154	Estimation of the melting point of multi-component oxide inclusions by the thermodynamic models. Wataru Yamada, et al.	S937
155	Continuous measurement of viscosity change of molten CaO-SiO ₂ -B ₂ O ₃ -Na ₂ O fluxes with dissolution of alumina. Masayuki Kawamoto, et al.	S938
156	Permeability of oxygen through molten slag of ZnO-CaO-SiO ₂ system. Shin-ichi Kitamura, et al.	S939

-- STEELMAKING --

OCTOBER 4, 1985

157	Numerical analysis of silicon and manganese behaviors during the hot metal pre-treatment by a total analytical model on the refining process. Toshihiro Kitamura, et al.	S940
158	A numerical analysis of molten iron temperature in ladle. Tadayuki Minoura, et al.	S941
159	Effect of oxygen top blowing on the behavior of chemical compositions and temperature during hot metal treatment. Takashi Nakayama, et al.	S942
160	De-siliconization and de-phosphorization treatment of hot metal by gaseous oxygen injection in TPC. Hisashi Sato, et al.	S943
161	Actual ladle test. (Investigation of high efficient dephosphorization of hot metal in torpedo ladle--I). Tetsuharu Ibaraki, et al.	S944
162	Reaction simulation. (Investigation of high efficient dephosphorization of hot metal in torpedo ladle--II). Jun-ichi Sakane, et al.	S945
163	Influence of slag component on dephosphorization and desulfurization in hot metal pretreatment. Masaru Washio, et al.	S946
164	Effect of desiliconization slag on dephosphorization of pig iron. Toshiyuki Kaneko, et al.	S947
165	Construction and operation of hot metal pre-treatment equipment in Kakogawa Works, Kobe Steel, Ltd. Hidetaka Takezoe, et al.	S948
166	Operation results of pretreatment of hot metal by soda ash. Kiyoshi Yasui, et al.	S949
167	The effect of BF ladle cover. Osamu Yamase, et al.	S950
168	Hot slag discharging from torpedo car. Makoto Yokoi, et al.	S951
169	Desulphurization of liquid iron contained in lime crucible with Al and Al-alloys. Toru Degawa, et al.	S952
170	Denitrogenization of liquid iron contained in lime crucible with Al. Toru Degawa, et al.	S953

171	Cold model study on the melting rates of scrap with potassium iodide solution. Yukio Tomita, et al.	S954
172	Kinetics of nitrogen desorption of liquid iron with low nitrogen content under reduced pressures. Kazumi Harashima, et al.	S955
173	Dephosphorization test of molten steel with Na_2CO_3 fluxes using a 3 ton pilot arc furnace. Atsushi Ishii, et al.	S956
174	Desulphurization of the molten steel in calcia-lined crucible in 5 ton vacuum induction furnace. Yoshio Hosoda, et al.	S957
175	General description of unidirectional solidification. Yasunori Miyata, et al.	S958
176	Two-dimensional solidification analysis system with CAD. Minoru Yao, et al.	S959
177	Numerical analysis of solidification for steel under forced convection. Toshio Ishii, et al.	S960
178	Factors concerned primary solidification at surface of ingot. Shogo Kawai, et al.	S961
179	Manufacturing technology of large hollow ingots for nuclear reactor pressure vessels. Toshio Kato, et al.	S962
180	Estimation of the microporosity distribution in the axis of the ingot for steel plate. Toshitane Matsukawa, et al.	S963
181	Operation result of gigantic ESR facilities with 1 800 mm dia. mold. Kazuo Hirose, et al.	S964
182	Quality improvement of SUS310S by pressure casting process. Sadao Sugiura, et al.	S965
183	Manufacture of unidirectionally solidified ingot with water cooled Cu stool. Yutaka Shinsho, et al.	S966
184	The decreasing of inverse V-segregation in unidirectionally solidified ingots. Shoji Tokushige, et al.	S967

OCTOBER 5, 1985

185	Pore texture analysis of refractory brick with permeability measurement. Seiji Yokoyama, et al.	S968
186	Influence of raw material purity on wear of magnesia-carbon brick. Hirofumi Inoue, et al.	S969
187	Effect of aluminum addition on the mechanical properties of MgO-C brick. Hiroaki Ishii, et al.	S970
188	Development of mortar for torpedo car. Kinji Kanematsu, et al.	S971
189	Development of hot gunning materials for torpedo ladle. (Development of a new gunning repair system for torpedo ladle--II). Hiroyuki Ikemiya, et al.	S972
190	Repairing technology. (Development of refractory technology for LD-OB converter--II). Nobuhiko Narita, et al.	S973
191	Application of flame gunning repair equipment to top-and-bottom blowing converter. Taijiro Matsui, et al.	S974
192	Test of wearing point on LD refractory. (Development of LD refractory in low slag ratio blowing--I). Hiroshi Sugimoto, et al.	S975
193	Consideration on wear mechanism of converter refractories. (Development of LD refractory in low slag ratio blowing--II). Ken-ichiro Uemura, et al.	S976
194	Development of slurry added gunning materials and method. (Development of slurry added gunning method for steel ladle--I). Yoshihisa Hamazaki, et al.	S977
195	Performance of slurry added gunning method for steel ladle. (Development of slurry added gunning method for steel ladle--II). Toshio Watanabe, et al.	S978
196	Application of magnesia-silica castable refractories to slag line of steel teeming ladle. Hisaki Kato, et al.	S979
197	Development of high zircon castable for high temperature steel teeming ladles. Saburo Matsuo, et al.	S980
198	Improvement of casting technique and castable material on ladle lining. Toshiaki Suzawa, et al.	S981
199	Application of double door type rotary nozzle for ladle. Tadashi Uchida, et al.	S982
200	The quick tap operation of high carbon steel by using pre-treated hot metal. Shin-ichi Nakajima, et al.	S983
201	Quick tapping of middle and high carbon content steel. Kiminori Hajika, et al.	S984
202	Characteristics of Q-BOP using pretreated hot metal. Hiroshi Kondo, et al.	S985
203	Iron loss by fume in slag minimum process in BOF. Shohei Kohroki, et al.	S986
204	Development of CO gas bottom blowing in 5 t test converter. (Application of CO gas to BOF--I). Yasuo Kishimoto, et al.	S987

205	Installation of CO gas injection to top and bottom blowing converter. (Application of CO gas to BOF--II). Rinzo Tachibana, et al.	S988
206	Application of CO gas to bottom stirring gas of combined blown converter (LD-OTB). Nobuyuki Genma, et al.	S989
207	Removal of inclusions by ceramic foam filter. (Development of filter for inclusions--II). Hiroyuki Ichihashi, et al.	S990
208	Experiment of inclusion removal with use of ceramic filter at continuous casting of stainless steel. (Investigation on manufacturing of clean steel with use of ceramic filter--I). Ryuji Nakao, et al.	S991
209	Decreasing of non metallic inclusions in tundish with ceramic filter. Kazuo Fukuda, et al.	S992
210	Effect of tundish weir with zigzag flow pattern on molten steel cleanliness. Kazuhiko Matsuo, et al.	S993
211	Effect of stirring at final stage of solidification on the center segregation of high carbon c.c. steel and its optimum stirring condition. Kenzo Ayata, et al.	S994
212	Influence of bulging and soft reduction on center segregation of continuously cast slab. Hiroshi Imura, et al.	S995
213	The mechanism of formation of segregation in CC bloom. Koichi Isobe, et al.	S996
214	Internal cracks in strand cast blooms by a micro segregation model. Katsuyoshi Iwata, et al.	S997
215	Deoxidation and control of inclusions in plain carbon steel and Cr-containing steel by flux treatment. Yoshiteru Kikuchi, et al.	S998
216	Distribution of large inclusions in heavy plate by UST-mapping method. Satoru Ura, et al.	S999
217	The investigation on the behaviour of MnS formation in Ca-added steel by the use of new X-ray micro-analyser. Sin-ya Kitamura, et al.	S1000
218	Application CMA to analysis of thermal field of bloom during continuous casting by pin method. Akihiko Murakami, et al.	S1001
219	Influence of gas on lubrication of mould powder. Yoshikazu Kurose, et al.	S1002
220	Effect of chemical compositions of the mold powder on the wear mechanism of ZrO ₂ -C refractories. Yukihiro Nakamura, et al.	S1003
221	Viscosity and melting temperature of mold powder. (Study on the mold powder technology in continuous casting--XVII). Kunio Koyama, et al.	S1004
222	Viscosity of casting powder by oscillating-plate viscometer. Kunio Yasumoto, et al.	S1005
223	Mathematical analysis of the lubrication between mold and shell for continuous casting. Einao Anzai, et al.	S1006
224	Decrease of longitudinal crack by improvement of mold powder. Hitoshi Kobayashi, et al.	S1007
225	Effect of [Al] content in molten steel on composition and deformation of inclusions. Hideaki Yamamura, et al.	S1008
226	Identification of alumina cluster and inclusion containing powder component in CC slab and its application for commercial sheet. Yoshio Nuri, et al.	S1009
227	A design and an operation of the round billet caster for seamless tubes. (Construction and operation of round billet C.C.M. for seamless pipe--I). Susumu Tsujita, et al.	S1010
228	Quality of round cast billet for seamless pipe. (Construction and operation of round billet C.C.M. for seamless pipe--II). Masayoshi Yokoyama, et al.	S1011
229	Hot ductility of round cast billet for seamless pipe. Yasuo Hitomi, et al.	S1012
230	Application of round cast billet for seamless pipe. Yoshimi Omotani, et al.	S1013
231	Mold deformation and mold measuring system of round billet caster. (Round billet casting process--X). Hironori Yamamoto, et al.	S1014
232	Continuous casting of low-deoxidized steels. M. Larrecq, et al.	S1015
233	Continuous casting of calcium treated steel. F.K. Neumann.	S1016
234	Effect of surface roughness on hot ductility of low alloy steels. Yasuhiro Maehara, et al.	S1017
235	Measurement of primary creep of steels at the elevated temperature. Toru Matsumiya.	S1018
236	Influence of deformation condition on hot ductility of carbon steels. Yuji Yoshikawa, et al.	S1019
237	Effect of sulfur and manganese on hot ductility of steels at high temperature. Hitoshi Nakata, et al.	S1020
238	Effect of cooling pattern after solidification on hot-ductility of 12 % Cr steels. Yoshihiro Hanai, et al.	S1021

OCTOBER 6, 1985

- 239 Solidification and local heat flux in mold on high speed casting.
(Technique and operation of No.5 CCM at Fukuyama Works, Nippon Kokan K.K.--III). Takashi Mori, et al. S1022
- 240 Development of automatic mold powder feeder for continuous casting.
(Technique and operation of No.5 CCM at Fukuyama Works, Nippon Kokan K.K.--IV). Koichi Ozawa, et al. S1023
- 241 Development of automatic casting system at Fukuyama No.5 C.C., Nippon Kokan K.K. (Technique and operation of No.5 CCM at Fukuyama Works, Nippon Kokan K.K.--V). Yoshinori Oka, et al. S1024
- 242 The mechanism of break-out during continuous casting operation.
Tatsuo Mukai, et al. S1025
- 243 Application of non-sinusoidal mold oscillation mode to high speed continuous casting. (Development of non-sinusoidal oscillation mode in continuous casting of steel--IV). Mikio Suzuki, et al. S1026
- 244 Computer control system of casting width in No.3 continuous caster at Kakogawa Works, Kobe Steel, Ltd. Hiroshi Kawaguchi, et al. S1027
- 245 Observation system for continuous casting plant. (Development of quality and machine diagnosis system--I). Keigo Ikeda, et al. S1028
- 246 Development of long life roller for continuous casting machine.
Hideaki Mori, et al. S1029
- 247 Wavy surfacing technique extends the service life of continuous caster rolls. Hironori Kuroki, et al. S1030
- 248 Improvement of non-magnetic rollers for electromagnetic stirrer.
Tokio Yamamoto, et al. S1031
- 249 Effect of in-roll electromagnetic stirring in No.3 slab caster.
(Improvement of centerline segregation at as cast slab--III). Toshiyuki Ishikura, et al. S1032
- 250 Quality improvement of continuously cast billets with in-mold electro-magnetic stirrer. Ken-ichi Morita, et al. S1033
- 251 Effect of carbon content on dendrite morphology of carbon steels.
(Solidification phenomena investigated by unidirectional solidification technique--I). Makoto Suzuki, et al. S1034
- 252 Influence of thermal cycle on hot ductility of low carbon niobium bearing steel. Shoji Miyagawa, et al. S1035
- 253 Effect of nickel contents on transverse surface cracking of CC slab. Kazuyuki Yamada, et al. S1036
- 254 Development of castable refractories for tundish and prevention of plating with MgO coating material. Yoshihiro Kawano, et al. S1037
- 255 Water model experiment about holes design of the submerged nozzle.
Haruo Mitsui, et al. S1038
- 256 Influences of Al content on nozzle clogging in Ti containing high alloy steels. (Nozzle clogging in high alloy steel containing Ti and Al--II). Kiyoshi Mineura, et al. S1039
- 257 Experimental result on post combustion mechanism. (Study of post combustion in LD converter--IV). Masanao Ohmori, et al. S1040
- 258 Fundamental investigation on post combustion in LD converter.
(Improvement of heat balance in LD converter by compensation technique--I). Kazuyuki Tomita, et al. S1041
- 259 Post combustion in 240 T combined blowing converter.
(Improvement of heat balance in LD converter by compensation technique--II). Nobuyuki Genma, et al. S1042
- 260 Effects of bath temperature and deoxidizing elements on ignition and fume formation. (Study on fume formation in oxygen steelmaking --I). Hidetake Ishikawa, et al. S1043
- 261 Effects of blowing conditions of oxidizing gas on ignition and fume formation. (Study on fume formation in oxygen steelmaking--II). Chikara Saito, et al. S1044
- 262 Development of slopping predictor for BOF. (Development of closed system for OG and refining process--IV). Hiroshi Yamane, et al. S1045
- 263 Development of slopping controller for BOF. (Development of closed system for OG and refining process--V). Masaki Okajima, et al. S1046
- 264 Development of furnace-mouth skull remover. (Development of closed system for OG and refining process--VI). Hiroshi Narita, et al. S1047
- 265 Development of new type tuyere for bottom blown converter.
(Development of helical tuyere for rapid refining in converter--I). Yasuo Kishimoto, et al. S1048
- 266 Metallurgical characteristics of top and bottom blown converter with wide range of gas flow rate. (Conversion to combined blowing system with wide range of flow rate--III). Hisashi Osanai, et al. S1049
- 267 Development of new computer control system of BOF operation.
Masahiro Kawakami, et al. S1050

- 268 Casting of mini-slab by horizontal continuous caster.
(Development of horizontal continuous caster--IV).
Yoshio Okamoto, et al. S1051
- 269 Trial production of stainless steel wire rod and hot extruded
pipe by horizontal continuous cast billet. Yasutaka Yao, et al. S1052
- 270 Thin plate produced by direct-rolling casting method from molten
steel under laminar and turbulent flow and comparison of mechanical
properties. Hiroyuki Yamamoto, et al. S1053
- 271 Formation mechanism of hot direct rolling crack in continuously
cast slab. Ken Nakai, et al. S1054
- 272 Heat transfer coefficient in air-water mist cooling.
(The development of mist-cooling technique for continuous casting--III).
Keiji Nakajima, et al. S1055
- 273 Effects of electro-magnetic-brake(EMBR) on quality of stainless steel.
Hitoshi Ohsugi, et al. S1056
- 274 Effect of production process and chemical composition on property
of HIC resistant steel. (Production of low susceptibility of
steel to HIC--III). Hitoshi Kawashima, et al. S1057
- 275 Theoretical analysis of slab bulging. (Study on bulging shell in
continuously cast slabs--II). Keiji Nakajima, et al. S1058
- 276 Bulging analysis of continuously cast slabs by continuous
beam modeling. Shigefumi Kihara, et al. S1059
- 277 Analysis of solute redistribution in dendrites in high carbon
steel. Katsuichi Kimura, et al. S1060
- 278 Effects of α -former and γ -former elements on solute distributions
in dendrites of middle carbon steel. Nobuyuki Komatsu, et al. S1061
- 279 Analysis of liquidus and solidus of stainless steel.
Akira Yamada, et al. S1062
- 280 An estimation of equilibrium distribution coefficients of solute
elements in iron alloys. Toshihiro Tanaka, et al. S1063
- 281 Process of δ - γ transformation in a carbon steel.
Ken-ichi Ohsasa, et al. S1064
- 282 Effects of alloying elements on the peritectic temperature and
composition of iron-carbon alloys. Akio Kagawa, et al. S1065
- 283 Numerical analysis of solute redistribution during solidification
with δ / γ transformation. Sumio Kobayashi. S1066
- 284 Influence of alloying elements on the peritectic reaction temperature.
Hitohisa Yamada, et al. S1067
- 285 Approximate solution of the Brody-Flemings model--Analysis of solute
redistribution during solidification. Sumio Kobayashi. S1068
- 286 Coupled precipitation model of secondary inclusions during
solidification. Toru Matsumiya, et al. S1069
- 287 Consideration on the oxidizing deposphorization of crude stainless
steel melt. Hiroaki Ohnuma, et al. S1070
- 288 Influence of argon gas pressure on the phosphorus removal from
molten low stainless steel with CaC_2 - CaF_2 flux. (Study on the
refining with high gas pressure--I). Yuji Kawauchi, et al. S1071
- 289 Development of chromium ore reduction process in 90 ton AOD
furnace. (Development of chromium ore reduction technique--II).
Norinao Mochizuki, et al. S1072
- 290 Establishment of non-tilting operation technology in AOD converter.
Haruki Ariyoshi, et al. S1073
- 291 VOD desulfurization by flux injection from top lance.
Ken-ichi Kamegawa, et al. S1074
- 292 Carbon behavior during decarburization of molten stainless steel
in VOD. Hajime Mori, et al. S1075
- 293 Some improvements in VAD treatment for low oxygen steel.
Kazuya Iemura, et al. S1076
- 294 Production of ultra low carbon steel by means of RH degasser
and continuous casting. Toshiyuki Hirose, et al. S1077
- 295 Investigation of the reaction in RH-reactor. (Development of
highly efficient RH decarburizing method--I). Kiyokazu Ichimura, et al. S1078
- 296 Numerical analysis of mixing characteristics of molten steel in
ladle during RH operations. (3-dimensional analysis of bi-phase
flow in refining process--III). Kouzi Mori, et al. S1079
- 297 Manufacturing of clean steel for valve spring. Matsuhide Aoki, et al. S1080
- 298 Deoxidation and desulfurization of Si-Mn killed steel by CaO
base flux. Shigeru Inoue, et al. S1081
- 299 Influence of Ca addition on nozzle closing of Al-killed steel
in bloom CC. Jun Eguchi, et al. S1082
- 300 Behaviour of nitrogen in molten steel between a ladle and a
tundish. (Development of low nitrogen steel production process--I).
Yoshikazu Yamanaka, et al. S1083

301	Design and operation of new ladle refining process. (Development of ladle refining system for mini-mill--I). Yoshiaki Aoki, et al.	S1084
302	Effect of new ladle refining process on quality. (Development of ladle refining system for mini-mill--II). Takeshi Shibata, et al.	S1085
303	Development of the simple temperature raising method in ladle. Hiroyuki Aoki, et al.	S1086
304	Development of the operation by hollow electrode on ladle refining process. Ryuji Yamaguchi, et al.	S1087

-- SHAPING & FABRICATION · INSTRUMENTATION & CONTROL --

OCTOBER 4, 1985

305	Ultrasonic inspection system for all over section of square billet. Tamotsu Nishimine, et al.	S1088
306	Development of on-line transformation sensor. Masahiko Morita, et al.	S1089
307	Development of radiation thermometer for middle temperature. Masashi Mizuno, et al.	S1090
308	Development of flow-meter and flow-rate computing system for high-viscosity. Takao Sugimoto, et al.	S1091
309	The development of profilemeter for structural steel. Yoshiaki Makino, et al.	S1092
310	Laser distance meter. Kazuo takashima, et al.	S1093
311	Identification of back up roll eccentricity. Toshiya Ōi, et al.	S1094
312	Development of insulation monitoring system for DC machine. Kunio Tabei, et al.	S1095
313	In-service inspection of carbon steel heat exchanger tube. Shigeaki Matsumoto, et al.	S1096
314	Development and utilization of bilaterally controlled robot for conditioning pipe inner surface defects. Yasuyuki Furukawa, et al.	S1097
315	Flexible marking robot for seamless pipe. (Development of marking robot--I). Kazuyuki Sakurada, et al.	S1098
316	Marking system for UOE pipe. (Development of marking robot--II). Isamu Yasuhara, et al.	S1099
317	Development of torque limiting device for roll driving system of roller leveller in plate mill. Yoshimi Tohriyama, et al.	S1100
318	An analysis of leveling properties of leveling process. (Study on the leveling of metal plate--I). Nobushige Matsubara, et al.	S1101
319	Study and analysis of leveling characteristics of roller leveler. (Study on the leveling of metal plate--II). Naoto Kitayama, et al.	S1102
320	Development of tension leveler for hot strip. Tsuyoshi Nunokawa, et al.	S1103
321	Strip tension between rolls in tension leveler. (Effect of tension leveler for hot strip stainless steel--III). Toshio Watanabe, et al.	S1104
322	Development of automatization equipment in a new cold strip works. Akimune Sato, et al.	S1105
323	Development of special billet lifter. Tatsuya Yoshida, et al.	S1106
324	Development of new type trimmer in pickling line. Kiyoshi Shimizu, et al.	S1107
325	Construction of coil grinding linc for stainless steel sheet. Masakazu Takada, et al.	S1108
326	Examination of round off treatment of a crack at the tooth root of gear. Shigeru Sasaki, et al.	S1109
327	On-line finishing equipment in bar mill. Kanji Takimizu, et al.	S1110
328	Control of noise resulting from the transfer of plates. Koyū Kawakami, et al.	S1111

OCTOBER 5, 1985

329	Relation between micro-structure and wear resistance of rear stands work roll in hot strip mills. Hiroshi Fukuzawa, et al.	S1112
330	Work roll surface deteriilation at strip edge in stainless steel rolling. Takashi Hashimoto, et al.	S1113
331	Development of testing machine and evaluation method of wear resistance of lubricant. (Study on evaluation of lubricants in cold sheet rolling--VII). Akira Azushima, et al.	S1114
332	Improvement of rolling yield for large shape mill at Kashima Steel Works, Sumitomo Metal Industries, Ltd. Shuji Noguchi, et al.	S1115

333 Control of flange width for H beam. (High precision rolling of H beam--I). Ichiro Nakauchi, et al.	S1116
334 Characteristics of flange deformation in universal rolling of H-shapes. Kazunari Takahashi, et al.	S1117
335 Development of variable width edger roll for wide flange beam product. Yasuto Sasaki, et al.	S1118
336 New universal rolling method of channels. Kazunari Tanaka, et al.	S1119
337 Development of corner piling. Mikio Kono, et al.	S1120
338 Production system of steel sleepers. (The development of steel sleepers--I). Katsuya Iwano, et al.	S1121
339 Rolling condition in elongator. Mikio Kodaka, et al.	S1122
340 Development of the automatic plug drawing technique by oil lubricating method. Yasuo Kimiya, et al.	S1123
341 Outline of actual rolling in three-roll planetary mill (PSW). (Hot rolling of billets by three-roll planetary mill (PSW)--I). Akihiko Hakomoto, et al.	S1124
342 Characteristics of hot rolling in three-roll planetary mill (PSW). (Hot rolling of billets by three-roll planetary mill (PSW)--II). Akihiko Hakomoto, et al.	S1125
343 Mathematical models for billet rolling. Takashi Huzimoto, et al.	S1126
344 Application of interstand tension control for bar top-end. (Tension control of bar mill in Kobe Works, Kobe Steel, Ltd.--I). Yutaka Ichida, et al.	S1127
345 Process computer system of wire rod mill. Masahide Mori, et al.	S1128
346 Development of high dimensional technology for rod and bar gauge performance. Toshihiro Oka, et al.	S1129
347 The equipments for rod-rolling and satisfactory results at bar and rod mill in Mizushima Works, Kawasaki Steel Corp. Hidenori Kondo, et al.	S1130
348 Forced-air cooling for D.P. wire rod. (Study on forced-air cooling at Stermor for D.P. wire rod--I). Yoshiyuki Hanada, et al.	S1131
349 Uniformed cooling for wire rod. (Study on forced-air cooling at Stermor for D.P. wire rod--II). Toshio Sakamoto, et al.	S1132
350 Characteristics of direct quenched bars using water-filled cooling tube. (Controlled rolling and cooling bar manufactured at bar mill in Kobe Works, Kobe Steel, Ltd.--I). Hiroharu Sawada, et al.	S1133
351 Cooling equipment and its feature in bar mill. (Temperature control technique for controlled rolling and cooling of bar--II). Yutaka Ichida, et al.	S1134
352 Cooling of steel wire rod by subcooled boiling water containing oxidizing gas bubbles. (Development of direct heat treatment system for wire rod--I). Yoshihiro Hashimoto, et al.	S1135
353 Design and operation of multi-function direct heat treatment facility. (Development of direct heat treatment system for wire rod--II). Kunio Ojima, et al.	S1136
354 Mechanical properties of wire rod directly heat treated. (Development of direct heat treatment system for wire rod--III). Takashi Asakura, et al.	S1137
355 Outline of Hirohata hot strip mill, Nippon Steel Corp. Motoo Nagasawa, et al.	S1138
356 Fundamental conception of modification of finishing mill. (Modernization of Fukuyama No.2 hot stri mill, Nippon Kokan K.K.--I). Ken-ichi Masuda, et al.	S1139
357 Application of work roll shift into operation. (Modernization of Fukuyama No.2 hot strip mill, Nippon Kokan K.K.--II). Ken-ichi Masuda, et al.	S1140
358 On line test of strip edger between finishing stands. (Study on strip edging--IV). Nobuhiro Tazoe, et al.	S1141
359 Edge drop improvement by strip edger between finishing stands. (Study on strip edging--V). Yasuo Igarashi, et al.	S1142
360 Facilities and system. (Automatic width control in roughing train of hot strip mill--I). Soichiro Saitoh, et al.	S1143
361 Control method and its performance. (Automatic width control in roughing train of hot strip mill--II). Haruhiro Ibata, et al.	S1144
362 Pre-rolling method by double hydraulic width-controllers. (Development of a new rolling method to get high yield on edge rolling mill--II). Katsumi Takada, et al.	S1145
363 Development of width control model for hot strip mill. Kazuyuki Orita, et al.	S1146
364 Development of looper optimum control method for hot strip finishing mill. Yoshitaka Hayashi, et al.	S1147
365 Improvement of cooling water system for coiling temperature control. (Improvement of coiling temperature control of Fukuyama No.2 hot strip mill, Nippon Kokan K.K.--I). Hisatomo Eda, et al.	S1148

366	Coiling temperature system of Fukuyama No.2 hot strip mill, Nippon Kokan K.K. (Improvement of coiling temperature control of Fukuyama, No.2 hot strip mill, Nippon Kokan K.K.--II). Nobuo Takakura, et al.	S1149
367	Fukuyama No.2 hot strip mill gage control system. (Modernization of Fukuyama No.2 hot strip mill, Nippon Kokan K.K.--III). Ken Kurihara, et al.	S1150
368	High performance cooling device for hot strip. (Development of cooling control with curtain-wall-cooling for hot strip--I). Shigeru Yagisawa, et al.	S1151
369	Development of control system for run out table cooling. (Development of cooling control with curtain-wall-cooling for hot strip--II). Kazuo Oshima, et al.	S1152
370	Adaptation in No.2 hot strip rougher mill. (Adaptation of symmetrical arc gear for reduction gear used metal bearings--II). Takushi Nakada, et al.	S1153
371	Transfer coefficient of cold tandem mill at low speed. Ryoichiro Takahashi, et al.	S1154
372	Design and features of keyless oil film bearing for back-up roll. (Development of hydro-fit type keyless oil film bearing for rolling mill--I). Masayuki Tsubotani, et al.	S1155
373	Results of practical rolling operation at cold strip mill. (Development of hydro-fit type keyless oil film bearing for rolling mill--II). Takao Nishino, et al.	S1156
374	Roll eccentricity analyzer. (Development of hydro-fit type keyless oil film bearing for rolling mill--III). Toshio Nakamura, et al.	S1157
375	Accuracy of set-up model in 6T.C.M. of Chiba Works, Kawasaki Steel Corp. (Construction of fully continuous cold rolling mill for ultra-thin gauge steel strip--I). Michio Yamashita, et al.	S1158
376	Development of tension control system at tandem cold mill. Kenzi Amagata, et al.	S1159

OCTOBER 6, 1985

377	Variations of mechanical properties in ERW forming. Yasushi Yamamoto, et al.	S1160
378	The embrittlement factors of welded joint. (Study on welded joint of ERW pipe--IV). Toshihiro Takamura, et al.	S1161
379	Operation of edge milling machine for ERW. Yuji Sugimoto, et al.	S1162
380	The equipment and the operation of edge milling machine for 26" ERW mill. Yasuo Nishida, et al.	S1163
381	Soundness in weld of SUS 304 ERW tubes. (Quality of stainless steel ERW tubes--I). Hirohisa Ichihara, et al.	S1164
382	Performance of SUS 304 ERW tubes. (Quality of stainless steel ERW tubes--II). Hirohisa Ichihara, et al.	S1165
383	X-ray measurement of residual stress of SUS 304 stainless steel welded pipe. Yoshio Arai, et al.	S1166
384	Development of crystal apparatus for iron stripping. (Recovery of acid and iron from pickling waste liquid of stainless steel--IV). Toshio Watanabe, et al.	S1167
385	Fundamental study on iron stripping step. (Recovery of acid and iron from pickling waste liquid of stainless steel--V). Kazuhiro Uchino, et al.	S1168
386	Operative conditions of iron stripping liquid. (Recovery of acid and iron from pickling waste liquid of stainless steel--VI). Minoru Hoshino, et al.	S1169
387	Development of high speed descaling of hot strip coils. Masahiko Itoh, et al.	S1170
388	Development of new gage-meter model for Mizushima plate mill, Kawasaki Steel Corp. Tohru Takeuchi, et al.	S1171
389	Effect of heavy reduction rolling with slow speed on thick plate quality. Yasuhiro Yamamoto, et al.	S1172
390	Decrease of the plate crown by improvement of roll curve. Nobuhiro Kawano, et al.	S1173
391	Shape improvement of plates after longitudinal cut. (Shape analysis in controlled cooling plate of steel plates). Masahiro Doki, et al.	S1174
392	An analysis of camber mechanism in plate rolling. (Development of camber control system in plate rolling--I). Kazuo Ohmori, et al.	S1175
393	Development of camber-meter at heavy plate mill line. (Development of camber control system in plate rolling--II). Katsumi Nishizaki, et al.	S1176

394 Camber control in plate rolling. (Development of camber control system in plate rolling--III). Takanori Miyake, et al.	S1177
395 Mechanism of transversal bend of steel plate. (Shape analysis of steel plate through controlled cooling process--I). Toshitaka Tamano, et al.	S1178
396 Transversal bend of steel plate. (Shape analysis of steel plate through controlled cooling process--II). Hiroshi Shigefuji, et al.	S1179
397 Basic heat transfer characteristics on plasma spraying surface of quenching roll. (Research on continuous annealing method--V). Shoji Kawata, et al.	S1180
398 Improvement in surface and crown of cooling roll. (Research on continuous annealing method--VI). Mineki Okura, et al.	S1181
399 Development of automatic strip tension set up for continuous annealing. Masakazu Iwaki, et al.	S1182
400 The causes of heat buckling in continuous annealing processing lines. Tetsu Matoba, et al.	S1183
401 Basic study on the mechanism of non-oxidation heating. (Non-oxidation heating of steel strip by direct fire--I). Masahiro Abe, et al.	S1184
402 Cooling system of uniflow-annealing-system. Atsushi Sato, et al.	S1185
403 New process control system for plate mill using micro computer. (Technical development in plate mill control system at Kashima Works, Sumitomo Metal Industries, Ltd.--I). Kazuharu Hanazaki, et al.	S1186
404 Process control computer system of Fukuyama No.2 hot strip mill, Nippon Kokan K.K. (Development of HDR system--III) Masaharu Yamamoto, et al.	S1187
405 Development of parallel software testing system for online process computer system. Hiroshi Kitagawa, et al.	S1188
406 Development of production control system for cold rolling of stainless steel. Katsunori Shiraishi, et al.	S1189
407 Development of planned cutting system for Fukuyama shape mill, Nippon Kokan K.K.--I (Scheduling of manufacturing process system). Hideaki Inoue, et al.	S1190
408 Development of planned cutting system for Fukuyama shape mill, Nippon Kokan K.K.--II (Process computer). Sugao Ohmori, et al.	S1191
409 Production control system in cold drawing plant of seamless steel tube. Hikaru Yamaya, et al.	S1192
410 Electric power saving system for rolling mill in Muroran Works, Nippon Steel Corp. Keiichi Takahashi, et al.	S1193
411 Ship-unloading system in the Muroran Works, Nippon Steel Corp. Takao Nakano, et al.	S1194
412 Modernization of the continuous reheating furnace in plate mill. Yukio Onuma, et al.	S1195
413 Modification and operation of reheating furnace at No.2 hot strip mill in Chiba Works, Kawasaki Steel Corp. (Revamping of reheating furnace at hot rolling plant in Chiba Works, Kawasaki Steel Corp.--I) Akira Toyokawa, et al.	S1196
414 Development of slab uniform heating technics. (Revamping of re-heating furnace at hot rolling plant in Chiba Works, Kawasaki Steel Corp.--II). Masanori Ebihara, et al.	S1197
415 Development of soaking pit heating technique using heatproof fan with ceramic blade. Tatsuya Yoshida, et al.	S1198
416 Improvement of heat transfer efficiency by the setting of porous ceramics in a reheating furnace. Yutaka Suzuki, et al.	S1199
417 Pressure control for hot strip mill reheating furnace. Masaomi Hirose, et al.	S1200
418 Heating characteristics of the open radiant tube type reheating furnace. Kiyoshi Muranaka, et al.	S1201
419 Outline of modified reheating furnace of Fukuyama No.1 large section mill, Nippon Kokan K.K. Michihiro Ohama, et al.	S1202
420 Automatic combustion control system in bar mill at Kobe Works, Kobe Steel, Ltd. Yutaka Ichida, et al.	S1203
421 Reduction of temperature variation on steel plate in tempering furnace. Yoshihiro Murase, et al.	S1204

-- CHEMICAL ANALYSIS · SURFACE TREATMENT --

OCTOBER 6, 1985

422 Full automatic analysis system of steel works. Shigeomi Sato, et al.	S1205
423 Determination of impurities in steel by hydride generation-atomic absorption spectrophotometry. Masato Nishimura, et al.	S1206
424 Precise determination of Ni in Ti-Ni shape memory alloy by ion exchange-electrogravimetry. Tsuyoshi Imakita, et al.	S1207
425 Inductively coupled plasma emission spectrochemical analysis by	

extraction method of organic solvent. Tomoyuki Ichioka, et al.	S1208
426 Determination of impurities in vanadium and vanadium alloy by co-precipitation with Bismuth hydroxide-ICP emission spectrometry. Takako Kenmochi, et al.	S1209
427 Direct analysis of silicon in molten iron by inductively coupled plasma emission spectrometry. Akihiro Ono, et al.	S1210
428 Development of [Si] analyzer of hot metal. Masayuki Soma, et al.	S1211
429 Determination of Al content in Zn by X-ray fluorescence and emission spectrochemical analysis. Yoshiro Matsumoto, et al.	S1212
430 Analysis of P and S content in steel by glow discharge spectrometry. Yoshiro Matsumoto, et al.	S1213
431 Analysis of Zn-Ni electroplated steel sheet by glow discharge emission spectrometry. Makoto Terada, et al.	S1214
432 Analysis of chromate film by X-ray photoelectron spectroscopy (XPS). Hironori Tanizaki, et al.	S1215
433 Auger electron spectroscopic study on grain boundary embrittlement caused by liquid zinc. Mitsuharu Yamamoto, et al.	S1216
434 Matrix dependence of relative sensitivity factor in auger electron spectroscopy. Norio Gennai, et al.	S1217
435 Background correction method in quantitative analysis by wavelength-dispersive electron probe micro analyzer. Sumio Nakazawa, et al.	S1218
436 State analysis by electron probe microanalyzer. Takuichi Imanaka, et al.	S1219
437 AlN-type nitride precipitates in 3 % Si steels. Hajime Komatsu, et al.	S1220
438 Precipitation and segregation of heat resisting steel by atom-probe. Shinji Sato, et al.	S1221
439 Development of on-line equipment for measuring the volume fraction of austenite in steel sheet. Fumihiro Ichikawa, et al.	S1222
440 Elevation of spatial resolution capability of X-ray computed tomographic scanner for steel. Koki Tanaka, et al.	S1223

OCTOBER 4, 1985

441 Improvement strip temperature control for continuous galvanizing line. Yukihisa Komiya, et al.	S1224
442 Effects of the coated weight and the Fe-Zn alloying phases on the amount of picked up due to press forming in galvanized steel sheets. Seiji Nakamura, et al.	S1225
443 Surface structure and chemical conversion treatability of spangles of Sb added zinc coated steel. (Study on the spangle of hot dip metal coated steel--II). Yasushi Fukui, et al.	S1226
444 Oxidation resistance of Zn-Al alloy coated steel sheet. Yukio Numakura, et al.	S1227
445 Structure of dark gray patina developed on Zn-Al alloy coated steel sheet. Yukio Uchida, et al.	S1228
446 Effect of coating structure on corrosion resistance of hot-dipped Zn-Al alloy coated steel. Soichi Shimada, et al.	S1229
447 Thermal reflectance of Al-alloy coated steel. Minoru Kiyotsuka, et al.	S1230
448 Alloying behavior of coated metal in a hot-dipped aluminum coated extra-lowC-0.2Ti steel sheet during high temperature heating. (Development of high strength aluminum coated steel sheet--II). Toshiro Yamada, et al.	S1231
449 Morphology of zinc-vapor deposited coatings on steel. Kazuaki Chohata, et al.	S1232
450 The relation between underfilm corrosion phenomena and AC impedance properties. Toshitaka Kajiki, et al.	S1233
451 Warm formability of pre-painted steel sheets evaluated by characterizing paint films. Tetsuo Sakai, et al.	S1234
452 Lubrication and film formability of precoated galvanized steel sheet with aqueous polymer. Keiji Izumi, et al.	S1235

OCTOBER 5, 1985

453 Electron-beam curing of organic coatings. (Curing of trifunctional acrylate monomers--III). Maki Itoh, et al.	S1236
454 Effect of baking temperature and temper on properties of PTFE film coated on steel sheet. (Pre-coated steel sheets with heat resistant paints--II). Takafumi Yamaji, et al.	S1237
455 Degradation of coating films observed by PAS (Photo Acoustic Spectroscopy) and AE (Acoustic Emission). Tohru Tsuru, et al.	S1238
456 Improvement in film thickness by height of gun lift control. Yoshinobu Nagai, et al.	S1239
457 Effect of reactive oligomers on characteristics of primer. (Study on ultra-violet ray cured primer for polyethylene coated steel pipes--I). Masakazu Ohkita, et al.	S1240

458	The rust preventing coating system for steel pipe by ultraviolet radiation curing. Tetsuzo Arai, et al.	S1241
459	Properties on water absorption and cathodic disbonding of epoxy coated steels. Yukichi Watanabe, et al.	S1242
460	Effect of pre-heating temperature and time of adhesion on peel strength of maleated polyethylene. (Improvement of adhesion between steel and polyethylene-coating--II). Yoshihisa Kariyazono, et al.	S1243
461	Improvement of internal coating of pipes for sour service. Teruo Takamatsu, et al.	S1244
462	Effect of second cold reduction on properties of lightly coated tinplates with Ni-diffusion treatment. (Development of lightly coated tinplate for welded cans--IV). Hisatada Nakakoji, et al.	S1245
463	Characteristics of surface structure of lightly coated tinplate with Ni-diffusion treatment. (Development of lightly coated tinplate for welded cans--V). Hajime Ogata, et al.	S1246
464	Characteristics of lightly tin-coated steel with nickel-precoating. Toyofumi Watanabe, et al.	S1247
465	Preventive method of edge over-coating. Naoyuki Oniwa, et al.	S1248
466	Evaluation of the ironing ability of various materials for DI cans by flat plate test. Hiroshi Ishikawa, et al.	S1249
467	Behavior of Sn-Fe alloy formation on the Ni preplated steel sheets during stoving. Kazuya Ezure, et al.	S1250
468	Influence of plating conditions of the lightly tin plated steel sheets on the alloying behavior. Mitsuo Yoshida, et al.	S1251
469	Effect of TFS film on adhesion of PET film. Atsuo Tanaka, et al.	S1252
470	Anodic oxidation behavior of TFS film. Yashichi Oyagi, et al.	S1253
471	Corrosion resistance of temper-colored stainless steel. Katsuhiko Horioka, et al.	S1254
472	Corrosion resistance of colouring stainless steel. Hideo Kaito, et al.	S1255
473	Fundamental results of continuous colouring method for stainless steel strip. Susumu Otsuka, et al.	S1256
474	Analysis of colored films in two phase stainless steels. Yasutaka Maegama, et al.	S1257
475	Effect of siliconizing on the high temperature alkaline corrosion behavior of austenite stainless steels. Hideaki Itoh, et al.	S1258

OCTOBER 6, 1985

476	Elucidation of discoloration black phenomenon on Fe side of one side electrogalvanized steel sheet. Teruaki Izaki, et al.	S1259
477	Corrosion behavior of Zn-Mn alloy plated steel sheets. Takayuki Urakawa, et al.	S1260
478	Corrosion resistance of zinc and zinc alloy coated steels evaluated by outdoor exposure with salt spraying. Masaru Sagiyama, et al.	S1261
479	Features in cosmetic corrosion resistance of zinc type pre-coated sheet steels. Tatsuo Kurimoto, et al.	S1262
480	Effect of corrosion conditions on the corrosion of painted Zn plated steel sheet. (Study on Zn alloy electroplated steel sheets--IV) Kazumi Nishimura, et al.	S1263
481	The accelerative factors that control the growing of filiform rust. (Inhibition of filiform rust on precoated steel sheets for automobiles--I). Kimitaka Hayashi, et al.	S1264
482	The influence of heating conditions on properties of aluminized steel sheets pre-painted with Acrylic-modified silicone. (Corrosion resistance of aluminized steel sheets for automobile muffler). Hiromitsu Fukumoto, et al.	S1265
483	Paintability of SiO_2 composite electrolytic plated steel sheet. Fumio Yamazaki, et al.	S1266
484	Formability of pre-nickel terne coated steel. Tadafumi Honda, et al.	S1267
485	Phosphatability in iron-phosphate treatment on cold rolled steel sheets. Hirohiko Sakai, et al.	S1268
486	Influence of solute C on phosphatability of extra low C steel sheet. Akira Yasuda, et al.	S1269
487	The behavior of Cr and Zn during chromate treatment by electrophoresis. (The reaction feature of chromate treatment--II). Kazuko Uchida, et al.	S1270
488	Property of zinc-chloride composite electroplated steel. Ichiro Suzuki.	S1271
489	Effects of iron ion in electrolyte on Zn-Ni alloy electrodeposition. Jun-ichi Kotegawa, et al.	S1272
490	Adhesion of prepainted alloy plated steel sheets. Toshio Nakamori, et al.	S1273

491	Development of noncontact strip pass using the liquid cushion cell-vertical type. (Development of new electroplating process--VI). Ryoichi Yoshihara, et al.	S1274
492	The high-speed electrogalvanizing using the liquid cushion cell-vertical type. (Development of new electroplating process--VII). Masashi Horishita, et al.	S1275
493	The reduction of interelectrode distance in the liquid cushion cell-horizontal type. (Development of new electroplating process--VIII). Hidehiro Tomio, et al.	S1276
494	Electrogalvanizing process with anion exchange membrane. Nobukazu Suzuki, et al.	S1277

-- PRODUCTS AND PROPERTIES --

OCTOBER 4, 1985

495	Effects of C and Si contents on hot workability and oxidation resistance of Mn-Al steels--V. Keiichi Seino, et al.	S1278
496	Ion nitriding of high manganese-high aluminum steels--VI. Kunikazu Takahashi, et al.	S1279
497	Oxidation rates of iron in low oxygen potential atmosphere. Shun-ichi Nishikida, et al.	S1280
498	Surface scale conditions of plate. Toshiyuki Ooka, et al.	S1281
499	Mechanical properties of wustite at high temperature. Shun-ichi Nishikida, et al.	S1282
500	Effect of carbon content on hot workability of Ni-Cu alloy. Sumio Yamashita, et al.	S1283
501	Analysis on the strength of the separated portion under heat cycles. (High-temperature strength of composite tubes--II). Ken-ichi Tanaka, et al.	S1284
502	Corrosion behaviours of Inconel 617 coated with aluminum oxide in impure helium. Yoshikazu Sakai, et al.	S1285
503	Creep rupture properties of commercial heat resisting Fe-Ni-Cr alloys subjected to hot corrosion. Hiroyuki Mizuno, et al.	S1286
504	Fireside corrosion of various boiler tubes in coal combustion condition. Takahiro Kanero, et al.	S1287
505	Effect of ash composition on coal ash corrosion. Kiyokazu Nakagawa, et al.	S1288
506	Effect of several elements on coal ash corrosion rate of Ni-base alloys. (Development of boiler tubing alloy for advanced coal fired boiler--I). Naotsugu Yamanouchi, et al.	S1289
507	High temperature performance of 30Cr-50Ni-Mo-Ti-Zr alloy. (Development of boiler tubing alloy for advanced coal fired boiler--II). Manabu Tamura, et al.	S1290
508	Mechanical anisotropy of a dual-phase steel sheet. Ko-ichi Sugimoto, et al.	S1291
509	The behavior of residual austenite in carbon steel and the mechanical properties of that steel. (Study of the steel sheet containing retained austenite--I). Iwao Sawai, et al.	S1292
510	The effect of retained austenite on the ductility of steel sheets. (Study of the steel sheet containing retained austenite--II). Osamu Matsumura, et al.	S1293
511	Production and quality of hot-rolled steel sheets with excellent formability. Haruo Mitsuiji, et al.	S1294
512	Investigation of the estimation of mechanical properties for Nb-added hot rolled steel sheet. Akio Tosaka, et al.	S1295
513	Effect of direct hot rolling condition after continuous casting on the mechanical properties of C-Mn-Nb steel sheets. Yoshio Hashimoto.	S1296
514	Warm deep drawing test. (Temperature dependence of mechanical properties of steel sheets in warm conditions--I). Tetsuro Ohwue, et al.	S1297
515	The effect of structures, mechanical properties and punch conditions on hole expanding properties of high strength sheet steel. Kazuyoshi Esaka, et al.	S1298
516	Ductile fracture of steel sheet with notch. Shinji Yoshihashi, et al.	S1299
517	Effect of laser cutting on stretch flangeability and fatigue property of high strength hot rolled steel sheets. Shun-ichi Hashimoto, et al.	S1300
518	Effect of chemical composition on stretch flangeability of high strength hot rolled steel sheet pierced by laser cutting. Hidenori Shirasawa, et al.	S1301
519	Development of hot-rolled steel sheet for the one-side enameling	

by continuous casting slab. Atsushi Itami, et al.	S1302
520 Effect of tempering temperature on hydrogen embrittlement susceptibility. (Rising load test method to evaluate hydrogen embrittlement susceptibility of Cr-Mo steel--III). Tohru Nomura, et al.	S1303
521 Evaluations of the resistance to hydrogen embrittlement. (Studies on hydrogen embrittlemets of a 3Cr-1Mo-1/4V-Ti-B pressure vessel steel--I). Tohru Ishiguro, et al.	S1304
522 Metallurgical factors affecting the hydrogen embrittlement. (Studies on hydrogen embrittlemets of a 3Cr-1Mo-1/4V-Ti-B pressure vessel steel--II). Tohru Ishiguro, et al.	S1305
523 Effect of Mo content on hydrogen attack sensitivity. (Toughness of 1/2Mo steel for pressure vessel--IV). Hachiro Okada, et al.	S1306
524 Evaluation of sensitivity of hydrogen embrittlement in Cr-Mo steels. Tadashi Iida, et al.	S1307
525 Effect of carbides and inclusions on internal hydrogen embrittlement of Cr-Mo pressure vessel steels. Tadamichi Sakai, et al.	S1308
526 Effects of Al and B on hydrogen attack of Cr-Mo steel for pressure vessels. Takahiro Kushida, et al.	S1309
527 Effect of atmosphere on the hydrogen embrittlement and nitriding of bright annealed SUS304 steel. Masayuki Hino, et al.	S1310
528 Comments on Cr-Mo steels concerning the strength, toughness and hydrogen attack susceptibility. Takuichi Imanaka, et al.	S1311
529 The susceptibility to hydrogen attack of Cr-Mo steels. Takuichi Imanaka.	S1312
530 Acoustic emission characteristics due to hydrogen attack. Michio Miki, et al.	S1313
531 The permeation of hydrogen in a steel at elevated temperatures by an electrochemical method. Harushige Tsubakino, et al.	S1314
532 Improvement of resistance to IGSCC of Alloy 800. (Development of steam generator tubing material--I). Takenori Nakayama, et al.	S1315
533 Improvement of resistance to general corrosion of Alloy 800. (Development of steam generator tubing material--II) Takenori Nakayama, et al.	S1316
534 Manufacturing techniques and quality level of steam generator tubing to Alloy 800 for PWR. (Development of steam generator tubing material--III). Hideki Oda, et al.	S1317
535 Stress corrosion cracking of cold worked SUS 304 steel in high temperature water. Jiro Kuniya, et al.	S1318
536 Effect of chemical composition on corrosion resistance of weld metal of dual phase stainless. Masakatsu Ueda, et al.	S1319
537 The relation between carbon content and intergranular corrosion resistance of duplex stainless steel. Shuji Hashizume, et al.	S1320
538 Influence of heat treatment on corrosion resistance of duplex stainless steel. Tomoaki Hyodo, et al.	S1321
539 Pitting corrosion resistance of TIG-welds of duplex stainless steel. Yoshiro Kuriki, et al.	S1322
540 Effect of surface films on depassivation pH of stainless alloys. Toshiyasu Nishimura, et al.	S1323
541 Effect of H ₂ S on depassivation pH of high alloys. Kozo Denpo, et al.	S1324
542 Effect of volume fraction of ferrite and chemical composition. (Stress corrosion cracking of duplex stainless steel in sour gas environment--II). Toru Inazumi, et al.	S1325
543 Corrosion resistance of some stainless steels in soil. Takashi Wachi, et al.	S1326
544 Characteristics of super high quality bearing steel with longer fatigue life. Yatsuka Takata, et al.	S1327
545 Fatigue properties of chains. Masahisa Yamada, et al.	S1328
546 Effect of dynamic strain aging on low-cycle fatigue behavior in rail steel. Kaneaki Tsuzaki, et al.	S1329
547 Failure analysis of crane rails. (Study on durability of crane rails--I). Shin-ichi Nishida, et al.	S1330
548 A method for the estimation of fatigue life of a drill pipe failed by fatigue. (Study on fatigue property of a full size drill pipe--I). Yasushi Tsukano, et al.	S1331
549 Effect of strain rate in fatigue loading on rupture life under combined creep-fatigue loadings. Koichi Yagi, et al.	S1332
550 Fatigue properties of dual phase steels carburized at high temperature. Takashi Matsumoto, et al.	S1333
551 Development of thermal fatigue testing. Kiyoshi Iijima, et al.	S1334
552 Effect of nitrogen content on high temperature low cycle fatigue properties of SUS304 stainless steel. Shōzō Azuma, et al.	S1335

- 553 Effect of tensile strain rate and molybdenum content on creep fatigue properties of SUS316 stainless steel. Takemi Yamada, et al. S1336
- 554 Effect of strain rate and hold time on high temperature low-cycle fatigue behavior of nickel-base heat-resistant alloys. Hirokazu tsuji, et al. S1337
- 555 Long time creep-rupture ductility of Cr-Mo-V forged and cast steels. Junro Kyono, et al. S1338
- 556 Evaluation of degradation at elevated temperatures of Cr-Mo-V steel by local recovery phenomena. Kazuhiro Kimura, et al. S1339
- 557 Effect of C, N and B on mechanical properties of 9Cr-0.5Mo-1.6W-V-Nb heat resisting steels. Katsuro Oda, et al. S1340
- 558 Effect of alloying elements on mechanical properties of high strength and high toughness ferritic steels. Kentaro Asakura, et al. S1341
- 559 Mechanical and elevated temperature properties of heavy forging of 9Cr-2Mo steel for fast breeder reactor application. Hiroshi Teranishi, et al. S1342
- 560 Effect of Si and Mo on toughness changes of 9 % Cr heat resistant steels after long-term heat exposure. Atsurou Iseda, et al. S1343
- 561 Mechanical properties of heavy section 9Cr-2Mo-Nb-V steel forgings. Yoshihiro Kataoka, et al. S1344
- 562 Effect of Si and Mn on precipitation of laves phase and toughness of 9Cr-2Mo steel during aging. Tatsumi Urita, et al. S1345
- 563 Effect of W on mechanical properties of 9Cr-2Mo-V-Nb heat resisting steel. Katsuro Oda, et al. S1346
- 564 Mechanical properties of unirradiated and irradiated ferritic alloys for fusion reactors. Kentaro Asakura, et al. S1347
- 565 Effect of alloying elements on mechanical properties and micro-structure of 10 Cr heat-resisting steels for turbine rotor. Yoshikazu Kawabata, et al. S1348
- 566 12 Cr heat resisting cast steels for super high pressure and high temperature turbine casing casting. Yoshitaka Iwabuchi, et al. S1349
- 567 Effect of Ni content on impact properties and creep rupture strength of 12Cr-2Mo-V-Nb steel. Hiroyuki Uchida, et al. S1350

OCTOBER 5, 1985

- 568 Ambiguities in the orientation distribution analysis by the vector method. Munetsugu Matsuo, et al. S1351
- 569 Effect of cold rolling direction on the formation of the goss texture in secondary recrystallization of grain oriented silicon steel. Yukio Inokuti, et al. S1352
- 570 Coincidence boundaries of 3 % Si steel which have Σ value from 31 to 51. Ryo Shimizu, et al. S1353
- 571 Effect of cold rolled reduction per pass and roll diameter on mechanical properties of cold rolled sheet--V. Shiroh Sanagi, et al. S1354
- 572 Stable end orientations of the cold rolling textures in a low carbon steel. Hirosuke Inagaki. S1355
- 573 Effects of carbon and chromium on the recrystallization textures of cold rolled sheet steels--II. Kiwami Kurihara, et al. S1356
- 574 Effects of silicon and phosphorus on the recrystallization textures of cold rolled sheet steels--III. Koichi Osawa, et al. S1357
- 575 Effects of Mn content and coiling condition of hot strip on the recrystallization texture of low C Al-killed steel sheets. Naomitsu Mizui, et al. S1358
- 576 Kinetics of carbide precipitation at both grain boundaries and inside grains. (Behaviour of cementite precipitation during over-aging treatment of continuous annealing of low-carbon steel sheets--VI). Kazuo Koyama, et al. S1359
- 577 Effect of cooling rate on aging property of continuous annealed Al killed steel. Toshiyasu Ukena, et al. S1360
- 578 Effect of hot rolling condition on mechanical properties of Ti added extra low carbon steel sheet. Shiroh Sanagi, et al. S1361
- 579 Effect of hot rolling in ferrite phase on mechanical properties of very low carbon Ti-bearing cold rolled steel sheet. Yoshikuni Furuno, et al. S1362
- 580 Effects of Ti and Nb content on mechanical properties of extra-low C steel. Kei Sakata, et al. S1363
- 581 Effect of hot grain size on r-value and grain size of extra low carbon Al-killed cold rolled steel. Satoshi Ono, et al. S1364
- 582 Development of deep drawing steel sheets for low reheating temperature of hot strip mill. Shigeki Furuichi, et al. S1365
- 583 Effect of heating rate during annealing on the recrystallization texture of steel sheets hot-rolled in α -phase and followed by cold-rolling. Takashi Obara, et al. S1366

584	Effect of slab reheating temperature on mechanical properties of continuously annealed steel sheets. Takafusa Iwai, et al.	S1367
585	Properties of cold rolled high strength steel sheet with bake hardenability and excellent deep drawability. (Technical development in continuous annealing line at Mizushima Works, Kawasaki Steel Corp.--IV). Toshitake Hanazawa, et al.	S1368
586	Development of 100 kgf/mm ² grade cold-rolled high-strength sheet steel with superior ductility. Kazuo Koyama, et al.	S1369
587	Formation of graphite in 0.5 % carbon cold rolled sheet steels. Atsuki Okamoto.	S1370
588	Effect of annealing temperature on the anisotropy of invar. Hidehiko Sumitomo, et al.	S1371
589	Development of anti-sticking agent. Tomoya Izushi, et al.	S1372
590	Effect of chemical composition and austenitizing temperature on mechanical properties of 2 1/4Cr-1Mo steel. Shin-ichi Kushida, et al.	S1373
591	Development of heavy-wall 3Cr-1Mo forgings with improved strength and toughness. Hidefumi Tani, et al.	S1374
592	Influence of alloying elements on elevated temperature properties of the 3Cr-1Mo steel. (Development of the 3Cr-1Mo steel for multilayer pressure vessel--II). Katsukuni Hashimoto, et al.	S1375
593	High temperature properties of low C-3Cr-1Mo-V-Nb steels. Moriyasu Nagae, et al.	S1376
594	Effect of hot work and carbon content on the creep rupture strength of weld metal for 2 1/4Cr-1Mo steel. Kohichi Asakawa, et al.	S1377
595	Quantitative evaluation of microcracks during fracture toughness testing of A533B nuclear reactor pressure vessel steel. Teruo Kishi, et al.	S1378
596	Evaluation of crack arrestability of linepipe by lateral compression DWTT. Joe Kondo, et al.	S1379
597	Problems on measurements on load-deflection curve and absorbed energy in the instrumented Charpy test. Isamu Yamamoto, et al.	S1380
598	Effect of sulfur content on the upper-shelf fracture toughness of A508 Cl 3 steel. Yasuhiko Tanaka, et al.	S1381
599	Effects of Ti and water density on mechanical properties of accelerated cooled heavy thick steel plates. (The development of heavy thick steel plates for arctic offshore structure by accelerated cooling--I). Manabu Yamauchi, et al.	S1382
600	Characteristics of heavy thick steel plates with 50 kgf/mm ² tensile strength for arctic offshore structure by accelerated cooling. (The development of heavy thick steel plates for arctic offshore structure by accelerated cooling--II). Manabu Yamauchi, et al.	S1383
601	Characteristics of heavy thickness steel plates for offshore structures. Eiji Kobayashi, et al.	S1384
602	Development of thick steel plates with tensile strength of 50 kgf/mm ² for arctic service. (High tensile strength steel plates produced by continuous on-line control process--VII). Takeshi Tsuzuki, et al.	S1385
603	Effect of Mn/C on mechanical properties of accelerated cooled steel plates. (Investigation on optimum chemical composition of 50 kgf/mm ² tensile strength steel plates--I). Kiyoshi Iwai, et al.	S1386
604	Effect of Mn/C on weldability of accelerated cooled steel plates. (Investigation on optimum chemical composition of 50 kgf/mm ² tensile strength steel plates--II). Kiyoshi Iwai, et al.	S1387
605	Ultra low C-Nb-2.5%Ni steel manufactured by accelerated cooling process. Osamu Furukimi, et al.	S1388
606	Effects of warm forming conditions on mechanical properties of offshore structural steels. Seishi Tsuyama, et al.	S1389
607	Influence of Ti addition on the strength and toughness of the Nb bearing normalized steel. Seiichi Watanabe, et al.	S1390
608	Effect of cooling conditions on mechanical properties and microstructures of controlled rolled and cooled steels. (Research about the property control of the controlled cooled thick plates--V). Hiroshi Yoshikawa, et al.	S1391
609	Refinement of ferrite grain by accelerated cooling. Ken-ichi Amano, et al.	S1392
610	Effect of combined addition of niobium and boron on thermo mechanically processed steel. Masahiko Murata, et al.	S1393
611	γ - α transformation behavior in thermomechanically processed niobium-boron steel. Akihiko Takahashi, et al.	S1394
612	Transformation and high temperature deformation of duplex stainless steel. Yoshiaki Kagami, et al.	S1395
613	Effect of hotworkability on surface defect of austenitic stainless steel. Katsuji Yamazaki, et al.	S1396

- 614 Grain refining by higher temperature softening. (Application
 of grain refining process to stabilized types of stainless
 steels for elevated temperature use--I). Hiroshi Teranishi, et al. S1397
 615 Grain refining by higher temperature hot working. (Application
 of grain refining process to stabilized types of stainless
 steels for elevated temperature use--II). Hiroshi Teranishi, et al. S1398
 616 Orientation distribution of rough rolled SUS430 stainless
 steel containing alluminium--X. Kuniteru Ohta, et al. S1399
 617 Effect of Ni and Mo on the mechanical and corrosion properties
 of 25 Cr ferritic stainless steel. Yasushi Haruna, et al. S1400
 618 Mechanical properties of duplex stainless steel weldments.
 Yutaka Naganawa. S1401
 619 Intergranular embrittlement of 13Cr-4Ni cast stainless steel.
 Yutaka Ishiwata, et al. S1402
 620 14MeV neutron irradiation damage in ferritic stainless steels.
 Kentaro Asakura, et al. S1403
 621 Mechanical properties of stainless steel castings at cryogenic
 temperatures. Toshio Ogata, et al. S1404
 622 Effect of chemical composition on low temperature toughness
 of duplex stainless steel. Tomohiro Tsuchiyama, et al. S1405
 623 Effect of various factors on the toughness at cryogenic
 temperature of austenitic steels. Nobuo Yamagami, et al. S1406
 624 Crack propagation of austenitic stainless steels at cryogenic
 temperatures. Masao Shimada. S1407
 625 Grain refining of austenitic stainless steels with nitrogen.
 Setsuo Takaki, et al. S1408
 626 Mechanical properties and the hardening mechanism of the
 control-rolled type SUS304 N₂ stainless steel. Yoshinobu Honkura, et al. ... S1409
 627 Influence of chemical compositions and heat treatment conditions
 on mechanical properties of heavy section SUS321 forgings.
 Yoshihiro Kataoka, et al. S1410
 628 Effect of γ phase morphology on the deformation characteristics
 of duplex stainless steel. Seiji Kunimitsu, et al. S1411
 629 Effect of 475 °C embrittlement on fracture toughness of
 duplex stainless steel. Hideya Anzai, et al. S1412
 630 Stainless-clad steel produced by on-line accelerated cooling
 (OLAC). Kazuaki Matsumoto, et al. S1413
 631 Effect of a short time solution heat treatment on the properties
 of SUS304 welded pipe. Shoji Inoue, et al. S1414
 632 Characteristic behavior of precipitation hardening martensitic
 stainless steel under solution treatment. Yuji Ikegami, et al. S1415
 633 Dissolution of α phase in $\gamma/\alpha/\gamma$ diffusion couples of Fe-Cr-Ni
 ternary system. Masanori Kajihara, et al. S1416
 634 Fretting fatigue test of high strength steel for chain
 cables in sea water. Kozo Nakazawa, et al. S1417
 635 Corrosion fatigue damage in lower content of salt aqueous
 solution for SM50B steel. Chitoshi Masuda, et al. S1418
 636 Influence of offshore environment on corrosion fatigue crack
 growth behavior in 50 kgf/mm² class high tensile steels welds
 joints. (Comparison of HT50-controlled rolled and HT50-normalized).
 Kaname Mori, et al. S1419
 637 Fatigue strength of 80 kgf/mm² grade high yield strength steel
 with notch in sea water by cathodic protection. Masae Sumita, et al. S1420
 638 Estimation of corrosion fatigue crack propagation rate by
 corrosion kinetics. Hiroyuki Masuda, et al. S1421
 639 An analysis of passive film damage process during corrosion
 fatigue. (Step response function measurement). Masashi Ono, et al. S1422
 640 Effect of test frequency on corrosion fatigue properties in
 salt aqueous solution for SUS403 steel. Chitoshi Masuda, et al. S1423
 641 Influence of ceramic coating on corrosion fatigue in 316L
 stainless steel. Keiji Kamei, et al. S1424
 642 Fatigue fracture surface analysis of austenitic-ferritic
 stainless steel in sea water. Norio Maruyama, et al. S1425
 643 Corrosion resistance of Cr containing steel in simulated
 corrosion test for automotive muffler. (Development of
 corrosion resistance steel for automotive muffler--II).
 Toshiro Adachi, et al. S1426
 644 Property of Cr-steel in corrosion test simulating wet corrosion
 of automobile muffler combined with high temperature heating
 process. (Development of corrosion resistance steel for
 automotive muffler--III). Shyohei Fujita, et al. S1427
 645 Corrosion behavior of several steels in various locations of
 a coal liquefaction pilot plant. (Study of corrosion behavior
 of various steels in a coal liquefaction pilot plant--I).
 Hisao Fujikawa, et al. S1428

646	Corrosion resistance of type 310 stainless steel for coal liquefaction plants. (Study of corrosion behavior of various steels in a coal liquefaction pilot plant--I). Hisao Fujikawa, et al.	S1429
647	Sulfide stress cracking behavior of tin and zinc plated steel under sour environment--II. Shunji Sakamoto, et al.	S1430
648	Sulfide stress cracking of low alloy oil country tubular goods by full scale test. Teruo Kaneko, et al.	S1431
649	Influence of microstructural features on SSC characteristics of linepipe steel. Nobuchika Nomura, et al.	S1432
650	Effect of initial K-value on sulfide stress cracking characteristic value K_{ISCC} . (Establishment of evaluation method of sulfide stress cracking resistance--I). Hitoshi Asahi, et al.	S1433
651	Effect of environmental factors on hydrogen permeation rate through steel. Kozo Denpo, et al.	S1434
652	Allowable center segregation level of CC slab for preventing hydrogen induced cracking of line pipe steel. Tetsuo Takeda, et al.	S1435
653	Influence of oil and gas well environmental factors on grooving corrosion of ERW-OCTG. Akihiro Miyasaka, et al.	S1436
654	Measurement of the steel thickness of corroded pipe pile by electromagnetic ultrasonic method. Yōichi Fujikake, et al.	S1437
655	Localized corrosion and countermeasure of skid pipe in heating furnace. (Corrosion control of industrial pipe line--VI). Shigeru Mizoguchi, et al.	S1438
656	Special reference to an H46(12Cr) steel. (A predictive rule for long-term creep curves and rupture lives--II). Kouichi Maruyama, et al.	S1439
657	Intergranular creep fracture caused by cavity formation at grain boundary and cracking at sigma/austenite interface of types 304 and 316 stainless steels. Hideo Tanaka, et al.	S1440
658	Evaluation of creep damage by using ultrasonic testing technique. Masashi Nakashiro, et al.	S1441
659	Relation between hot-hardness and creep rupture strength of austenite system heat-resisting steels. Yasuhisa Yamamoto, et al.	S1442
660	Accuracy of fit and extrapolation to creep-rupture data by Minimum Commitment Method. Hideo Nagai, et al.	S1443
661	Mechanical properties of 12 Cr heat resistant steel castings for advanced steam turbines. Masayuki Yamada, et al.	S1444
662	Microstructural observation of failed main steam supercritical boiler tube. Akira Ohtomo, et al.	S1445
663	Effect of P content on creep rupture properties of Ni-Cr austenitic steels. Takanori Nakazawa, et al.	S1446
664	Effect of phosphorus on the creep rupture strength of 18%Cr-14%Ni-Mo-Ti-Nb austenitic stainless steel. Hideto Kimura, et al.	S1447
665	Notch effect on creep rupture strength and low cycle fatigue life of an iron-base alloy. (Investigation of the high temperature strength of 15Cr-26Ni-1.25Mo iron base alloy--VI). Katsumi Iijima, et al.	S1448
666	Effect of nitrogen on sag-resistance of piano wire. Hiroshi Sasaki, et al.	S1449
667	Plastic working during $\alpha+\gamma$ transformation of spring steel. Yukio Ito, et al.	S1450
668	Influence of induction tempering on ductility and toughness of Si-Cr steel. (Strengthening and toughening of steels by induction heat-treatment--III). Kazuhiro Kawasaki, et al.	S1451
669	Effect of inclusion on micro deep drilling. Tetsuo Shiraga, et al.	S1452
670	Effect of MnS ductility on machinability. (Improvement of machinability of continuously cast low carbon free cutting steel--IV). Masato Yanase, et al.	S1453
671	Distribution of MnS and Pb particles in leaded free-machining steel. (Development of producing process for leaded free-machining steel). Koichi Isobe, et al.	S1454
672	Workability of dual phase steel rod. (Development of dual phase wire rods and bars--II). Toshiaki Yutori, et al.	S1455
673	Applications of dual phase steel rods for high strength PC wire and cold heading wire. (Development of dual phase wire rods and bars--III). Toshiaki Yutori, et al.	S1456
674	Warm deformation resistance and strength after warm working of middle carbon steel. (Study on the warm work metallurgy of steel bars--II). Tatsuro Ochi, et al.	S1457
675	Effect of controlled rolling and Si, Nb additions on ductility and toughness of eutectoid steel. (Improvement in ductility and toughness of high carbon steel--III). Tsunemi Wada, et al.	S1458
676	Production of directly normalized steel by controlled rolling. Toshihiko Takahashi, et al.	S1459

- 677 Effect of rolling condition on the ductility after pickling
and the drawability of Ti containing low-carbon steel wire
rod. Noriyoshi Ohwada, et al. S1460
- 678 Influence of P and N on torsion property of drawn wire.
Takashi Tsukamoto, et al. S1461

OCTOBER 6, 1985

- 679 Internal specimen heating during fatigue tests at liquid helium
temperature. Toshio Ogata, et al. S1462
- 680 Cooling conditions after solution treatment and low temperature
toughness of a 32 % Mn steel bearing high content of nitrogen.
(Mechanical properties of high strength high Mn no-magnetic
steels for very low temperature uses--V). Koji Shibata, et al. S1463
- 681 Magnetic properties of austenitic stainless steels and high
manganese steels at cryogenic temperatures. Terufumi Sasaki, et al. S1464
- 682 Embrittling behavior in high manganese martensitic steels.
Yasushi Kato, et al. S1465
- 683 Abrasive wear resistance of age-hardened 18Mn-5Cr steels.
Hiroyuki Tokushige, et al. S1466
- 684 Effect of alloying elements and manufacturing conditions on
properties of 18 % Mn non-magnetic steel. Tadashi Ono, et al. S1467
- 685 Strength increment by warm working on high-manganese non-magnetic
steel. (Studies of high-strength non-magnetic steel--I).
Fukukazu Nakasato, et al. S1468
- 686 Effects of S and Ca on the cryogenic mechanical properties
of 25Mn-15Cr steel. (Development of a high-strength high
manganese stainless steel for cryogenic use--II).
Ken-ichiro Suemune, et al. S1469
- 687 Effect of Si and Al contents on properties of Fe-13Cr-Si-Al
alloy. Hiroaki Nakazato, et al. S1470
- 688 Effect of nitrogen on high temperature creep strength of
25Cr-28Ni steels containing 0.03 and 0.07 wt% carbon.
Masatsugu Kaise, et al. S1471
- 689 Effect of micro alloy content on hot workability of 25Ni-20Cr
stainless steel. (Study of high strength austenite heat
resistant steel--VI). Hiroyuki Mimura, et al. S1472
- 690 Effect of chemical compositions on mechanical properties for
24/24Nb spun-cast material after using. Toshikazu Shibasaki, et al. S1473
- 691 Effect of C on mechanical properties of 23Cr-34Ni iron based
alloy. (Investigation of incoloy 800 based alloy--VI).
Hiroyuki Doi, et al. S1474
- 692 Effect of boron addition on the creep rupture properties of
hastelloy-XR in impure helium environment. Tatsuhiko Tanabe, et al. S1475
- 693 Quantitative analysis of γ' size distribution in a directionally
solidified nickel-base superalloy. Takeshi Suemitsu, et al. S1476
- 694 Relationship between creep strength and γ' size in a
directionally solidified nickel-base superalloy.
Takeshi Suemitsu, et al. S1477
- 695 Effect of hot-isostatic-pressing on elevated temperature
properties of a nickel-base superalloy for high efficiency
gas turbine blades. Toshinori Yokomaku, et al. S1478
- 696 Prediction of the phase stability for Fe-based austenitic alloys.
(d-electrons alloy design and its applications--V).
Hisakazu Ezaki, et al. S1479
- 697 Determination of alloy system and partitioning ratio of the
elements to γ and γ' phases in single crystal alloys.
(Alloy design of nickel base single crystal superalloys--I).
Natsuo Yukawa, et al. S1480
- 698 Solidification and precipitation behaviors of single crystal
alloys. (Alloy design of nickel base single crystal
superalloys--II). Natsuo Yukawa, et al. S1481
- 699 Phase stability and strength properties of single crystal
alloys. (Alloy design of nickel base single crystal
superalloys--III). Natsuo Yukawa, et al. S1482
- 700 Hot corrosion resistance of nickel-base single crystal
superalloys. Masahiro Kawakami, et al. S1483
- 701 Analysis of solidification behavior of inconel 718 and waspaloy.
(Analysis of solidification behavior of high alloys by the
doping method and its application--III). Yoshinori Murata, et al. S1484
- 702 Analysis of an appearance of freckle in ESR ingot of inconel
718 and waspaloy. (Analysis of solidification behavior of
high alloys by the doping method and its application--IV).
Yoshinori Murata, et al. S1485

703	Effect of B on high temperature creep property of Ni-20Cr and Ni-20Cr-20W alloys. (Effect of microalloying elements on high temperature creep properties of Ni-Cr-W alloys--I). Masao Takeyama, et al.	S1486
704	Effect of Zr on high temperature creep property of Ni-20Cr and Ni-20Cr-20W alloys. (Effect of microalloying elements on high temperature creep properties of Ni-Cr-W alloys--II). Masao Takeyama, et al.	S1487
705	Effect of grain boundary precipitates on high temperature creep property of Ni-20Cr-3Nb-W system alloys. Kaoru Kawasaki, et al.	S1488
706	Effect of minor variation of C-, B-, Zr-, and Hf-contents on mechanical performance of nickel-base superalloys. Yutaka Koizumi, et al.	S1489
707	Effects of tempering and austenite formation on high temperature ductility in low carbon martensite. Masanori Minagawa, et al.	S1490
708	Deformation structures in a work-hardened austenite and ferrite transformation. Hideyuki Ohtsuka, et al.	S1491
709	γ/α transformation model of low carbon steels. Masayoshi Suehiro, et al.	S1492
710	Microstructure control in austenite formation process. Yoshiyuki Saito, et al.	S1493
711	Examinations on transition condition of flow behavior in dynamic recrystallization of microalloying steels. Masanori Ueki, et al.	S1494
712	Precipitation behaviors of Nb and V carbonitrides in hot rolling process and the effects on final products. Kazutoshi Kunishige, et al.	S1495
713	Role of the annealing twin in the deformation and recrystallization of austenite in a control-rolled steel. Hirosuke Inagaki.	S1496
714	Effect of hot deformation conditions on recrystallization behavior of austenitic stainless steels. Terufumi Sasaki, et al.	S1497
715	Effect of Cr and Ni on the static recrystallization of austenitic stainless steels. Tetsuo Sakiyama, et al.	S1498
716	Development of a laboratory rolling mill for continuous hot rolling. (Study on thermomechanical control process of continuous hot rolling--I). Yoshikazu Matsumura, et al.	S1499
717	A method of the prediction for austenite recrystallization temperature during the thick plate rolling. Atsuhiko Yoshie, et al.	S1500
718	Effect of lubrication condition on deformation and recrystallization behavior of ferritic stainless steel in high speed hot rolling. Futoshi Maeda, et al.	S1501
719	Effect of initial grain size on dynamic recrystallization behavior. (Development of controlling technique of mechanical properties in hot strip direct rolling process--XVI). Manabu Takahashi, et al.	S1502
720	γ to α transformation after hot deformation. (Development of controlling technique of mechanical properties in hot strip direct rolling process--XVII). Manabu Takahashi, et al.	S1503
721	Hardness change of ferrite, pearlite, and bainite after isothermal transformation. (Development of controlling technique of mechanical properties in hot strip direct rolling process--XVIII). Jun-ichi Wakita, et al.	S1504
722	Effects of alloying elements and rolling conditions on the properties of controlled rolled titanium steels. Yutaka Moriya, et al.	S1505
723	Effect of water cooling conditions on mechanical properties of accelerated cooled steels. Shuji Okaguchi, et al.	S1506
724	Effect of controlled rolling and accelerated cooling on the properties of Cu precipitation hardening steel. (Fundamentals of accelerated cooling--III). Takashi Abe, et al.	S1507
725	Development of technique for thermo-mechanical rolling of angle with unequal leg and thickness steel shapes. (High strength steel shape for the hull structure--I). Nobuo Fukushige, et al.	S1508
726	Effect of Ca-Si-Zr addition on the inclusion morphology and mechanical properties of microalloyed steel plates at Rourkela Steel Plant. B.B. Patnaik, et al.	S1509
727	Relation between abnormal austenite grain growth and dissolution of TiN precipitates in synthetic HAZ. Munetaka Koda, et al.	S1510
728	Transformation of intragranular ferrite plate on the Ti-B treated steel for large heat input welding use. (Development of Ti-B-low N steel for large heat input welding--I). Shinji Ishikawa, et al.	S1511
729	Relation between microstructural features and toughness of HAZ under high heat input welding of Ti-B-low N steel.	

(Development of Ti-B-low N steel for large heat input welding--II). Kōichi Yamamoto, et al.	S1512
730 Transformation behavior of HAZ under high heat input welding of Ti-B-low N steel. (Development of Ti-B-low N steel for large heat input welding--III). Kōichi Yamamoto, et al.	S1513
731 Effect of Ni content on the toughness of simulated heat affected zone of ultra low C steel. Osamu Furukimi, et al.	S1514
732 Change in mechanical properties due to post-weld heat treatment of 50 kgf/mm ² class accelerated cooled steel plates. Mitsuru Ikeda, et al.	S1515
733 Influence of weld thermal cycle on HAZ-CTOD. Yasuhide Ohno, et al.	S1516
734 Stress relief embrittlement of C-Si-Mn steel. (Study of stress relief embrittlement of low alloy high strength steel HAZ--II). Ken Kanaya, et al.	S1517
735 Influence of vanadium and silicon on HAZ boundary embrittlement of welded joint of steel. Kouichi Uchino, et al.	S1518
736 Effect of cooling rate on mechanical properties of direct-quenched and tempered HT60. (Research of production conditions of DQ-T-HT60--I). Shirou Imai, et al.	S1519
737 Effect of transfer time on mechanical properties of direct-quenched and tempered HT60. (Research of production conditions of DQ-T-HT60--II). Shirou Imai, et al.	S1520
738 Development of a HT60 steel for hot working. Mitsuhiro Fujimoto, et al.	S1521
739 Effect of microstructure on damping capacity and Young's modulus of high strength steel HT80. Hiroshi Iizuka, et al.	S1522
740 Properties of submerged-arc welded joint in ultra-heavy thick 100 kgf/mm ² steel plate. Sho Minagawa, et al.	S1523
741 Mechanical properties of high carbon-high strength steel wire. Kazuichi Hamada, et al.	S1524
742 Spheroidization and grain-refinement of ultra-high carbon steels by heat treatment. Takuichi Imanaka, et al.	S1525
743 Effect of boron on recrystallization characteristics of low-carbon steel wires. (Behaviour of grain growth in low-carbon steel wires during annealing--IV). Hiroshi Ohba, et al.	S1526
744 Development of non heat-treated bainitic steel bar for hot forging. (Development of non-heat-treated steel bar--I). Yoshiro Koyasu, et al.	S1527
745 Numerical estimation of the influences of some conditions on the temperature and structure of steels during quenching. Tatsuo Tanaka, et al.	S1528
746 Optimum micro structure before heat treatment and de-hydrogenation condition of steel bar for drill collars. Takeo Harada, et al.	S1529
747 Development of a stainless steel wire rod for cold heading with good machinability. Masashi Kawauchi, et al.	S1530
748 Effect of tensile strength on the headability of austenitic stainless steel wires. Yukio Yamaoka, et al.	S1531
749 Mechanical properties of austenitic stainless steel wire rod and bar rolled from horizontal continuous cast billet. (Development of horizontal continuous casting--XV). Eihachiro Sunami, et al.	S1532
750 Establishment of manufacturing condition by laboratory experiment. (Development of electric resistance welded K55 with large thickness and diameter--I). Hiroshi Takezawa, et al.	S1533
751 Results of a full scale production. (Development of electric resistance welded K55 with large thickness and diameter--II). Takehiro Hoshino, et al.	S1534
752 Effects of wire and shielding gas compositions on pore in horizontal fillet welds of coated steel plates with flux cored wire. Yukou Takeuchi, et al.	S1535
753 Improvement of weld quality by DC-AC tandem submerged arc welding method. Teruyuki Tanaka, et al.	S1536
754 Effect of residual stress on cross tension fatigue strength. (Influence of chemical composition on the cross tension fatigue strength of spot weld--V). Tomoo Sekine, et al.	S1537
755 Residual stress in welded joint of rail and its effect on durability. (A study on the residual stress of rails--V). Chikayuki Urashima, et al.	S1538
756 Effect of sulfur on the toughness of friction weld line. Norio Ishikawa, et al.	S1539
757 Safety assessment of SUS405 clad weld joint by holding load fractography method. Hiroshi Yamamoto, et al.	S1540
758 Weldments of austenitic stainless steel in nitric acid environments. Tadao Ogawa, et al.	S1541
759 Evaluation of hot-cracking susceptibility in alloy 800 by tension weld cracking test. Hisashi Kondo, et al.	S1542

760	Effect of C and Cr on the properties of cold work die steels tempered at higher temperature. Yukinori Matsuda, et al.	S1543
761	Effect of cold reduction on austenite grain size of high-speed steels. Norimasa Uchida.	S1544
762	Effect of Al content on the hardness and toughness of high-speed steels. Shuji Tanoue, et al.	S1545
763	Technical explanation of "electrolytic nitriding process". Shinzoh Satoh.	S1546
764	Effect of Ni content of hot forging die on wear resistance. Yasufumi Fujishiro, et al.	S1547
765	Development of die material for high-temperature forging of superalloys in air. Takehiro Ohno, et al.	S1548
766	Progressive application of plasma powder welding to punch. Yukou Takeuchi, et al.	S1549
767	Influence of alloy compositions on electric and magnetic properties of Fe-Ni-Cr-Mo-Ti maraging steels. Hitoshi Nakamura, et al.	S1550
768	Precipitation behaviour of austenite in aged maraging steels. Yasutaka Okada.	S1551
769	Effect of alloy compositions on delayed fracture of high strength maraging steels. Takayuki Nakamura, et al.	S1552
770	Effect of wheel profile on wear and fatigue behavior of rail. (The study of contact problem between rail and wheel--I). Meiji Sato, et al.	S1553
771	Plastic deformation of rail due to wheel rolling contact. Yukio Satoh, et al.	S1554
772	Computer-aided profile design system for heavily-loaded rails. Haruo Kozono, et al.	S1555
773	Effects of decrease in impurities and cold rolling of continuous cast 52100 bearing steel on improvement in its rolling contact fatigue life. Kazuhiro Kobayashi, et al.	S1556
774	Contact rolling fatigue life of high temperature bearing steel under variable load. Hiroshi Urano, et al.	S1557
775	Extension of fatigue life of bearing steel by improvement of cleanliness. Takumi Nagao, et al.	S1558
776	Material property of thick sleeve roll for H-beam produced by vertical centrifugal casting. Yoshihiro Nakagawa, et al.	S1559
777	Effect of carbides on high temperature wear properties of white cast iron for rolls. Hiroshi Noguchi, et al.	S1560
778	Effect of tri-axial stress on fracture toughness of work roll for cold strip mill. Masato Kobayashi, et al.	S1561
779	Influence of surface hardness on crack initiative strength of surface hardened material. Hiroyuki Takemata, et al.	S1562
780	Influence of Mn, Si and impurity elements on some properties of 3.5NiCrMoV steels for LP turbine rotor forgings. Isamu Takagi, et al.	S1563
781	Effect of W on mechanical properties of high strength 9Cr heat-resisting steels. (Developments of high-strength high-chromium heat resisting steels for turbine rotors--I). Kō-yō Ryu, et al.	S1564
782	Effects of alloy elements on mechanical properties of high strength 9 Cr heat-resisting steels. (Developments of high-strength high-chromium heat resisting steels for turbine rotors--II). Kō-yō Ryu, et al.	S1565
783	Development of high strength 10 Cr heat-resisting steels. (Developments of high-strength high-chromium heat resisting steels for turbine rotors--III). Kō-yō Ryu, et al.	S1566

-- NEW MATERIALS AND NEW PROCESSING --

OCTOBER 4, 1985

784	Researches of composit materials in abroad. Naohiro Igata.	S1567
785	High temperature properties of CFRAl by roll diffusion bonding method. Eiji Tanikawa, et al.	S1568
786	Application of internal friction measurement for SiC/Al fiber reinforced composite materials. Akira Kohyama, et al.	S1569
787	Properties of SiC whisker reinforced aluminum alloy composites. Koichi Ohori, et al.	S1570
788	Fabrication of tungsten wire reinforced cobalt-based superalloys by composite casting method and their creep rupture properties. (Study of tungsten fiber reinforced superalloys--II). Takashi Arai, et al.	S1571

789 Nickel induced recrystallization of tungsten wires. (Study of tungsten fiber reinforced superalloys--III). Takehiko Itagaki, et al.	S1572
790 High frequency magnetic properties of powder core--Effect of surface treatment to alloy powder. Hiromichi Horie, et al.	S1573
791 Properties of vibration-damping sheets. Yukichi Watanabe, et al.	S1574
792 Evaluation of fatigue properties of composite vibration damping steel sheets. Hiroyuki Kagawa, et al.	S1575
793 Damping property of formed composite damping steel sheet. (Damping property of composite damping steel sheet--II). Toshiaki Shiota, et al.	S1576
794 Reverse restretch-expanding ability of light weight sandwich steel. Hironori Kozawa, et al.	S1577
795 Effect of adhesive strength on the formability of vibration- damping steel sheet. Yoshihiro Matsumoto, et al.	S1578
796 Phase transformation and heat treatments in Ti alloys. Yotaro Murakami.	S1579
797 The effect of alpha grain size on the strength of Ti-6Al-4V after various heat treatments. Minoru Okada, et al.	S1581
798 Phase transformation and mechanical properties of high damping Ti-6Al-4V-2.5Mo alloy. Yoshimasa Ito, et al.	S1582
799 Improvement of the mechanical properties of blended elemental Ti-6Al-4V alloy by microstructural modification. Masuo Hagiwara, et al.	S1583
800 Effect of cooling rate on morphology and mechanical properties of bi-modal structure in Ti-6Al-4V. Takashi Maeda, et al.	S1584
801 Effect of hot rolling variables on the mechanical properties of Ti-6%Al-4%V alloy. Hiroyoshi Suenaga, et al.	S1585
802 Effect of the delay time before quenching on the tensile strength of Ti-6%Al-4%V alloy in STA condition. Hiroyoshi Suenaga, et al.	S1586
803 Effect of microstructure on fatigue crack propagation property and fracture toughness in Ti-6Al-6V-2Sn alloy. Yoshimasa Ito, et al.	S1587
804 Effect of heat treatment on impact properties of Ti-6Al-2Sn-4Zr-6Mo alloy. Mitsuo Niinomi, et al.	S1588
805 The effect of heat treatment conditions on tensile properties of Ti-15V-3Cr-3Sn-3Al. Yoshikatsu Tsumori, et al.	S1589

OCTOBER 5, 1985

806 Electrolysis of iron oxide at the interface between solid iron and molten slag. Tsuyoshi Kawashima, et al.	S1590
807 Parameters $P\theta$ of partial electronic conductivity in ZrO_2 -CaO solid electrolyte. Toshio Nagatsuka, et al.	S1591
808 Continuous monitoring of oxygen in molten steel by solid electrolyte. Shigeta Hara, et al.	S1592
809 Estimation of [Mn] and [P] by measuring soluble oxygen. Atsushi Eba, et al.	S1593
810 Design of an electrochemical silicon sensor incorporating auxiliary electrode. (Development of electrochemical silicon sensor--I). Masanori Iwase, et al.	S1594
811 Rapid determinations of silicon contents in hot metal. (Development of electrochemical silicon sensor for hot metal--II). Hajime Nakamura, et al.	S1595
812 Measurement of gas bubbles in water using ultrasonic transmission method. Masahiro Ishigaki, et al.	S1596
813 Attenuation of ultrasonic by submerged gas jet in mercury. Masahiro Ishigaki, et al.	S1597
814 Superplastic behavior of hot pressed ultra-high carbon steel compact. Kazuo Isonishi, et al.	S1598
815 Austenite grain refinement and superplasticity in structural low alloy steels. Sumito Kojima, et al.	S1599
816 Microstructural change and fracture during superplastic deformation of duplex stainless steel. Yasuhiro Maehara, et al.	S1600
817 Superplastic behavior and mechanical properties of P/M superalloy consolidated by HIP. Hiroshi Takigawa, et al.	S1601
818 Effect of processing factors on mechanical properties of "pancake" prepared by HIP and superplastic forging from nickel-base alloy powder. Shizuo Nakazawa, et al.	S1602
819 The properties of Al-Mg superplastic alloy. Hideo Watanabe, et al.	S1603
820 Superplastic behavior of commercial aluminum bronze. Kenji Higashi.	S1604
821 The superplasticity near 400 °C in a Cu-40wt%Zn alloy. Hisaki Okamoto, et al.	S1605

822 Relation between m and formability in superplastic materials. Tomei Hatayama, et al.	S1606
823 Consideration on the methods for determining m value. Muneo Oka, et al.	S1607
824 The effect of experimental condition on elongation and void nucleation in superplastic deformed Ti-6Al-4V. Atsuhiko Kuroda, et al.	S1608
825 The effect of volume fraction of α and β phases in Ti-Al-V alloys on the superplastic behavior. Yoshikazu Ro, et al.	S1609
826 Superplasticity in Ti-6Al-2Sn-4Zr-6Mo alloy. Atsushi Hasegawa, et al.	S1610
827 Factors influencing the transformation superplasticity of a commercially pure titanium. Norio Furushiro, et al.	S1611
828 Effect of zone annealing on creep rupture properties of T_2O_3 dispersion strengthened Ni-base superalloy. Yozo Kawasaki, et al.	S1612
829 The effect of nickel content on the transverse rupture strength of iron containing multiple boride base hard alloy. Masao Komai, et al.	S1613
830 Mechanical alloying of dispersion strengthened Ni base superalloy. Shigeki Ochi, et al.	S1614
831 Compatibility of various ceramics fibers with titanium alloys. Ken-ichi Aota, et al.	S1615
832 Wettability of SiC with liquid metal. Kiyoshi Nogi, et al.	S1616
833 Metal-ceramic joining. Kiyoshi Nogi, et al.	S1617
834 Reactivity between Co-base alloy and carbide at high temperature. Kiyoshi Nogi, et al.	S1618
835 Applicability of ceramics to the skid button of steel makers reheating furnace. (Development of carbonized chromium ceramics and its properties--I). Yoshiaki Yamagami, et al.	S1619
836 Results of applying ceramics to the skid button of continuous reheating furnace. (Development of carbonized chromium ceramics and its properties--II). Eiichi Kuboyama, et al.	S1620
837 Effect of heat treatment on mechanical properties of Ti-8Al-1Mo-1V alloy. Hirotoshi Yano, et al.	S1621
838 Effects of processing conditions on mechanical properties of a high strength titanium alloy Ti-17. Toshio Matsumoto, et al.	S1622
839 Effect of β -stabilizer content on strength of α/β titanium alloys. Hidehiro Onodera, et al.	S1623
840 High temperature strength of Ti-Al alpha-solid solutions. Hiroshi Oikawa, et al.	S1624
841 Hot rolling texture of commercially pure titanium. Takuji Shindo, et al.	S1625
842 Hot deformation resistance and estimation of the mill load in the hot rolling of Ti-6Al-4V alloy. Sadahiro Yamamoto, et al.	S1626
843 Surface behaviour of titanium plate on hot rolling. Akira Ohnuki, et al.	S1627
844 Determination of orientation of titanium crystal grains by etch pits. Hiroshi Hayakawa, et al.	S1628
845 Prevention of surface wrinkles in commercially pure titanium hot rolled slabs. Hiroshi Hayakawa, et al.	S1629
846 Optimum rolling condition of Ti-6Al-4V bars. Yoichi Takahashi, et al.	S1630
847 Production of titanium sponge. Junkichi Iseki.	S1631
848 Melting of Ti-6Al-4V alloy scrap by plasma arc furnace-PPCF. Hiroyuki Yamada, et al.	S1633
849 The package melting method of titanium alloy scrap. Tsutomu Oka, et al.	S1634
850 The quality of the C.P.titanium ingot produced by nonconsumable- consumable arc melting. Hiroaki Shiraishi, et al.	S1635
851 The quality of the C.P.titanium coil produced by nonconsumable- consumable arc melting. Hiroaki Shiraishi, et al.	S1636
852 Improving the reliability of the 15 kW CO_2 laser machine and its steelworking facility. Osami Ichiko, et al.	S1637
853 Development of the simulation model for laser welding. Naoya Hamada, et al.	S1638
854 The behavior of falling liquid film and effect of application of electromagnetic force. Toshiyuki Kozuka, et al.	S1639
855 Horizontal electromagnetic casting using direct electric and magnetic currents. Toshiyuki Kozuka, et al.	S1640
856 Computational analyses on fluid flow and temperature fields of plasma jet used in low pressure spray. Koichi Takeda, et al.	S1641

OCTOBER 6, 1985

857 The manufacturing procedure and its characteristics of titanium low-fin tubes. Yuji Koyama, et al.	S1642
858 Cold rolling characteristics of titanium. Kazuo Nakamura, et al.	S1643

859	Cold rolling property and stress induced transformation in Ti-10V-2Fe-3Al. Takashi Maeda, et al.	S1644
860	Preliminary studies on the bonding behavior. (Development of roll bonded Ti clad steel plate--I). Hisashi Kaga, et al.	S1645
861	Influence of hot rolling conditions on the bonding properties. (Development of roll bonded Ti clad steel plate--II). Hisashi Kaga, et al.	S1646
862	Cutting properties of various pure titanium and titanium alloys. Shigeo Isoda, et al.	S1647
863	Machinability of Ti-6Al-4V alloy. Sadayuki Nakamura, et al.	S1648
864	Performance and usage of titanium materials resistant to crevice corrosion. Fumio Kamikubo, et al.	S1649
865	Crevice corrosion of G12 titanium. Takanori Kidoh, et al.	S1650
866	Corrosion behavior of corrosion resistant titanium alloys. Kazuhiro Taki, et al.	S1651
867	Hydrogen absorption of pure titanium in the solution system NaCl-HCl. Takashi Watanabe, et al.	S1652

~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ .

© Copyright 1985, ISIJ

This publication, or any part thereof, may not be reproduced in any form
without the written permission of the ISIJ.