

The 112th ISIJ Meeting Programme*

SYMPOSIA

OCTOBER 20, 1986 13:00 - 17:20

Chairman: Yutaka MIZUNO

Theme I. Coal Preparation for Blast Furnace Cokemaking

- | | |
|---|------|
| 1 Homogenized of coal blend by the yard blending system.
Shizuki Kasaoka, et al. | A143 |
| 2 Utilization of non-cokeing materials by briquette blending process.
Haruhisa Iwakiri, et al. | A147 |
| 3 Development of blast furnace cokemaking technology by coal compacting
method. Ken-ichi Nemoto, et al. | A151 |
| 4 Basic study on the coal preparation. Toshiaki Okuhara, et al. | A155 |
| 5 Estimation of various coal preparation methods by simulation model.
Kunihiro Nishioka, et al. | A159 |

OCTOBER 21, 1986 9:00 - 17:30

Theme II. Development of Continuous Casting, Rolling and Quality of Steels for Direct Charging

Chairman: Kiminari KAWAKAMI
Vice-Chairman: Shozo MIZOGUCHI

- | | |
|--|------|
| 6 Progress in metallurgical phenomena for development of the hot direct
rolling of continuous cast slabs. Kiminari Kawakami. | A163 |
| 7 Techniques for producing slabs at temperatures high enough for
direct rolling. Osamu Tsubakihara, et al. | A167 |
| 8 Hot direct rolling process at Fukuyama Works, Nippon Kokan K.K.
Tsutomu Wada, et al. | A171 |
| 9 Analysis of CC mold lubrication and development of non-sinusoidal mold
oscillation for high speed casting of steel slabs. Mikio Suzuki, et al. | A175 |
| 10 Improvement of continuous casting technology in hot direct charging
process. Kakuji Yoshiwara, et al. | A179 |
| 11 Surface cracking mechanisms of low alloy steel CC slabs.
Yasuhiro Maebara, et al. | A183 |
| 12 Solidification phenomena in continuous steel casting mold.
Itsuo Ohnaka. | A187 |

Chairman: Takao KAWANAMI

- | | |
|--|------|
| 13 Technology of the schedule-free rolling on a new hot strip mill.
Shoji Tanaka, et al. | A191 |
| 14 The optimal process on continuous casting and hot strip mill.
Akio Kodai, et al. | A195 |
| 15 Dynamic production control for continuous process V at Oita Works,
Nippon Steel Corporation. Hiroshi Yoshimura, et al. | A199 |
| 16 Fully automatic system in the hot direct rolling process at Fukuyama
Works, Nippon Kokan K.K. Katsumi Matsumura, et al. | A203 |
| 17 Total production control system for hot direct charging process.
Hideyuki Onishi, et al. | A207 |
| 18 Billet mill for a continuous and synchronized operation between
continuous casting and rolling. Toyohisa Tokumaru, et al. | A211 |

Chairman: Hiroo OHTANI

- | | |
|---|------|
| 19 Mechanical properties control model in continuous casting and hot
rolling process. Yoshiyuki Saito, et al. | A215 |
|---|------|

* *Tetsu-to-Hagané*, 72(1986), No. 12 contains S793 to S1284 preprints in Japanese for Paper Presentations and *Tetsu-to-Hagané*, 72(1986), No. 13 does S1285 to S1660 pre-prints for them.
The preprints for Symposia were published in *Tetsu-to-Hagané*, 72(1986), No. 10, A143 to A234, in Japanese.
Part of those preprints for Paper Presentations are to be published in *Transactions ISIJ*, 27(1987), Nos. 1 to 6, in English.

- 20 Effect of hot charge direct rolling on the mechanical properties and microstructure of controlled-rolled high strength low alloy steel. Masahiko Murata, et al. A219
- 21 Effect of hot charge direct rolling condition on mechanical properties of Nb bearing steel plate. Yoshihiko Kamada, et al. A223
- 22 Effect of Ti on the mechanical properties of direct-rolled steel sheets. Noriaki Nagao, et al. A227
- 23 Effect of solidification structure on the mechanical properties of sheet steels manufactured by direct-connection-process of CC to hot rolling mills. Ichiro Tsukatani, et al. A231

PAPER PRESENTATIONS

-- IRONMAKING --

OCTOBER 20, 1986

- 1 Characteristics of iron ore fines. (Investigation on moisture content during granulation of iron ore fines). Akira Takaki, et al. S793
- 2 Effect of raw material on sinter operation with strand cooling. Takahisa Miyake, et al. S794
- 3 Increase of productivity by oxygen enrichment in sintering operation. Kastuhiko Shibuta, et al. S795
- 4 High bed height operation at Mizushima No. 4 Sintering Plant, Kawasaki Steel Corp. Masayoshi Okuyama, et al. S796
- 5 A computer control system for the operation of Wakayama No. 4 Sinter Plant of Sumitomo Metal Industries, Ltd. Katsushige Hamada, et al. S797
- 6 Automatic operation system of sinter plant in Chiba Works, Kawasaki Steel Corp. Akira Kato, et al. S798
- 7 An application of fuzzy control for sintering process. Takashi Kobayashi, et al. S799
- 8 Analysis of heat pattern in the sintering bed from the point of high temperature zone movement. Kiyoshi Kojima, et al. S800
- 9 Sizing of sinter by closed circuit and improvement of sinter yield. Ken-ichi Okamoto, et al. S801
- 10 Laboratory test for crushing of sinter coke. (Improvement of sinter yield--II). Akira Takaki, et al. S802
- 11 Measurement of void structure and yield distribution of the sinter cake obtained from Oita 1, 2 DL, Nippon Steel Corp. Masanori Nakano, et al. S803
- 12 Relation between the character of size reduction and the rate of fine product. (Study on the structure of sinter cake and its character of size reduction--I). Shigeki Kawakami, et al. S804
- 13 Relation between the structure of sinter cake and its character of size reduction. (Study on the structure of sinter cake and its character of size reduction--II). Shigeki Kawakami, et al. S805
- 14 Investigation of burden distribution with Cardan type charging system by a small scale model. (Burden distribution characteristics of Cardan type bell-less top--I). Yukio Konishi, et al. S806
- 15 Investigation on filling up of burden on shaft type Fe-Mn smelting furnace. (Burden distribution characteristics of Cardan type bell-less top--II). Katuyoshi Fukami, et al. S807
- 16 Construction and operation of the shaft type Fe-Mn smelting furnace. Kazuhiko Yoshida, et al. S808
- 17 An application of rist diagram analysis to shaft type Fe-Mn smelting furnace. Haruo Kokubu, et al. S809
- 18 Three-dimensional dynamic model of the shaft furnace. (Development of a new ironmaking process--IV). Yasuo Kamei, et al. S810
- 19 Three-dimensional dynamic model of the melting furnace. (Development of a new ironmaking process--V). Yasuo Kamei, et al. S811
- 20 Test on smelting of high-carbon ferromanganese. (Development of a new ironmaking process--VI). Yasuo Kamei, et al. S812
- 21 Refractories for oxygen blowing furnace. Tadahisa Arahori, et al. S813
- 22 Powder transportation method by use of cold model. (Development of powder injection system for smelting reduction process--I). Mitsuo Sumito, et al. S814
- 23 Effect of some factors on powder transportation by use of cold model and hot model. (Development of powder injection system for smelting reduction process--II). Katsutoshi Igawa, et al. S815

OCTOBER 21, 1986

24 Development of fine coke breeze granulation for sintering. Shin-ichi Hirakawa, et al.	S816
25 Selection of raw materials for pre-granulation method of iron ore and limestone. (Development of iron ore and limestone pre-granulation method for sintering process--V). Takazo Kawaguchi, et al.	S817
26 Increase in productivity of sinter by the addition of fine ores having a good granulation characteristics. Yoshio Kimura, et al.	S818
27 Characteristics of iron ore fines for sintering. Junsuke Haruna, et al.	S819
28 Basic designs and determinations of optimum operating conditions of pelletizers for sinter raw mixture. Satoru Suzuki, et al.	S820
29 Comparison of the granulating characteristics of various pelletizers for sinter raw mixture. Satoru Suzuki, et al.	S821
30 Segregation of sinter mix. (Improvement of the material distribution in sinter bed--I). Takeo Harada, et al.	S822
31 The most suitable particle segregation of sinter mix. (Development of technique for segregation of sinter mix--I). Nobuhiko Hiragi, et al.	S823
32 Improvement of charging methods of sinter mix. (Development of technique for segregation of sinter mix--II). Kiyonori Yamamoto, et al.	S824
33 Improvement of the charging equipment for No. 2 Sintering Plant of Kimitsu Works, Nippon Steel Corp. (Improvement of distribution of the raw material on the strand--II). Yosio Kamiko, et al.	S825
34 Effect of apparent density of raw mix on yield and sintering time. Masami Fujimoto, et al.	S826
35 Pot test of vertically separated raw mixes with different basicity in condition of non-segregated charging. (Sintering pot test of raw mix by double layer charging--I). Masahiko Sato, et al.	S827
36 Pot test of vertically separated raw mixes with different basicity in condition of segregated charging. (Sintering pot test of raw mix by double layer charging--II). Masahiko Sato, et al.	S828
37 A phase analyzer of mineral mixtures with backscattered electron and X-ray intensities. Yukihiko Hida, et al.	S829
38 Effect of chemical composition of fine particles on sintering operation. Ki Sam Nam, et al.	S830
39 Development of RDI estimation model based on mineral structures of sinter. (Production of mineral phase controlled sinter--X). Hidetoshi Noda, et al.	S831
40 Behaviour of the reduction degradation of skeletal rhombohedral hematite in sinter. (Study on evaluation method of sinter quality--IV). Tsukasa Takada, et al.	S832
41 Influence of adhering fines on the ore residue in sinter ores. Norio Kurihara, et al.	S833
42 Analysis of permeability in sintering bed. (Approximate simulation model of sintering operation--II). Masami Wajima, et al.	S834
43 New lining materials for main sintering stack. Masayasu Shimizu, et al.	S835
44 Decrease of air leakage at Sakai No. 2 Sintering Plant, Nippon Steel Corp. Shigeya Kubo, et al.	S836
45 Energy saving operation in sinter plant of Chiba Works, Kawasaki Steel Corp. Motoo Yasuda, et al.	S837
46 Interrelation of chemical properties between coal and derived tar. Toshio Koike.	S838
47 Heat recovery of coke oven gas by direct heating process of benzolized wash oil. Syun-ichi Tamura, et al.	S839
48 Development of carbonization in coke ovens. (Estimation of gas evolution patterns). Kazuhito Sakamoto, et al.	S840
49 Effect of coking chamber width on coking time. (Studies on coking chamber width--I). Takashi Arima, et al.	S841
50 Effect of coking chamber width on coke quality. (Studies on coking chamber width--II). Takashi Arima, et al.	S842
51 End flue heating equipment of Nagoya No. 3 Coke Oven Plant, Nippon Steel Corporation. Zyunzi Ohori, et al.	S843
52 Homogenization of coke strength by heating pattern. Kazuma Amamoto, et al.	S844
53 An investigation of combustion chamber control in a coke oven. Tsuguhiko Nakagawa, et al.	S845
54 Evaluation of final coking state by sensors on guide car. Kazumasa Ariyoshi, et al.	S846
55 3-D measurement and control techniques. (Repairing system for in-operation coke oven--I). Toshihiko Sakai, et al.	S847
56 Development of plasma spray repairing for wall bricks. (Repairing system for in-operation coke oven--II). Yuji Narita, et al.	S848
57 Mechanical design and control system of repairing robot. (Repairing system for in-operation coke oven--III). Katsunobu Udagawa, et al.	S849
58 Elimination of deposited carbon on coking chamber by blowing air. Akikazu Nakazaki, et al.	S850

59	Elimination of adhesive coal on chute of coal crasher. Kouhei Takamoto, et al.	S851
60	Controlling system of $-10^m/m$ briquette ratio at briquette blend coking process. Yuzi Ishiharaguchi, et al.	S852
61	Effect of bulk density on low-medium temperature carbonization. (Study on low-medium temperature carbonization--I). Shozo Itagaki, et al.	S853
62	Effect of coal granulation on coke quality. Chikara Nakamura, et al.	S854
63	Method of adjusting size of coke carbonized coal block. Shigeru Kuwashima, et al.	S855
64	Construction and operation of coke dry quenching plant for Fukuyama No. 4 Coke Oven, Nippon Kokan K.K. Fukio Kuwada, et al.	S856
65	Development of double flues for coke dry quenching plant. Fukio Kuwada, et al.	S857
66	Stress corrosion cracking of boiler tubes at coke dry quencher. Yuji Sato, et al.	S858
67	Mechanization equipments provided on Tobata No. 1 Blast Furnace Cast House, Nippon Steel Corp. Yasuo Iyoku, et al.	S859
68	Development of the mud gun nozzle with ceramic coating. Hatsuo Taira, et al.	S860
69	Development of cylindrical tilting runner of blast furnace. Koichi Shinohara, et al.	S861
70	Development of highperformance vibration castable for tilting runner of blast furnace. Haruo Mitsui, et al.	S862
71	Decrease in refractory consumption at Fukuyama No. 4 BF, Nippon Kokan K.K. Makoto Gochō, et al.	S863
72	Cast control system on Sakai No. 2 Blast Furnace of Nippon Steel Corp. Shoji Yasunaga, et al.	S864
73	Decrease in tapping times at Fukuyama No. 4 BF, Nippon Kokan K.K. Makoto Gochō, et al.	S865
74	Reduction of tapping frequency at Ohgishima Blast Furnaces, Nippon Kokan K.K. Kunihiro Ishii, et al.	S866
75	Development of hot metal transport control system. Masayuki Hayase, et al.	S867
76	Measurement of pulverized coal flow in gas. Hisatsugu Ishizu, et al.	S868
77	Pulverized coal injection equipment and blast furnace operation at No. 1 BF, Nakayama Steel Works Ltd. Toshiya Kumada, et al.	S869
78	Operation of pulverized coal injection (P.C.I.) with high P.C. rate at No. 2 Blast Furnace of Ohgishima, Nippon Kokan K.K. Takashi Waka, et al.	S870
79	Combustion state measurement of pulverized coal in and around raceway by using sideways tuyere probe. Kanji Takeda, et al.	S871
80	Control of raceway temperature by use of hot blast control valve. (Investigation of raceway behavior--II). Shigeru Wakita, et al.	S872
81	"In-situ" analysis of high temperature gases by infrared spectroscopy. Noboru Takahashi, et al.	S873
82	0% sinter ratio operation of Wakayama No. 2 Blast Furnace, Sumitomo Metal Industries, Ltd. Michihiko Yamashita, et al.	S874
83	Efficient Recovery of small size sinter and operational results. Masaru Nakamura, et al.	S875
84	Development and application of expert system for operation control of the blast furnace. (Blast furnace operation control by artificial intelligence system--I). Masaaki Sakurai, et al.	S876
85	Investigation of silicon-probe for hot metal using thermal EMF method. Mitsuharu Tominaga, et al.	S877
86	Blast furnace operation of low deviation in [Si]. Hiromi Nishimura, et al.	S878
87	Lower stack gas distribution for low silicon operation of blast furnace. Makoto Nomura, et al.	S879
88	Production of low [Si] pig iron in low productivity operation at Kokura No. 2 Blast Furnace, Sumitomo Metal Industries, Ltd. Yoshizumi Kawaguchi, et al.	S880

OCTOBER 22, 1986

89	Effect of additives and heating temperature on the strength of pre-heated iron ore briquette. Arata Yamaguchi, et al.	S881
90	Lowest limit of cement content in cold pellets. Masao Ishii, et al.	S882
91	Strength and reducibility of cement bonded cold pellets containing iron sand. Reijiro Takahashi, et al.	S883
92	Effect of reducing form on the strength of cold bonded pellets during reduction. Hajime Yamada, et al.	S884
93	Reduction-reaction of carbon mixed pellet in blast furnace. Hisao Kamiyama, et al.	S885
94	Blast furnace operation using high amount of carbon mixed pellet. Keisuke Mio, et al.	S886
95	The complete remote control of the raw materials transportation system at Yawata Works, Nippon Steel Corp. Jun-ichi Sakuragi, et al.	S887

96	Improvement of ore preparation plant at Fukuyama Works, Nippon Kokan K.K. Kazuhiro Kikuchi, et al.	S888
97	Development of multiple and slit burner. (Development of low fuel rate ignition furnace of sintering plant--I). Motofumi Kaminaka, et al.	S889
98	Application of multi-slit burner to the ignition furnace of sintering plant. (Development of low fuel rate ignition furnace of sintering plant--II). Genshin Kochihira, et al.	S890
99	Relationship between solubility of Al_2O_3 in wustite and its reducibility. Takashi Inami, et al.	S891
100	Effects of impurity elements on the reduction rate of dense wustite. Kazuhiro Nishihara, et al.	S892
101	Comparison of rates of reduction of iron ore sinter by CO and by H_2 . Byoung Il Lim, et al.	S893
102	Rate of stepwise reduction of single particles of sinter with $\text{CO}-\text{CO}_2-\text{N}_2$ and $\text{H}_2-\text{H}_2\text{O}-\text{N}_2$ gas mixtures. Tateo Usui, et al.	S894
103	Rate of stepwise reduction of fixed beds of sinter with $\text{H}_2-\text{H}_2\text{O}-\text{N}_2$ gas mixtures. Tateo Usui, et al.	S895
104	Reduction of iron oxide pellets in a fixed bed with H_2-CO gas mixtures. Takeaki Murayama, et al.	S896
105	High temperature measurement of structure parameters for molecular diffusion, Knudsen diffusion and viscous flow through coke and graphite. Yoshihiro Shigeno, et al.	S897
106	Kinetics of the reaction of coke with steam. Kouji Takatani, et al.	S898
107	Effects of carbon gasification on the reduction rate of sinter with $\text{Ar}-\text{CO}-\text{CO}_2-\text{H}_2$ mixtures under heating-up condition. Yoshiaki Kashiwaya, et al.	S899
108	Reduction of SiO_2 by solid carbon. (Rate of the formation of SiO and SiC). Kazuteru Kawauchi, et al.	S900
109	Reduction and degradation behavior of lumpy ore in a blast furnace condition. Masaai Naito, et al.	S901
110	Reduction, softening and melting behavior of several lumpy ore. Keiichi Nakamura, et al.	S902
111	Fundamental study for the rate of heat transfer in packed beds. Tomohiro Akiyama, et al.	S903
112	Model experiment on the liquid hold-up in blast furnace. Yutaka Oda, et al.	S904
113	Model experiment on the liquid flow in blast furnace. Takashi Sugiyama, et al.	S905
114	A mathematical model of blast furnace by using FEM and method of characteristics. Jun-ichi Kudoh, et al.	S906
115	Reduction of iron oxide pellets by simulated moving bed. Keiji Kobayashi, et al.	S907
116	Behavior of solid particle in the blast furnace. (Finite difference method for non-rectangular domain). Kouji Takatani.	S908
117	Disintegration of coke during gasification under mechanical impaction. Yuji Iwanaga, et al.	S909
118	Properties of coke at high temperature treatment. Tatsuo Fukuyama, et al.	S910
119	CDQ power plant and its operation at Fukuyama Works, Nippon Kokan K.K. Yosio Tani, et al.	S911
120	Conversion of existing heavy oil, gas firing boiler into fluidized bed coal combustion boiler. Tetsuo Kitagawa, et al.	S912
121	Particle size segregation in bell-less top bunker of blast furnace. Yoichi Aminaga, et al.	S913
122	Flow dynamics of granular materials in a hopper. Tsutomu Tanaka, et al.	S914
123	Effect of burden discharging rate from large bell on burden distribution in blast furnace. Masakata Shimizu, et al.	S915
124	Burden distribution characteristics of new type bell-less top. (Vertical 2-stage hopper with three discharge ports). Hiroshi Oda, et al.	S916
125	Introduction of bell-less type charging system to Tobata No. 1 Blast Furnace, Nippon Steel Corp. Kiichiro Kurihara, et al.	S917
126	Application of laser-profile-meter for controlling the Muroran No. 2 BF, Nippon Steel Corp. Yoichi Sugizaki, et al.	S918
127	Improvement in burden distribution of the blast furnace with worn wall. Jun Tsubota, et al.	S919
128	Relining and the start-up operation of Fukuyama No. 5 Blast Furnace, Nippon Kokan K.K. Hitoshi Kawata, et al.	S920
129	Countermeasure to prolong the life of No. 3 BF in Fukuyama, Nippon Kokan K.K. for 11 years. Yutaka Yamada, et al.	S921
130	Thin wall structure for blastfurnace shaft. Yasuyoshi Mizuno, et al.	S922
131	Cooling and Re-heating of NSC type hot stove. Aiichirou Sakamoto, et al.	S923
132	Improvement of cooling capacity on furnace bottom at operating furnace. Mitsushi Shirakawa, et al.	S924

133 Application of C-SiC bricks to blast furnace hearth lining. Kazunari Niiya, et al.	S925
134 Upper stack profile repair at Mizushima 2 BF, Kawasaki Steel Corp. Yoshikazu Senoo, et al.	S926

-- IRONMAKING/STEELMAKING --

OCTOBER 20, 1986

135 Viscosities of borate-base binary molten oxides and characteristic features of the viscosity of molten salts. Masayuki Kawamoto, et al.	S927
136 Density measurements of $\text{FeO}-\text{Fe}_2\text{O}_3-2\text{CaO}\cdot\text{SiO}_2$ melts. Hiroshi Irie, et al.	S928
137 Interfacial tension between molten fluxes and solid and liquid iron. Kazuhiro Fujiike, et al.	S929
138 An estimation of the diffusivity of calcium in $\text{CaO}\cdot\text{SiO}_2$ melts. (Simulation and estimation of physical properties of slag by molecular dynamics--I). Tooru Matsumiya, et al.	S930
139 Measurement of thermal conductivity of slag by finite difference method. Tsuyoshi Inoue, et al.	S931
140 Effect of composition of multi-component oxide inclusion in steel on its melting point. (Estimation of the melting point of multi-component oxide inclusions by the thermodynamic models--II). Wataru Yamaka, et al.	S932
141 Heat of formation of liquid $\text{Fe}_3\text{O}_4-\text{MnO}-\text{SiO}_2$ slag. Masayuki Arai, et al.	S933
142 Activities of P_2O_5 in $\text{BaO}-\text{BaCl}_2-\text{P}_2\text{O}_5$ slags used for deposphorization of chromium-containing hot metal. Hiroyasu Fujiwara, et al.	S934
143 Activities of iron oxide in molten fluxes containing alkali earth metal oxides and chlorides. Mao Fa Jiang, et al.	S935
144 Manganese distribution between liquid iron and $\text{Fe}_3\text{O}_4-\text{MnO}-\text{SiO}_2$ slag saturated with MnO . Ichiro Kikuchi, et al.	S936
145 Effect of foreign ions on the solubility of CO_2 in liquid fluxes containing alkaline earth oxides and chrolides. Hideki Iritani, et al.	S937
146 Measurement of equilibrium partial pressure of CO_2 of BaCO_3-BaO binary melts. Tetsuo Ishida, et al.	S938

OCTOBER 21, 1986

147 Desulphurization of hot metal by CaO impregnated with carbon. Akira Tamura, et al.	S939
148 Desulphurization of hot metal by CaO based fluxes using levitation technique. Itsuro Kitagawa, et al.	S940
149 Equilibrium among solid Fe-Cr alloys and sulfides at 1573 K. Toshiharu Fujisawa, et al.	S941
150 Influence of additive for desulfurization behaviour of molten iron in $\text{CaO}-\text{MgO}$ crucible. Toru Degawa, et al.	S942
151 Oxidation reaction of silicon in molten iron of high carbon concentration by FeO containing slag. Wei Pan, et al.	S943
152 Rate of deposphorization of hot metal by molten slag. Katsumi Mori, et al.	S944
153 Deposphorization of molten iron containing chromium by $\text{CaO}-\text{BaO}-\text{CaF}_2$ flux. Shigeru Inoue, et al.	S945
154 Evaluation of deposphorization flux for hot metal treatment. Shohei Koroki, et al.	S946
155 Experimental result of hot metal deposphorization by Fe- and Mn-oxide in small scale furnace. Shin-ya Kitamura, et al.	S947
156 Desulfurization and simultaneous desulfurization-dephosphorization of liquid iron by Na_2O -based flux. Kyoji Kunisada, et al.	S948
157 Interfacial resistance in nitrogen desorption from molten iron. Masamitsu Takahashi, et al.	S949
158 Effects of calcination conditions on the reactivities of burnt lime for steelmaking. Kazuhiko Kato, et al.	S950
159 Theoretical analysis of desulfurization in molten steel. Hiroyuki Tanaka, et al.	S951
160 Behavior of gas jet / plume injected horizontally into liquid. Takeharu Tamura, et al.	S952
161 Interaction between gas and liquid by means of jet of top blow. Tsutomu Tanaka, et al.	S953
162 Application of ultrasonic pulse technique to gas-liquid countercurrent flow. Masahiro Ishigaki, et al.	S954
163 Penetration behavior of single particle injected into liquid. Jueng-gil Lee, et al.	S955
164 Cold model study on the mixing rates of a great deal of molten slag in converter. Takashi Tanioku, et al.	S956

165 Estimation of liquid flow in bottom blown converter. (Estimation of liquid flow by three dimensional analysis--I). Yukio Tomita, et al.	S957
166 Numerical analysis of three dimensional fluid flow by F.D.M. eith higher accuracy. Ikuo Sawada, et al.	S958

OCTOBER 22, 1986

167 Operation of powder blasting desiliconization in blast furnace runner of Kashima No. 1 BF, Sumitomo Metal Industries, Ltd. (Development of hot metal treatment for mass production--III). Masaaki Yoshida, et al.	S959
168 Oxygen partial pressure of hot metal in continuous selective oxidation process. (Refining of pig iron containing Nb--VII). Tsuyoshi Ozaki, et al.	S960
169 Removal of copper from hot metal by molten fluxes. Hirokazu Shirakawa, et al.	S961
170 Distribution of copper between carbon-saturated iron and Na ₂ S bearing fluxes. Takashi Imai, et al.	S962
171 Distribution of chromium and sulphur between carbon-saturated ferrochrome and slags. Hiroshi G. Katayama, et al.	S963
172 Behavior of gaseous reduction of molten slag containing niobium oxide. Kazuyuki Sakuraya, et al.	S964
173 Dissolution and reduction behaviors of chromium ore in molten slags. Masayuki Sato, et al.	S965
174 Production of amorphous mother alloy by the fusion-reduction method. Tomoo Takenouchi, et al.	S966
175 Bath movement of molten iron in a coal gasification vessel. Tsutomu Tanaka, et al.	S967
176 Utilization of the chromite sand and the comparison of feeding ways of the chromite sand. (Smelting reduction of chromium ore in 5 t test converter--II). Shuji Takeuchi, et al.	S968
177 Effect of chromium ore charging method on reduction rate of chromium ore. (Fundamental study on smelting reduction process--VI). Toshio Takaoka, et al.	S969
178 Comparison of smelting reduction of iron ore with chrome ore in a 1 t top and bottom blowing converter. (Development of smelting reduction process of iron ore--I). Michitaka Matsuo, et al.	S970
179 Slag foaming at smelting reduction of iron ore. (Development of smelting reduction process of iron ore--II). Hiroshi Hirata, et al.	S971
180 Smelting reduction of manganese sinter ore with top and bottom blowing converter. Masaki Fujita, et al.	S972

-- STEELMAKING --

OCTOBER 20, 1986

181 Equipment and operation of billet caster for stainless steel wire rod. (Development of continuous casting for stainless steel square bloom--I). Ryoichi Hidaka, et al.	S973
182 Improvement of quality on small-size square bloom of stainless steel. (Development of continuous casting for stainless steel square bloom--II). Shogo Matumura, et al.	S974
183 Casting of aluminium killed steel in small section continuous casting machine. Yoji Hatsuse, et al.	S975
184 Change of hydrogen distribution on piercing process from CC round billet. Satoru Ura, et al.	S976
185 Development of technique for high speed casting, 3.0 m/min. (Technique and operation of No. 5 CCM at Fukuyama Works, Nippon Kokan K.K.--VIII). Kazutaka Okimoto, et al.	S977
186 Development of constant slab width control for continuous casting. (Development of slab width control system for HDR--I). Shunji Nakamura, et al.	S978
187 Development of high-productive twin mold casting by thinner center block. Toshiaki Suzuki, et al.	S979
188 Long life giving methods of C.C. rollers. Masahiro Tomatsu, et al.	S980
189 Valuation test method of thermal fatigue peculiarity of pinch roll materials for continuous casting machine. Akira Ohnuki, et al.	S981
190 Rationalization of tundish service at No. 3 CC in Kobe Works, Kobe Steel, Ltd. Masatoshi Sasaki, et al.	S982
191 High purity coating material for tundish and its wearing pattern. Nobutaka Watanabe, et al.	S983

- 192 Influence of tundish temperature on quality of products in bloom continuous casting. (Heat balance analysis by means of continuous measurement of molten steel temperature in tundish--I). Jun Eguchi, et al. S984
- 193 Continuous casting of stainless clad billet. (Development of continuous casting process for clad steel--I). Michio Ohashi, et al. S985
- 194 Improvement of micro structure of horizontal CC stainless steel billet by cold working. (Development of horizontal continuous casting--VIII). Hideo Kiyoto, et al. S986
- 195 Solidification on the narrow face of thin slab. (Continuous casting of thin steel slab by horizontal twin-belt caster--II). Seiji Itoyama, et al. S987
- 196 Non-metallic inclusions of slabs produced by a low head continuous casting machine. (Quality of slabs produced by a low head continuous casting machine--I). Yoshio Nuri, et al. S988
- 197 Surface cracks of slab produced by a low head continuous casting machine. (Quality of slabs produced by a low head continuous casting machine--II). Kousaku Ozawa, et al. S989
- 198 Segregation and solidification structure of slabs produced by a low head continuous casting machine. (Quality of slabs produced by a low head continuous casting machine--III). Tooru Matsumiya, et al. S990
- 199 Theoretical analysis of unbending for continuously cast strand. (Theoretical analysis of unbending in a low head continuous caster--I). Kiyomi Shukuri, et al. S991
- 200 Simulation of deformation of continuously cast steel slabs. (Theoretical analysis of unbending in a low head continuous caster--II). Kazumi Yasuda, et al. S992
- 201 Relationship between formation mechanism of internal cracking and deformation strain. (Theoretical analysis of unbending in a low head continuous caster--III). Tooru Matsumiya, et al. S993
- 202 Bulging analysis for continuous casting bloom using creep model. Hiroyuki Yasunaka, et al. S994
- 203 Investigation results on as-cast bloom quality after enlargement of mould size. Hikaru Ueta, et al. S995
- 204 Reduction of manganese ore with oxygen gas injection desiliconization and dephosphorization treatment of hot metal. Eizo Yonenaka, et al. S996
- 205 Temperature control technique at hot metal pretreatment furnace. Kiminori Hajika, et al. S997
- 206 Construction and operation of dephosphorization equipment of hot metal in torpedo car at Wakayama Steel Works, Sumitomo Metal Industries, Ltd. Takashi Nakayama, et al. S998
- 207 Comparison between soda ash and lime base flux in hot metal pretreatment. Shuichi Kato, et al. S999
- 208 Dephosphorization behaviour of hot metal with BOF slag-based flux in 2.5 ton laboratory scale converter. (Development of dephosphorization method of hot metal in top and bottom blowing converter--I). Tohru Matsuo, et al. S1000
- 209 Dephosphorization behaviour of hot metal with BOF slag-based flux in 160 ton BOF. (Development of dephosphorization method of hot metal in top and bottom blowing converter--II). Tetsuya Moriya, et al. S1001
- 210 Investigation of dephosphorization in high phosphorus hot metal. Noriaki Yamada, et al. S1002
- 211 Dephosphorization capacity of $\text{CaO}-\text{CaF}_2-\text{CaCl}_2-\text{Fe}_2\text{O}_3$ flux. (Development of dephosphorization method of molten iron containing chromium with lime-based flux--I). Tohru Matsuo. S1003
- 212 Dephosphorization of crude stainless steel melt produced by a smelting reduction process using a 10 t experimental convertor. (Development of dephosphorization method of molten iron containing chromium with lime-based flux--II). Takeyuki Hirata, et al. S1004
- 213 Development of the post combustion lance for LD converter. (Development of the post combustion technique in LD converter--I). Nobuyoshi Takashiba, et al. S1005
- 214 Development of the post combustion technique for the top and bottom blowing converter. (Development of the post combustion technique in LD converter--II). Masanori Nira, et al. S1006
- 215 Investigation of the mechanisms of post combustion in converter vessel. Minoru Ishikawa, et al. S1007

OCTOBER 21, 1986

- 216 Production of high carbon chromium bearing steel by BOF-CC process. Natsuki Namura, et al. S1008
- 217 Continuous casting of 13 % Cr steel. Takashi Kubo, et al. S1009
- 218 Production of leaded free cutting steels by continuous cast large section bloom. Kazuo Ishiyama, et al. S1010

219	Quality of continuous cast lead free-cutting steels. Kazunari Kimura, et al.	S1011
220	Water model experiment of molten steel flow in C.C. mould. (Control of molten steel flow at free surface in high speed C.C. mould--I). Toshio Teshima, et al.	S1012
221	Optimal shape of submerged nozzle at high speed casting. (Control of molten steel flow at free surface in high speed C.C. mould--II). Youichi Nimura, et al.	S1013
222	Developemnt of electromagnetic stirring technology in CC mold. Tokinari Shirai, et al.	S1014
223	Improvement of surface quality of C.C. slab in austenitic stainless steel. Shoji Tokushige, et al.	S1015
224	Effect of stirring condition on amount of sub-surface inclusions in titanium bearing stainless steels. Hiroshi Morikawa, et al.	S1016
225	Principles and utilization of a robotized eddy current testing system on a continuous casting line. Jean Louis Muller, et al.	S1017
226	Development of bath level variation detector in CC mold. Hidetoshi Yuyama, et al.	S1018
227	Application of infrared rays thermo-graph to measure molten steel flow in continuous casting mold. Tosiyuki Hirose, et el.	S1019
228	Development slag outflow detecting method by means of pressure measurement. Masateru Mori, et al.	S1020
229	Development of on-line slab quality estimation system. Masao Osame, et al.	S1021
230	Local corrosion of immersion nozzle for continuous casting of steel and countermeasures against the corrosion. Kusuhiro Mukai, et al.	S1022
231	Development of continuous measuring technique of molten iron temperature. Yoshiaki Shia, et al.	S1023
232	Construction and operation of molten steel transportation equipment in Muroran Works, Nippon Steel Corporation. Touzi Hoshino, et al.	S1024
233	Micro porosity of uni-directionally solidified ingot. (Manufacture of heavy section steel plates by UDS process--IV). Mutsuto Tanaka, et al.	S1025
234	Simulation of solidification and carbon segregation in hollow ingots. Kenji Saito, et al.	S1026
235	Basic study on decreasing of the microporosity of the ingot for steel plate. Toshitane Matsukawa, et al.	S1027
236	Production of large scale hollow ingot with water spray cooling. Hideshi Ohzu, et al.	S1028
237	Heat transfer analysis of post combustion in LD converter. (Fundamental study on smelting reduction process--IV). Shun-ichi Sugiyama, et al.	S1029
238	Fundamental experiment on post combustion in the bottom injection process with oxygen gas and coke. (Fundamental study on smelting reduction process--V). Shin-ichi Nishioka, et al.	S1030
239	Development of slopping prediction technique in converter. Ikuo Hoshikawa, et al.	S1031
240	Reduction of slag foaming in BOF. Seiichi Masuda, et al.	S1032
241	Effect of the injection of oxygen and lime during tapping on temperature and dephosphorization. Hisashi Osanai, et al.	S1033
242	Decarburization of molten ferro-manganese in combined blowing converter. Kotaro Yamamoto, et al.	S1034
243	Effect of stirring on decarburization reaction of molten stainless steel with Cr ₂ O ₃ -CaO-SiO ₂ slags. Ryuji Nakao, et al.	S1035
244	Development of microwave level meter for molten iron. (Development of level measuring technique using microwave for converters--I). Takuya Kusaka, et al.	S1036
245	Application of microwave level meter for molten iron to the actual operation. (Development of level measuring technique using microwave for converters--II). Shin-ichi Nakajima, et al.	S1037
246	Development of control method increasing blow-end Mn content in BOF. Yasushi Takeshima, et al.	S1038
247	Nitrogen behavior in the top and bottom blowing converter process. Masaki Nitta, et al.	S1039
248	Gaseous desulfurization in top and bottom blown converter. Kyouichi Kameyama, et al.	S1040
249	Thermal stress analysis and effect of air cooling at converter. Mikio Watanabe, et al.	S1041
250	Development of automatic blowing control system based on distributed microcomputer system. (Development of automatic blowing control process in BOF--I). Shougo Sato, et al.	S1042
251	Development of final components prediction system in BOF refining. (Development of automatic blowing control process in BOF--II). Masahiko Inui, et al.	S1043
252	Computer control of less slag blowing. (Development of blowing technology in BOF by using pretreated metal--III). Masahiro Kawakami, et al.	S1044

253	High efficiency operation at Fukuyama No. 2 BOF Shop of Nippon Kokan K.K. Chihiro Taki, et al.	S1045
254	Combining blowing operation under low hot metal ratio. Kohichi Miyamoto, et al.	S1046
255	High decarburization rates during the refining of Fe-Cr-Ni-C alloys in EAF. R. Morales, et al.	S1047
256	Metallurgical study on manufacturing of superalloys bearing Al, Ti and Mg by ESR process. Mikiya Yamana, et al.	S1048
257	Deoxidation of molten steel in a 2.5 ton calcia-lined vacuum induction furnace. Kaoru Shinme, et al.	S1049
258	Dephosphorization of chromium steel by CaC ₂ with small consumption. Atsushi Ishii, et al.	S1050

OCTOBER 22, 1986

259	Development of monolithic repairing material for TPC. Koji Kono, et al.	S1051
260	Improvement of refractories for torpedo ladle. Juki Yagi, et al.	S1052
261	Open ladle bricks for hot metal dephosphorization. Satoshi Kohira, et al.	S1053
262	Development of high alumina monolithic lining for steel ladles. Teruyuki Nishitani, et al.	S1054
263	Test results of slurry added gunning method for steel ladle relining. (Development of slurry added gunning method for steel ladle--III). Toshio Watanabe, et al.	S1055
264	Application of MgO-CaO brick for teeming ladle. Shigeru Iwano, et al.	S1056
265	Effect of zirconia addition on the thermal shock resistance of magnesia-dolomite brick. Mari Nagafune, et al.	S1057
266	Application of MgO-C bricks for RH lower vessel. Takashi Miki, et al.	S1058
267	Improvement of durability of bottom blowing plug with penetrated holes. Shintaro Sudo, et al.	S1059
268	Evaluation method of sliding nozzle packing sands. (Development of new technology for sliding nozzle free opening--V). Teiichi Ando, et al.	S1060
269	Equilibrium distribution coefficients of solute elements between solid and liquid phases in Fe-Cr-Ni base alloys. Akihito Kiyose, et al.	S1061
270	Quantitative evaluation of the joint segregation characteristics of two alloying elements. Alireza Radjai, et al.	S1062
271	Influence of nitrogen on solidified structure of cast austenitic stainless steels. Tadashi Momono, et al.	S1063
272	Microsegregation in Ni base alloy. Akihiro Yamamoto, et al.	S1064
273	Analysis about behavior of formation of MnS during solidification of resulphurized free cutting steel. Koichi Isobe, et al.	S1065
274	Process of enhancing undercooling and mechanical properties of the undercooled steel. Tadayoshi Takahashi, et al.	S1066
275	Segregation of impurity element in the phase of δ-ferrite of SUS304 continuous casting billet. Toshio Kojima, et al.	S1067
276	Mechanism of macro and semi-macro segregation in continuously cast slab. Mikio Suzuki, et al.	S1068
277	Optimal condition of pre-forging of a steel ingot during solidification. Osamu Tsuda, et al.	S1069
278	Reduction of non-metallic inclusions with ceramic filter in tundish at unsteady state condition. Yutaka Akahane, et al.	S1070
279	Effects of ceramic filter on removal non-metallic inclusions. Kazuo Fukuda, et al.	S1071
280	Improvement of tundish weir shape. Keiji Yoshioka, et al.	S1072
281	Cleaning of steel by the CaO tundish dam. Iwao Nakazawa, et al.	S1073
282	Simulation of fluid flow on heating of molten steel in tundish. Masaki Mabuchi, et al.	S1074
283	Effect of shield tundish on removal of non-metallic inclusions. Kazuaki Tanaka, et al.	S1075
284	Development on Ar gas flow control system at teeming nozzle of tundish. Hirokazu Taniguchi, et al.	S1076
285	Countermeasure for prevention of imbalance flow of molten steel in mold at sliding nozzle casting. Keiji Yoshioka, et al.	S1077
286	Development of inner pressure control system in submerged nozzle. Keiji Yoshioka, et al.	S1078
287	Simulation of continuous casting without flux usage with the caster of ultra high cycle oscillation capability. Toshikazu Sakuraya, et al.	S1079
288	Effect of ultrasonic vibration of the friction between mold and solidified shell in continuous casting. Masami Komatsu, et al.	S1080
289	Application techniques of ultrasonic vibration for continuous casting mold. Masami Komatsu, et al.	S1081
290	Influence of operating condition on friction force between mold and shell at No. 3 continuous casting machine of Chiba Works, Kawasaki Steel Corporation. Hiroshi Nishikawa, et al.	S1082

291 Improvement of ratio of non-conditioning blooms for seamless pipes by improvements of surface defects. Hiroshi Kawano, et al.	S1083
292 Mechanism of pinhole formation on high-oxygen and ultra-low-carbon steel CC slab. Atsushi Sato, et al.	S1084
293 Estimation of mold powder trappment at continuous casting. Tosiyuki Hirose, et al.	S1085
294 Consideration about formation of drops from mold powder filament by vortex-sinks. Naoto Tsutsumi, et al.	S1086
295 Flow characteristics of molten flux in round billet continuous casting mold. Hirotaka Miki, et al.	S1087
296 Improvement of center segregation on soft-reduction casting with short-pitch split roll. (Improvement of center segregation in CC slabs--I). Hitoshi Kobayashi, et al.	S1088
297 Influence of ununiform reduction on centerline segregation of continuously cast slab. (Study on countermeasures for preventing centerline segregation of continuously cast slab--V). Shigeaki Ogibayashi, et al.	S1089
298 Optimum reduction rate for preventing liquid flow due to solidification shrinkage. (Study on countermeasures for preventing centerline segregation of continuously cast slab--VI). Shigeaki Ogibayashi, et al.	S1090
299 Soft reduction efficiency of the strand near the crater end. (Study on countermeasures for preventing centerline segregation of continuously cast slab--VII). Michiya Hayashida, et al.	S1091
300 Development of the pin for measurement of the fluid flow during the late stage of solidification. (Analytical studies on the fluid flow during the late stage of solidification in the continuous casting of steel--IV). Masafumi Zeze, et al.	S1092
301 Theoretical analysis of adequate roll slope in order to hold liquid flow at end zone of crater of continuously cast slab. Hiroshi Niwa, et al.	S1093
302 Adequate reduction rate in order to decrease center segregation of continuously cast slab. Hiroshi Niwa, et al.	S1094
303 Effect of CC bloom thickness on the formation of equiaxed crystal. Yasuo Hitomi, et al.	S1095
304 Effects of globular crystals on the macro segregation. Toshio Fujimura, et al.	S1096
305 Operation of ladle arc refining process. (Development of ladle arc refining process--III). Hideo Mori, et al.	S1097
306 Manufacturing of wire rods for steel tire cord by ladle arc refining process. (Development of ladle arc refining process--IV). Shin-ichi Maeda, et al.	S1098
307 Life-elongation of arc lid for steel refining. Tetuo Sato, et al.	S1099
308 Drop of tapping temperature. (Development of the simple heating-up method in ladle--III). Ken-ichi Sasaki, et al.	S1100
309 Effective utilization of BOF slag for ladle refining furnace. Yoshikazu Furuno, et al.	S1101
310 Reduction of vanadium and niobium ore in ladle refining furnace. Hironori Fukushima, et al.	S1102
311 Establishment of clean steel making process by reconstruction of water cooled roof of arc heating ladle refining furnace. Hironori Fukushima, et al.	S1103
312 Refining of ultra low carbon steels by the powdered oxidizer under reduced pressure. Kaoru Shinme, et al.	S1104
313 End-point control system of decarburization behavior in VOD. Masami Furukawa, et al.	S1105
314 Mathematical analysis of the fluid state in the ladle during RH treatment. (Influence of circulation rate and snorkels' spacing on fluid state in the ladle during RH treatment). Junji Nakashima, et al.	S1106
315 Development of desulfurization techniques in RH-process. Shuhei Onoyama, et al.	S1107
316 Effect of MgO content in CaO-CaF ₂ based flux on desulphurization of steel. Koichi Endoh, et al.	S1108
317 Some improvements of RH operation. Masafumi Ikeda, et al.	S1109
318 Deoxidation of Al-killed steel by secondary refining. Hajime Mori, et al.	S1110
319 Reconstruction and operation of Kimitsu No. 1 BOF DH equipment of Nippon Steel Corporation. Akira Kichishima, et al.	S1111

-- SHAPING & FABRICATION · INSTRUMENTATION & CONTROL --

OCTOBER 20, 1986

320 The plan of the work roll shift mill at the Fukuyama Plate Works, Nippon Kokan K.K. (Construction of work roll shift plate mill--I). Yoshiaki Ishihara, et al.	S1112
---	-------

- 321 Operation of the work roll shift mill at the Fukuyama Plate Works, Nippon Kokan K.K. (Construction of work roll shift plate mill--II). Yoshiaki Ishihara, et al. S1113
- 322 Control system of the work roll shift mill at the Fukuyama Plate Works, Nippon Kokan K.K. (Construction of work roll shift plate mill--III). Shitoshi Murakami, et al. S1114
- 323 Development of mathematical model for plate rolling. Wung Yong Choo, et al. S1115
- 324 Outline of attached edger at Mizushima Plate Mill, Kawasaki Steel Corp. (Development of a process for manufacturing TFP(Trimming Free Plate)--I). Kazuo Ohmori, et al. S1116
- 325 Control system of TFP Edger in plate rolling. (Development of a process for manufacturing TFP(Trimming Free Plate)--II). Isamu Okamura, et al. S1117
- 326 Effect of edging on the square edge in plate rolling. (Development of a process for manufacturing TFP(Trimming Free Plate)--III). Tomoyuki Orita, et al. S1118
- 327 The properties of edging draft of plate rolling. (The properties of edging of plate rolling--I). Kohzo Kohno, et al. S1119
- 328 Analysis models and experimental methods on rolling of clad steel plates. (Manufacturing of clad steel plates by hot rolling--I). Sadakazu Masuda, et al. S1120
- 329 Characteristics of load and deformation in rolling of clad steel plates. (Manufacturing of clad steel plates by hot rolling--II). Sadakazu Masuda, et al. S1121
- 330 Advanced automation on the shot-primer line of plate rolling mill at Mizushima Works, Kawasaki Steel Corp. Shun-ichi Nishida, et al. S1122
- 331 Development of automatic plate sizing equipment. Yoichi Ishizaka, et al. S1123
- 332 Development of hot scheduling system for schedule free rolling operation. Shoji Shibata, et al. S1124
- 333 Application of general material flow simulator to slab transport line between CC and reheating furnace. Shigeharu Kawai, et al. S1125
- 334 Temperature tracking system for plate rolling line. Takaya Kikuchi, et al. S1126
- 335 Renewal of plate mill computer control system. Hiroshi Shiomi, et al. S1127
- 336 Automatic operation system in mechanical testing center. (Automatization of mechanical testing process--I). Fumihiro Ohnishi, et al. S1128
- 337 Development of the fully automatic gas cutting robots. (Automatization of mechanical testing process--II). Akimune Sato, et al. S1129
- 338 Automatic machining of mechanical test specimen. (Automatization of mechanical testing process--III). Ken-ichi Maegaki, et al. S1130
- 339 LDG automatic flow rate control for energy system using fuzzy inference. Kaneyuki Hukuoka, et al. S1131
- 340 Energy management system with use of structured matrix. Yoshihisa Matsuo, et al. S1132
- 341 Inplant railway transportation control system. Hidetaka Yamashita, et al. S1133
- 342 Outline of automated warehouse plant for export cargo. (Rationalization of materials handling plant--I). Makoto Ikeda, et al. S1134
- 343 The control system of cargo berth and warehouse. (Rationalization of materials handling plant--II). Satoru Takahashi, et al. S1135
- 344 Characteristics of elongator mill by drive roller shoe. (Development of drive roller shoe for cross helical rolling mill of seamless pipes--I). Shōhei Kannari, et al. S1136
- 345 Application of drive roller shoe to elongator mill. (Development of drive roller shoe for cross helical rolling mill of seamless pipes--II). Mikio Kodaka, et al. S1137
- 346 Simulation study of bearing pressure for metal seal of tubular connection. (Metal-to-metal seal mechanism for premium connection--I). Eiji Tsuru, et al. S1138
- 347 Development of the multifunctional robot for conditioning the inside of pipe. Yasuyuki Furukawa, et al. S1139
- 348 Improvement of cemented carbide tip's life of edge milling machine for ERW process. Shinji Kojima, et al. S1140
- 349 Occurrence mechanism of edge wave and deformation behaviour of formed sheet at fin pass roll in ERW pipe mill. Takaaki Toyooka, et al. S1141
- 350 Manufacturing and properties of duplex stainless steel ERW pipe. Yoshihiro Watanabe, et al. S1142
- 351 Development of new continuous welding mill. (Continuous welding method by new H.F. induction heating--I). Yoshio Iwanaga, et al. S1143

- 352 Development of linear coil type induction heater. (Continuous welding method by new H.F. induction heating--II).
Masayoshi Usuki, et al. S1144
- 353 Skelp temperature control system for butt-welded pipe mill.
Naoki Harada, et al. S1145
- 354 Effects of chemical compositions and deformation temperature on hot deformability of butt-welded pipe. Tatsuo Maeda, et al. S1146
- 355 Heavy thick HT80 steel with superior toughness for offshore structure. Kazushige Arimochi, et al. S1147
- 356 Properties of extra heavy plates for offshore structures.
Shoji Katagishi, et al. S1148
- 357 High tensile strength steel for offshore structures used for frigid area. Ryota Yamaba, et al. S1149
- 358 Development of YP460MPa steel plate for large heat input welding produced by TMCP. Yoshiyuki Saito, et al. S1150
- 359 Development of high strength steel plate with superior toughness of large heat input welded joint. (Development and production of 42 kgf/mm² class yield strength steel plate for arctic offshore structure--I). Munetaka Koda, et al. S1151
- 360 Production of high strength steel plate for arctic offshore structure. (Development and production of 42 kgf/mm² class yield strength steel plate for arctic offshore structure--II).
Eiji Kobayashi, et al. S1152
- 361 Development of 47 kgf/mm² class yield strength steel plates for arctic offshore structure. Toyoaki Shiwaku, et al. S1153
- 362 Development of heavy thick HT80 steel plates for racks of jack-up rigs. Shigeo Okano, et al. S1154
- 363 Development of tensile strength 50 kgf/mm² grade steel plates for arctic offshore structures with high toughness in large heat input welds. (Investigation on large heat input weldability of steel plates with 50 kgf/mm² grade for arctic offshore structures--III).
Jun Furusawa, et al. S1155
- 364 Application of thermo-mechanically-processed high-Cu-bearing steels to offshore structures. Takashi Abe, et al. S1156
- 365 Effect of microstructure on HAZ toughness of steel for offshore structures. Shigeru Endo, et al. S1157
- 366 The effect of microalloying elements on CTOD property in multi-pass welded joint of offshore structure steel.
Shuichi Sakaguchi, et al. S1158
- 367 Influence of cooling rate on the transformation of high carbon island martensite. (Influence of weld thermal cycle on HAZ-CTOD--II). Kouichi Uchino, et al. S1159

OCTOBER 21, 1986

- 368 Development of centering meter for cooling trough by laser.
Jun-ichi Fujisawa, et al. S1160
- 369 Development of coil-end defector. Hideyuki Yuzawa, et al. S1161
- 370 Development of on-line surface roughness measurement for bright-finished cold-rolled steel strip. Tadaaki Yasumi, et al. S1162
- 371 Accuracy improvement of X-ray thickness gauge by compensating the effect of components. Utarou Taira, et al. S1163
- 372 Practical use of shape meter for hot strip rolling.
Hidefumi Tachibana, et al. S1164
- 373 Basic experiment for measuring transformation degree by a through transmission eddy current method. (Development of online transformation degree's measurement equipment--I).
Masaaki Hatta, et al. S1165
- 374 Semi-online experiment for measuring transformation degree by a through transmission eddy current method. (Development of online transformation degree's measurement equipment--II).
Masaaki Hatta, et al. S1166
- 375 A method for prediction of ferrite grain diameter by measuring transformation rate. (Development of on-line transformation detector--III). Masahiko Morita, et al. S1167
- 376 Method for measuring strip temperature with magnetic sensor.
(Development of on-line transformation detector--IV).
Nobuyuki Ishibashi, et al. S1168
- 377 Basic experiment of new wheel type probe. (Development of new wheel type probe for high frequency inspection--I).
Riichi Murayama, et al. S1169
- 378 Fundamental experiments of the electronic scanning type ultrasonic probe and its application to the pipe testing. Shoji Murota, et al. S1170

379	On-line measurement of wall thickness of hot seamless pipe by electromagnetic ultrasonic testing. Shoji Murota, et al.	S1171
380	Ultrasonic testing of seam of ERW pipe. Shin Nakazawa, et al.	S1172
381	Development of ultra-sonic processing system for steel rods. Kazunari Narita, et al.	S1173
382	Round bar automatic ultrasonic testing equipment covering 100 % of the cross section. Kousuke Ishii, et al.	S1174
383	Non-destructive testing system on cold drawn hexagonal bars. Noriyuki Matsubara, et al.	S1175
384	Development of a new electromagnetic testing method using compound magnetic field. Michiaki Ishihara, et al.	S1176
385	Development of rotating transformer for eddy current flow detector. Masashi Mizuno, et al.	S1177
386	Application of hot ET equipment for wire & rod. Toshio Sakamoto, et al.	S1178
387	Reduction of fuel consumption by shortening truck time of C.C. bloom. Satoshi Tateyama, et al.	S1179
388	Computer control system for reheating furnace. (Technical development in plate mill control system at Kashima Steel Works, Sumitomo Metal Industries, Ltd.--II). Fumiki Hirao, et al.	S1180
389	High performance continuous reheating furnace in Chiba Plate Mill, Kawasaki Steel Corp. (The construction of the new reheating furnace for plate mill in Chiba Works, Kawasaki Steel Corp.--I). Masanori Ebihara, et al.	S1181
390	The development of ceramics insulation methods in continuous reheating furnace. (The construction of the new reheating furnace for plate mill in Chiba Works, Kawasaki Steel Corp.--II). Masanori Ebihara, et al.	S1182
391	Outline of controlled cooling equipment in Oita Works, Nippon Steel Corp. Hiroshi Uekaji, et al.	S1183
392	Furnace computer control of bar and rod mill at Mizushima Works, Kawasaki Steel Corp. (Furnace computer control--III). Masayasu Fukui, et al.	S1184
393	Water cooling characteristics by submerged spray nozzle. Shigenobu Yasunaga, et al.	S1185
394	Basic characteristics of pipe nozzle cooling with retaining water on plate. Ryuichi Ishida, et al.	S1186
395	Application of two degrees of freedom type PID controller to boiler system. Shun-ichi Yamazaki, et al.	S1187
396	Upset butt welding of hot rolled high strength steel sheets. Shin Sakui, et al.	S1188
397	Welding of high carbon steel by laser welder. Noboru Tsuruda, et al.	S1189
398	Laser welder with 10 kW oscillator for continuous stainless annealing and pickling line. Yoshito Kawai, et al.	S1190
399	Characteristics and operation of No.6 pickling line at Chiba Works, Kawasaki Steel Corp. Hikosaku Matsunaga, et al.	S1191
400	Countermeasure for life extension of wringer roll in pickling line. Hirokazu Nagai, et al.	S1192
401	Ferrite treatment method of stainless steel waste sulfuric acid. (Recovery of acid and iron from pickling waste liquid of stainless steel--VIII). Minoru Hoshino, et al.	S1193
402	Pickling simulation test with scale breaking rolling. (Development of high speed pickling of hot strip coils--II). Yukio Matsuda, et al.	S1194
403	Mechanical scale breaker for stainless hot rolled strip. Hiroyuki Fujikawa, et al.	S1195
404	Dependency of forging process on temperature distribution. (Elastic-plastic analysis of forming processes for material property control--II). Hiroshi Sakuta, et al.	S1196
405	Corrosion fatigue property for notched SCM435 steel in 3 % NaCl aqueous solution. Chitoshi Masuda, et al.	S1197
406	Threshold of fatigue crack propagation in synthetic seawater. Saburo Matsuoka, et al.	S1198
407	Effect of frequency on the prediction of corrosion fatigue life for HT80 steel in ASTM sea water. Hiroyuki Masuda, et al.	S1199
408	An analysis of fatigue crack propagation in Ti-6Al-4V at low stress intensity range in sea water. Masaue Sumita, et al.	S1200
409	Corrosion fatigue crack growth characteristics of a 50 kgf/mm ² TMCP Steel in Synthetic sea water. Hideki Okamoto, et al.	S1201
410	Influence of marine environment on corrosion fatigue crack growth behavior in 80 kgf/mm ² class high tensile steel. Kaname Mori, et al.	S1202
411	Macro and micro-scopic observation of corrosion fatigue specimens. (Corrosion fatigue properties of high tensile steels for offshore structures--II). Shin-ichi Nishida, et al.	S1203

412	Effects of dissolved oxygen and cathodic protection on corrosion fatigue properties of welded joints in cold sea water. Hiroshi Ouchi, et al.	S1204
413	Corrosion fatigue strength of welded T-joints fabricated from TMCP steel plate. Toshio Iwasaki, et al.	S1205
414	Hydrogen embrittlement of low alloy steel in marine environment. Hiroyuki Mitsumata, et al.	S1206
415	Offshore oil exploration and development around China. Susumu Nakayama, et al.	***
416	Fatigue design for long span bridges. Chitoshi Miki.	S1207
417	Effect of thread form on the stress of thread root of TLP connection. Toshitaro Mimaki, et al.	S1209
418	Experimental study on the strength of steel/concrete composite structure. Takeshi Sensu, et al.	S1210
419	Seismic responses of steel gravity platform. Takuzo Nakazato, et al.	S1211
420	On a new method of developing fatigue strength diagrams under random loading without Miner rule. Yasumitsu Tomita, et al.	S1212
421	Brittle fracture properties of high strength chains. Nobukazu Suzuki, et al.	S1213
422	Statistical approach to the evaluation of significance of defects in offshore structure. Hitoshi Yoshinari, et al.	S1214
423	Evaluation of brittle fracture strength of tubular T-joint model for offshore structures. (Brittle fracture strength of tubular T-joint of offshore structures--I). Yukito Hagiwara, et al.	S1215
424	Evaluation of plastic hot spot strain and brittle fracture of tubular T-joint. (Brittle fracture strength of tubular T-joint of offshore structures--II). Yukito Hagiwara, et al.	S1216
425	Safety assessment of offshore structures at collision of an ice floe. Masahiro Toyosada, et al.	S1217

OCTOBER 22, 1986

426	Developments of crown prediction model for hot strip mill in Oita Works, Nippon Steel Corp. (Reconstruction of Oita hot strip mill, Nippon Steel Corp.--I). Kiyoshi Muramatsu, et al.	S1218
427	Application of work roll shift to hot strip mill in Oita Works, Nippon Steel Corp. (Reconstruction of Oita hot strip mill, Nippon Steel Corp.--II). Kiyoshi Muramatsu, et al.	S1219
428	Work roll shift mill and its actual operation. (Modification of finishing train at No.2 Hot Strip Mill, Chiba Works, Kawasaki Steel Corp.--I). Soichiro Onda, et al.	S1220
429	Control system and control effect for work roll shift mill. (Modification of finishing train at No.2 Hot Strip Mill, Chiba Works, Kawasaki Steel Corp.--II). Hideyuki Yuzawa, et al.	S1221
430	Profile control in hot strip mill. (Development of automatic profile and shape control system in hot strip mill--I) Ryoichi Takahashi, et al.	S1222
431	Development of automatic thickness and shape control system in hot strip mill. (Development of automatic profile and shape control system in hot strip mill--II). Hiroaki Miura, et al.	S1223
432	Adaptive set up model of hot strip finisher mill. Kazuyuki Orita, et al.	S1224
433	Development of width control with tension controller in hot strip finishing mill. Yoshitaka Hayashi, et al.	S1225
434	Development of sensor-type automatic steering control in hot strip mill. Hiroaki Miura, et al.	S1226
435	Examination of direct rolling in edge rolling. Tadashi Hashimoto, et al.	S1227
436	Reduction of fuel consumption of CC sizing slabs. Isamu Takahashi, et al.	S1228
437	Technique of dog-bone rolling in edge rolling. Yoshiki Tatsumi, et al.	S1229
438	Effect of cross inclined edger against the material twist. Toshiro Ayano, et al.	S1230
439	Development of width control system by roughing mill edger in hot strip mill. (Development of slab width control system for HDR--II). Yukio Wakamatsu, et al.	S1231
440	The rolling technique of multi thickness hot strip. (Development of multi thickness hot strip--I). Nobuo Kakehi, et al.	S1232
441	Simulation experiments of rolling of multi-thickness hot strips. (Development of multi-thickness hot strip--II). Yuji Uehori, et al.	S1233
442	Development of automatic slitting control technique for multi thickness hot strip. (Development of multi thickness hot strip--III). Jun-ichi Fujisawa, et al.	S1234
443	Development of high tension skinpass mill for hot strip sheet. Tsuyoshi Nunokawa, et al.	S1235

444	Rolling characteristics of three roll type of mill. (Multi-size rolling with shape mill--I). Ichiro Nakauchi, et al.	S1236
445	Development of caliber design system for shape rolling. (Development of roll design system--II). Hironori Miura, et al.	S1237
446	Web off-center of H-shape. Arihide Kawamura, et al.	S1238
447	Calculation of temperature of H-beam in universal rolling. Hiroyuki Hayashi, et al.	S1239
448	Development of set-up control system for universal mill. Shinzo Saito, et al.	S1240
449	Development of welded model H stainless steel. Masaaki Aihara, et al.	S1241
450	Drawability of direct patenting high carbon steel wire rods with thin diameter. Takayoshi Yoshida, et al.	S1242
451	Application of interstand tension control for all length. (Tension control of bar mill in Kobe Works, Kobe Steel, Ltd.--II) Yutaka Ichida, et al.	S1243
452	Multi-slit rolling technology for steel bar. Kazunari Tanaka, et al.	S1244
453	Comparison between tension control and roll gap control for cold reverse mill A.G.C. (Development of cold reverse mill A.G.C.--I) Katsuya Kondo, et al.	S1245
454	Development of A.G.C. by reel motor current control and roll gap control. (Development of cold reverse mill A.G.C.--II) Toshimitsu Miyagi, et al.	S1246
455	Development of 4-hi reverse mill A.G.C. for thin strip rolling. (Development of cold reverse mill A.G.C.--III). Masaaki Okamoto, et al.	S1247
456	Outline of remodeling 1st stand of No.2 tandem cold mill into NMR-mill at Nagoya Works, Nippon Steel Corp. (Development of asymmetric cluster mill). Yasuhiro Itazuri, et al.	S1248
457	The development of coiling method with tension control at the top of cold strip. Shigeru Tanaka, et al.	S1249
458	Effect of roll crown on occurrence of buckling and strip walk in continuous annealing line. Tetsu Matoba, et al.	S1250
459	Analysis of temperature of work rolls and rolled material during hot rolling. Akira Yorifuji, et al.	S1251
460	Evaluation of deterioration of work-roll surface by hot strip test mill. Akira Yorifuji, et al.	S1252
461	Application of new hot rolling oil containing graphite to hot strip mill. Yasuo Igarashi, et al.	S1253
462	An investigation of occurrence of scratched surface on strip of ferrite type stainless steel at hot rolling. Akira Ohnuki, et al.	S1254
463	Development of wear-resisting 5%Cr-Mo-V forged steel work roll for cold rolling mills. Manabu Ohori, et al.	S1255
464	Application of plasma powder welding system using high speed steel powder. Yukou Takeuchi, et al.	S1256
465	A cooling capacity of roll coolant in cold mill. Osamu Miyamae, et al.	S1257
466	Development of rolling oil for mill clean sheet production with high lubricity in cold rolling and its evaluation by fundamental testing machines. (Study on evaluation of lubricants in cold sheet rolling--VIII). Yoshihiko Kita, et al.	S1258
467	Evaluation of newly developed mill clean oil with high lubricity in cold rolling by simulating test machine. (Study on evaluation of lubricants in cold sheet rolling--IX). Akira Azushima, et al.	S1259
468	Application of high gradient magnetic separator to cold rolling mill lubricant and roll coolant. Kouji Kawashima, et al.	S1260
469	Effect of Mo plug in pilot mill rolling of seamless pipe. Shigeru Uchida, et al.	S1261
470	Consideration on cooling method of mandrel roll in rolling. Motohiro Egawa, et al.	S1262
471	Development of high performance pipe forming oil. Masao Ando, et al.	S1263
472	Machine condition diagnosis technique of oil film bearing for rolling mill. Yasuhiko Kanao, et al.	S1264
473	Local corrosion of welds of 60 kgf/mm ² class steels in seawater. Takashi Inoue, et al.	S1265
474	Observation of corrosion of ships operated in icy sea waters and metallurgical study on the selective corrosion behavior. Takashi Abe, et al.	S1266
475	Effects of potential and flow rate on corrosion fatigue crack growth behavior of high strength steel in sea water. Soon-Shik Jang, et al.	S1267
476	Estimation of corrosion fatigue strength and cathodic protection of high tensile strength steel for marine structure. Akihiro Kondo, et al.	S1268

477	Atmospheric corrosion of low-alloy steel oversea bridge. Akitoshi Yamamoto, et al.	S1269
478	Thickness distribution of anti-corrosive coating film for offshore structure use. Masayoshi Arita, et al.	S1270
479	Effect of cathodic protection on fretting fatigue of high strength steel in sea water. Kozo Nakazawa, et al.	S1271
480	Investigation of heavy duty corrosion protection system for tether of TLP. Shoji Suzuki, et al.	S1272
481	Corrosion protection of organic linings. (Investigation of corrosion protection methods for marine structures--III). Kazuhiro Masuda, et al.	S1273
482	Application of coral process in marine structures. (Corrosion prevention of steel pile by coral coating). Makoto Kumada, et al.	S1274
483	Fracture toughness tests on coarse grained HAZ. Motoaki Suzuki, et al.	S1275
484	Welding process and characteristics of welded joints in offshore structures in arctic sea and deep sea. Takesuke Kohno, et al.	S1276
485	Safety evaluation of offshore structures by CTOD design curve. Katsuya Ota, et al.	S1277
486	Achievement of HAZ-CTOD in TMCP plates welded by high efficient welding procedures. Hideaki Harasawa, et al.	S1278
487	Static and fatigue loading tests on forged steel node having projection. Ryoji Ueno, et al.	S1279
488	Effect of plate thickness on the fatigue strength of cruciform welded joints. Asao Narumoto, et al.	S1280
489	Development of a high-performance pipe tendon for a TLP. Yasuhiro Takeshi, et al.	S1281
490	Fatigue damage evaluation of tension legs for tension leg platform. Haruo Sakamoto, et al.	S1282
491	Fretting fatigue property of large diameter wire. (Fatigue strength of parallel wire cable for TLP tether--I). Isao Soya, et al.	S1283
492	Fatigue evaluation based on stress measurement in large diameter cable. (Fatigue strength of parallel wire cable for TLP tether--II). Hikojiro Yokota, et al.	S1284

-- CHEMICAL ANALYSIS · SURFACE TREATMENT --

OCTOBER 21, 1986

493	Determination of boron by inductively coupled plasma emission spectro- metry. Yukihiko Kurakake, et al.	S1285
494	Determination of trace amount of phosphorus in steel by direct chlorination method. Atsushi Chino, et al.	S1286
495	Rapid inductively coupled plasma emission spectrochemical analysis of steel samples using laser ablation technique. Tadashi Mochizuki, et al.	S1287
496	Determination of trace elements in steel by graphite furnace atomic absorption spectrometry with solution method using very small samples. Haruno Okochi, et al.	S1288
497	Evaluation of inductively coupled plasma-mass spectrometer for ultratrace analysis. Tsuneo Kawamura,	S1289
498	Atomic emission spectrochemical analysis of C, P, and S in steel. Yoshiro Matsumoto, et al.	S1290
499	Determination of carbon contents in pig iron by fluorescent X-ray method. Kazukiyo Sugimoto, et al.	S1291
500	Analysis of cobalt base alloys by fluorescent X-ray spectrometry. Masanao Narita, et al.	S1292
501	Development of the auto-analyzer for copper plating solution. Yoshitaka Sasa, et al.	S1293
502	Development of analytical method for Fe ²⁺ and Fe ³⁺ in Zn-Fe alloy galvanizing solution. Akihiro Ono, et al.	S1294
503	Method for analysis of upper and lower layer coatings of Fe-P/Zn-Fe double layer alloy coated steel sheets. Sachiko Keba, et al.	S1295
504	Quantitative analysis of galvanized coatings by glow discharge optical spectroscopy. J. Pons-Corbeau, et al.	S1296
505	In-layer analysis of Zn alloyed electroplated steel sheets by glow discharge spectrometry. Yutaka Yoshioka, et al.	S1297
506	Characterization of surface oxide films on metals by layer raman spectroscopy. (Analysis of surface compounds on metals--I). Kenji Furukawa, et al.	S1298
507	Determination of free carbon in silicon carbide by hydrogen hot extraction method. Yoshihiro Hashiguchi, et al.	S1299

508	Decomposition technique of BN and analysis of boron precipitates in steel. Hirofumi Kurayasu, et al.	S1300
509	Isolation and determination of non-metallic inclusions and precipitates in stainless steels. Emiko Majima, et al.	S1301
510	Development of new tint etching technique and its application to high strength cold-rolled steel sheets with composite structure. Seishirō Bandō, et al.	S1302

OCTOBER 20, 1986

511	Effect of alloying temperature on the morphology of Fe-Zn intermetallic compound. Yukio Numakura, et al.	S1303
512	Effect of Ti content in zinc bath on alloying rate of galvannealed steel sheet. Masaaki Urai, et al.	S1304
513	Effect of electrode tip diameter on nugget formation of a zinc coated steel. Takashi Horita, et al.	S1305
514	Black tarnishing on the hot dip galvanized steel sheets. Yasuhisa Tajiri, et al.	S1306
515	Prevention method of black patina on Zn and Zn alloy coatings. Masaru Suzuki, et al.	S1307
516	Factors affecting surface appearance of Zn-Al hot dip galvanized steel. Akira Maruyama, et al.	S1308
517	High temperature oxidation resistance and corrosion property of ion plated Al/Ti double coated steel sheet. Hiroshi Kagechika, et al.	S1309
518	Microstructure analysis of zinc vapor deposited coatings. (Effects of microstructure of coatings on characteristic properties of zinc vapor deposited steel sheet--II). Kazuaki Chohata, et al.	S1310
519	Effect of base steel type on the alloying behavior of zinc-vapor deposited steel sheet. Yukio Uchida, et al.	S1311
520	Effect of coating conditions on the alloying behavior of zinc-vapor deposited steel sheet. Nobuhiko Sakai, et al.	S1312

OCTOBER 21, 1986

521	Effect of colloidal silica addition into chromate film on paint adhesion. Akihiro Yauchi, et al.	S1313
522	Structure of chromate coating by thermal analysis. (The reaction feature of chromate treatment--IV). Kazuko Uchida, et al.	S1314
523	Phosphatability of cold-rolled steel sheets added titanium. Noriaki Usuki, et al.	S1315
524	Scab corrosion resistance and structure of phosphate coating on the steel surface. Shuji Tanaka, et al.	S1316
525	Influence of steel surface on the property of phosphate coating. Tatsuya Kanamaru, et al.	S1317
526	Effect of chemical composition of hot-rolled high strength sheet steel on phosphatability. Shun-ichi Hashimoto, et al.	S1318
527	Effect of primer properties on anti-corrosion properties of coating. (Study on Ultra-violet ray cured primer for polyethylene coated steel pipes--II). Masakazu Ookita, et al.	S1319
528	Improvement of adhesion by the pretreatment with silane coupling agents. (Improvement of adhesion between steel and polyethylene-coating--IV). Yoshihisa Kariyazono, et al.	S1320
529	Development of technics to be preventive of film thickness deviation in polyethylene lining pipe. Eiichi Yajima, et al.	S1321
530	Influence of thermal stability of films on corrosion resistance of aluminized steel sheets coated with silicone. Toshie Taomoto, et al.	S1322
531	Development of epoxy powder coated pipe with high impact resistance. Kazunari Yoshizawa, et al.	S1323
532	Investigation of Fe-Zn alloy electroplating at high current density. (Development of manufacturing technology for Fe-Zn alloy electroplating sheet steel--I). Motohiro Nakayama, et al.	S1324
533	Production of Fe-Zn alloy electroplating sheet steel by new horizontal electrolytic cell. (Development of manufacturing technology for Fe-Zn alloy electroplating sheet steel--II). Sirou Sakaguti, et al.	S1325
534	Effect of flow stress and frictional coefficient of the coated surface on zinc build-up. (Mechanism and control of zinc build-up in coated steel sheets-I). Yuuji Umetsu, et al.	S1326
535	Development of a highly reliable FRP blower. Kōhei Imamura, et al.	S1327
536	Development of a recovery system of metallic ions from wash-disposal in the electro-galvanizing line. Tadashi Nonaka, et al.	S1328
537	Effect of heat treatment on corrosion cracking of electrodeposited Zn-Ni alloy coating. (Corrosion resistance of Zn-Ni electro-galvanized steel sheets--II). Kouki Ikeda, et al.	S1329

- 538 Corrosion process of steel sheets electroplated with Zn-(Co, Ni, Fe) alloys. Hideki Hagi, et al. S1330
 539 Prevention of cratering with Fe-P coating on galvannealed steel sheet. Shigeo Kurokawa, et al. S1331
 540 Fundamental study on scab corrosion. (Inhibition of cosmetic corrosion on precoated steel sheets for automobiles--I). Kimitaka Hayashi, et al. S1332
 541 Corrosion behavior of precoated steel sheets in hemmed portion model. Shigeru Wakano, et al. S1333

OCTOBER 22, 1986

- 542 Effect of heat treatment atmosphere on the corrosion resistance of Cr plated steels. Hidetugu Oohashi, et al. S1334
 543 Electro-chromate treatment stainless steel. Nobuo Hatanaka, et al. S1335
 544 Improvement in lacquered performance of stainless steels. Toshinori Katayama, et al. S1336
 545 Solderability of Au electroplated stainless steel sheet. Noriaki Kikui, et al. S1337
 546 Automatic inspection device for surface flaw in ETL line in Nagoya Works of Nippon Steel Corporation. Tohru Ogasawara, et al. S1338
 547 Weldability of chromium-tin plated steel. Nobuyoshi Shimizu, et al. S1339
 548 Effect of tin pre-treatment on the seam-weldability of chromium plated steel sheets. Mitsuo Yoshida, et al. S1340
 549 Effect of tin pre-treatment on the corrosion resistance of chromium plated steel sheets. Mitsuo Yoshida, et al. S1341
 550 Effect of reverse electrolysis on the deposition of granular chromium. Yasuhiro Akeda, et al. S1342

-- PRODUCTS AND PROPERTIES --

OCTOBER 20, 1986

- 551 Effect of finishing temperature of hot rolling on recrystallization texture. Hajime Saitoh, et al. S1343
 552 Role of carbide dissolution in texture development of low carbon steel during continuous heating. Kohsaku Ushioda, et al. S1344
 553 Influence of the carbide particle on the development of the rolling textures in a low carbon steel. Hirosuke Inagaki. S1345
 554 Effects of carbon and manganese on recrystallization texture of cold rolled steel sheets. Koichi Kawasaki, et al. S1346
 555 X-ray reflection intensity change of ultra low carbon steel obtained by ferrite region hot-rolling. Takaaki Nakamura, et al. S1347
 556 Grain refining of Fe-36%Mn steel by low temperature deformation and subsequent recrystallization. -Microscopic observations during recrystallization-. Yukichi Umakoshi, et al. S1348
 557 Observation of grain boundary migration in the grain growth process by ECC-ECP technique. Ryo Shimizu, et al. S1349
 558 Comparison of {110}<uvw> distribution measured by ECP and Vector method. Jirou Harase, et al. S1350
 559 Effects of preliminary annealing on magnetic properties of non-oriented 3%Si-Fe. Jin Shin, et al. S1351
 560 Effect of mechanical testing method on cleavage fracture behavior of grain-oriented silicon steel. Naoki Okumura, et al. S1352
 561 Synchrotron white beam X-ray topography of substructure in grain oriented-silicon steels. Masayuki Okamoto, et al. S1353
 562 Effect of stress on sintering of grain boundary cavities. Junro Kyono, et al. S1354
 563 Properties of 9Cr-1Mo-V-Nb steel after cold working. Hiroshi Tachibana, et al. S1355
 564 Property change and evaluation of creep damage for boiler tube after long-term service at high temperature. Atsuro Iseda, et al. S1356
 565 Mechanical properties of heavy section low C-9Cr-1MoNb steel. (Development of structural steel for fast breeder reactor--III). Toshimichi Ohmori, et al. S1357
 566 Effects of Cr, C and N contents on creep rupture strength and toughness of high-chromium heat resisting steels. Xing-yang Liu, et al. S1358
 567 Effects of alloying elements on creep rupture properties of high-chromium heat resisting steels. Xing-yang Liu, et al. S1359
 568 Effects of cooling rate from quenching temperature on mechanical properties of 10Cr heat resisting steels. Hiroshi Morishita, et al. S1360

569 Effect of Zr, La + Ce on mechanical properties of 9Cr-2Mo-V-Nb heat-resisting steels. Kentaro Asakura, et al.	S1361
570 Effect of normalizing temperature on precipitation of Laves phase in 9Cr-2Mo steel during aging. Seiji Kunimitsu, et al.	S1362
571 Effect of Mo and W on mechanical properties of 11 Cr heat resisting steels. Yoshihiko Kawabata, et al.	S1363
572 Effect of chemical composition on creep rupture strength of 12 Cr steel for rotor forging. (Advanced 12 Cr rotor for high temperature steam turbine--I). Tomohiro Tsuchiyama, et al.	S1364
573 The effect of quenching speed on creep rupture strength of 12 Cr steel. (Advanced 12 Cr rotor for high temperature steam turbine--II). Yusaku Takano, et al.	S1365
574 Development of martensitic stainless cast steels for low-temperature service. Yoshitaka Iwabuchi, et al.	S1366
575 Fracture toughness of SUS 304 steel at low temperature. Shuji Iida, et al.	S1367
576 Material properties of austenitic stainless steel at low temperature. Yasuo Kotetsu, et al.	S1368
577 Fracture toughness affected by test temperature and strain rate on austenitic stainless steel. Yoshihiro Nakajima, et al.	S1369
578 Solidification modes and cryogenic properties of nitrogen bearing austenitic stainless steel weld metals. Toshihiko Koseki, et al.	S1370
579 Mechanical properties at cryogenic temperature of 12Cr-12Ni austenitic large forgings. (Development of high strength structural steel for superconducting magnets in fusion reactor--II). Junji Ishizaka, et al.	S1371
580 Effect of Al and Si addition on low temperature toughness of high manganese austenitic steels. Tadashi Furuya, et al.	S1372
581 Cryogenic mechanical properties of 25Mn-15Cr steel. (Development of a high-strength high manganese stainless steel for cryogenic use--III). Ken-ichiro Suemune, et al.	S1373
582 Mechanical properties of welded joint of austenitic stainless steels at 4.2 K. Nobuo Yamagami, et al.	S1374
583 Manufacturing method of corrosion resistant bimetallic tube. Isao Takada, et al.	S1375
584 Effects of material factors on serration of Fe-high Ni alloys at very low temperatures. (Study on the deformation behavior of metals at very low temperatures--I). Koji Shibata, et al.	S1376
585 Effects of testing conditions on serration of Fe-high Ni alloys at very low temperatures. (Study on the deformation behavior of metals at very low temperatures--II). Koji Shibata, et al.	S1377
586 Damping property in high carbon steel. Koji Omosako, et al.	S1378
587 The effect of grain size on the mechanical properties of various as-rolled sheet steels. Kazutoshi Kunishige, et al.	S1379
588 Effect of intergranular oxidation on hot ductility in Fe-42%Ni alloy. (Study of hot ductility in Fe-high Ni alloy--III). Takuji Okiyama, et al.	S1380
589 Development of extra low carbon hot rolled steel sheet with extra deep drawability. Tateo Higashino, et al.	S1381
590 Improvement of fatigue strength after cold forming in hot rolled steel sheets. Yosio Hashimoto, et al.	S1382
591 Effect of phosphorus on the formation of retained austenite in low-carbon steel sheet. Huang Chuan Chen, et al.	S1383
592 Development of high strength hot rolled steel sheets containing retained austenite. Osamu Kawano, et al.	S1384
593 Characteristics of precipitates and austenite grain growth in Ti, Nb-Ti and V-Ti bearing HSLA steels. Shuji Okaguchi, et al.	S1385
594 Effect of cooling pattern on the mechanical properties of hot-rolled 45 kgf/mm ² grade steel sheet. Masaru Kawakami, et al.	S1386
595 Development of mechanical property control for hot rolled sheets by run out table cooling control. Chiaki Mori, et al.	S1387
596 The change of microstructure during hot deformation in $\gamma+\alpha$ region. (The development of thermo-mechanical-processing technology on hot rolling--I). Manabu Takahashi, et al.	S1388
597 The effect of Si content on ferrite transformation. (The development of thermo-mechanical-processing technology on hot rolling--II). Jun-ichi Wakita, et al.	S1389
598 Drawability and annealing characteristics of low-carbon Ti-deoxidized steel wire rod. (Study on low carbon Ti-deoxidized steel wire rod--I). Hiroshi Ohba, et al.	S1390
599 Direct softening of low alloy steel wire rods for cold forging. Toshiyuki Hoshino, et al.	S1391
600 Precipitation of proeutectoid cementite at center segregation area of high carbon steel wire rods. Toshio Fujita, et al.	S1392

601	Precipitation zone of proeutectoid cementite in high carbon steel wire rods. Fusao Togashi, et al.	S1393
602	Mechanical properties of high-carbon steel directly patented by water spray mist cooling. Motoo Satou, et al.	S1394
603	Effect of hot deformation on the hardenability of high carbon steel. Yutaka Kanetsuki, et al.	S1395
604	Effect of vanadium addition on strength and ductility of high carbon steel wire rod. Hiroshi Majima, et al.	S1396
605	Carburizing and mechanical properties, and workability of Ti added dual phase steels. Takashi Matsumoto, et al.	S1397
606	Characteristics of gas carburization by the tube type furnace. (Fundamental study of carburization--I). Osami Serikawa, et al.	S1398
607	Accuracy and fatigue strength of gear processed by warm forging and induction hardening. Yoshiyuki Nakatani, et al.	S1399
608	Effect of carbon content on the $\gamma \rightarrow \alpha$ transformation of boron added steels. (Study of the transformation control of medium carbon steels--II). Toshimi Tarui, et al.	S1400

OCTOBER 21, 1986

609	Overaging process of a low-carbon Al-killed steel sheet by electrical resistivity. -Thermoelectrical power measurement-. Kunio Ito, et al.	S1401
610	Effect of Mn-C dipoles on strain aging of low carbon sheet steel. Atsuki Okamoto, et al.	S1402
611	Effect of carbon content on γ -values of continuous-annealed Al-killed sheet steels. Naomitsu Mizui, et al.	S1403
612	Lankford γ value of ferrite-martensite and dual-phase steel. Kohichi Sugimoto, et al.	S1404
613	Effect of retard cooling in the intercritical temperature range on the properties of sheet steel containing retained austenite. (Study of the steel sheet containing retained austenite--IV). Yasuharu Sakuma, et al.	S1405
614	The effect of heat treatment condition on the mechanical properties of steel sheets. (Study of the steel sheet containing retained austenite--V). Shoji Uchida, et al.	S1406
615	The effect of microstructure on the mechanical properties of steel sheets. (Study of the steel sheet containing retained austenite--VI). Iwao Sawai, et al.	S1407
616	Mechanical properties of steel sheets produced by cold rolling and annealing of thin cast plate without hot rolling. Terutoshi Yakushiji, et al.	S1408
617	Cold-rolled sheet and hot-dip-plated sheets by continuously cast extra-low-carbon high-oxygen steel. (Development of pseudo-rimmed steel by continuous casting--I). Toshiro Yamada, et al.	S1409
618	Effect of alloying elements on punchability of steel sheet. Hiroyoshi Yashiki, et al.	S1410
619	Effects of alloying elements on the torsional creep strength of 0.4%C-2.5%Si spring steel. Yukio Ito, et al.	S1411
620	Creep properties of weld HAZ of C-1/2Mo steel in hydrogen atmosphere. (Material properties deterioration in high temperature and high pressure of hydrogen atmosphere--I). Toshiaki Saitoh, et al.	S1412
621	Elevated-temperature, high-cycle fatigue strength of engineering structural steels. Morio Sato, et al.	S1413
622	Evaluation of creep strain behaviour for 2.1/4Cr-1Mo steel. Masao Sakamoto, et al.	S1414
623	Long-term stress relaxation properties of 2.1/4Cr-1Mo steel. Toshio Ohba, et al.	S1415
624	Creep-fatigue interaction for 2.1/4Cr-1Mo steel under combined loadings. Kiyoshi Kubo, et al.	S1416
625	Recrystallization of γ grain in hot forging process of turbine rotor shaft. (Investigations on the conditions of manufacturing procedure of turbine rotor shaft--I). Koh Moriyama, et al.	S1417
626	Effect of Mn content on the properties of 3.5NiCrMoV steel for low pressure turbine rotor forgings. Mutsuhiro Miyakawa, et al.	S1418
627	Effect of waveform on high temperature fatigue life of steam turbine rotor steel. Takemi Yamada, et al.	S1419
628	Degradation of a SUS304 due to high temperature creep deformation. Kazuhiro Kimura, et al.	S1420
629	Effect of cold deformation on σ -phase precipitation in SUS304. Abdel-Monem Batahgy, et al.	S1421
630	Role of boron and nitrogen additions in the improvement of the creep rupture properties for 304 stainless steels. Yoshio Imai, et al.	S1422

631	Effect of aging on high temperature low cycle fatigue properties of N-containing SUS304. Shozo Azuma, et al.	S1423
632	Long-term precipitation in several austenitic stainless steels. Hideto Kimura, et al.	S1424
633	Various properties of 18%Cr-10%Ni-Ti-Nb tubes for boilers after 100 000 hr field test. Akira Tooyama, et al.	S1425
634	Elevated temperature properties of 308 weld metal by multi-layer welding. Hiromichi Hongo, et al.	S1426
635	High temperature properties of type 316 stainless steel containing low carbon and high nitrogen. Masayuki Fujiwara, et al.	S1427
636	Properties of high strength and fine grained TP347H steel tube. Akira Tooyama, et al.	S1428
637	High-temperature strength of high strength austenitic heat-resistant steels. Takahiro Kanero, et al.	S1429
638	Diagram of creep damages for evaluation of residual life for type 316 stainless steel. Hideo Tanaka, et al.	S1430
639	Effects of additional alloying elements on high temperature properties of a Fe-Cr-Ni base superalloy for exhaust engine valve. Takanari Okuda, et al.	S1431
640	Improvement of intergranular corrosion resistance of 13 Cr stainless steel welds by Ni addition. Keiichi Ohmura, et al.	S1432
641	Sensitizing behaviour of SUS430 hot-rolled sheet. Kazuya Miura, et al.	S1433
642	Sensitization of austenitic stainless steel manufactured by thermo mechanical control process. Seishi Tsuyama, et al.	S1434
643	Effect of precipitates on intergranular corrosion in 15Cr-16Mo-4W-5Fe-Ni-alloy. Toshiyasu Nishimura, et al.	S1435
644	Development of atmospheric corrosion test for stainless steels. (Simulated cycle test to Okinawa environment). Kenjiro Ito, et al.	S1436
645	Properties of an alloy 625 overlaid weld metal with strip electrode. Katsuomi Tamaki, et al.	S1437
646	Corrosion behaviors of a weld joint of duplex stainless steel. Katsuomi Tamaki, et al.	S1438
647	Effects of chemical compositions on microstructure and pitting corrosion resistance of duplex stainless steel weldment and base metal. Masashi Kouso, et al.	S1439
648	Effect of nitrogen on corrosion resistance of 19Cr-5Ni dual phase stainless steel. Haruo Tomari, et al.	S1440
649	Effect of alloying elements on magnetic property of 12 Cr stainless steels. Yoshinobu Honkura, et al.	S1441
650	Effect of cold working on the magnetic properties of 15 % chromium free machining corrosion resisting magnetic core steel. Hiroaki Nakazato, et al.	S1442
651	Effect of chemical compositions on non-magnetic property. Hiroshi Shimizu, et al.	S1443
652	Permeability, corrosion resistance and mechanical properties of stainless steel containing 0.7 % N. Yoshimitsu Ohta, et al.	S1444
653	Effect of alloying elements and cold rolling on permeability of austenitic stainless steel. (Development of high strength-nonmagnetic stainless steel--I). Toshihiko Takemoto.	S1445
654	Effect of alloying elements, cold rolling and aging treatment on mechanical properties of austenitic stainless steel. (Development of high strength-nonmagnetic stainless steel--II). Toshihiko Takemoto.	S1446
655	Temper color resisting ferritic stainless steel. Kiyoshi Inanaga, et al.	S1447
656	Effect of final annealing condition on the yield stress characteristics of SUS430 stainless steel sheet processed without hot band annealing. (The study on the process metallurgy ferritic stainless steel sheet--XI). Jirou Harase, et al.	S1448
657	Mechanical properties of ultrafine grain (α' + γ) two phase stainless steels. Yeonghwan Kim, et al.	S1449
658	Effect of nitrogen on the hot ductility of 22 wt% Cr duplex stainless steels. Shinji Tsuge, et al.	S1450
659	Hot workability of high Ni austenitic alloy. Tatsuo Takaoka, et al.	S1451
660	Influence of copper on high temperature torsional deformation in 19Cr-4Ni duplex stainless steel. Yukinori Igarashi, et al.	S1452
661	Production of ultra low PCM X60 steel plates having superior toughness. Shigehito Yoshimura, et al.	S1453
662	Production of high strength and toughness plate in high Ti steel for line pipe. Akio Yamamoto, et al.	S1454
663	Adjustment of mechanical properties through thickness direction of plate by controlled combined cooling. Masashi Hori, et al.	S1455
664	Effect of accelerated cooling condition on ferritic and subsequent second phase transformation from deformed austenite. Taneo Hatomura, et al.	S1456

665 Effect of prior austenite grain size on morphology and crystallography of ferrite in low carbon steels. Kei Ameyama, et al.	S1457
666 Effect of mixed ferrite grain on toughness. Kazuhisa Kurihara, et al.	S1458
667 Metallurgical meaning of Mn addition for strengthening and toughening in accelerated cooled extra-low carbon-niobium steel plates. Kengo Abe, et al.	S1459
668 Effect of cooling conditions on mechanical properties of controlled rolled and cooled steels. (Research about the property control of the controlled cooled thick plates--VII). Hiroshi Yoshikawa, et al.	S1460
669 Effect of the second phase particles on the separation of the control-rolled low carbon steel. Hirosuke Inagaki.	S1461
670 Simulation model of microstructure and mechanical properties for TMCP steels. Hiromu Morikawa, et al.	S1462
671 Effect of rolling conditions on $\gamma \rightarrow \alpha$ transformation in C-Mn steel. Yoshio Terada, et al.	S1463
672 Relationship between microstructure and mechanical properties of TMCP steel. Kiyoshi Nishioka, et al.	S1464
673 The prediction model of tensile strength of Nb steels. Haruo Kawano, et al.	S1465
674 The prediction model of yield stress and elongation of Nb steels. Jun-ichi Wakita, et al.	S1466
675 Development of high strength large thickness hot rolled coil with excellent toughness for ERW line pipe. (Development of ERW line pipe API5LX80-II). Makoto Fukai, et al.	S1467
676 Development of high-grade ERW line pipe. (Development of ERW line pipe API5LX80-II). Osamu Shiotani, et al.	S1468
677 Development of high strength casing Q-125 by ERW. Yasushi Yamamoto, et al.	S1469
678 Development of as-roll type ERW-OCTG API5AC L-80 for low temperature service. Teruo Ohtani, et al.	S1470

OCTOBER 22, 1986

679 Properties of 2Cr-Nb steel resistant to CO ₂ corrosion. Shiro Mukai, et al.	S1471
680 Sulfide stress cracking of low alloyed steels by slow strain rate tensile test. Teruo Kaneko, et al.	S1472
681 Effects of testing conditions on K _{ISCC} for sulfide stress cracking. (Establishment of evaluation method of sulfide stress cracking resistance--II). Hitoshi Asahi, et al.	S1473
682 Test method for sulfide stress cracking. -Loading methods and dimensions of specimen described in TM-01-77-. Katsutoshi Ina, et al.	S1474
683 Sulfide stress cracking property of Cu, Ni plated steel under sour environment. Shunji Sakamoto, et al.	S1475
684 Steel pipe corrosion tester. Katsutoshi Yamada, et al.	S1476
685 Evaluation method of corrosion resistance of coated steel for sour environment. Tomio Wakamatsu, et al.	S1477
686 The relation between SSCC and HIC in high strength ERW oil country tubler goods. Youji Yamamoto, et al.	S1478
687 SSCC behavior related with HIC in linepipe steel plate. Jeong Hyun Eom, et al.	S1479
688 Development of high strength austenitic stainless steel resisting to sour gas corrosion. Yasushi Torii, et al.	S1480
689 Corrosion resistance of 22 Cr duplex stainless steel in H ₂ S-Cl ⁻ environment. Hiroyuki Tsuge, et al.	S1481
690 Oxidation behavior of strips in ferritic heat resistant steels with 5 % Al. Susumu Isobe, et al.	S1482
691 Periodic precipitation of subscale on Fe-Cr alloys oxidized in Ar-H ₂ O atmosphere. Kiyoshi Kusabiraki, et al.	S1483
692 High temperature corrosion of alloys in coal gasification atmosphere. Michiya Okada, et al.	S1484
693 Effect of alloying elements on some properties of sheathed heater pipe for high temperature use. Shun-ichiro Akiyama, et al.	S1485
694 Scattering of the fracture toughness test results in the transition region. Yasuhiko Tanaka, et al.	S1486
695 Evaluation of dynamic fracture toughness by instrumented Charpy test. Yoshiyuki Fukuda, et al.	S1487
696 Leak before break criterion of high pressure reactors for production. Tadao Iwadate, et al.	S1488
697 Toughening and evaluation of austempered ductile iron. Hironobu Yamamoto, et al.	S1489
698 Casting and properties of 400 mm thick test block. (Study on ductile graphite cast iron--I). Namio Urabe, et al.	S1490

699	Loading rate dependence of fracture toughness of 400 mm thick test block. (Study on ductile graphite cast iron--II).	S1491
700	Namio Urabe, et al.	
700	Abnormal shortening of fatigue life in nitrided iron and steel correlated with the Smeek effect. Kiyoshi Mineura, et al.	S1492
701	High speed rolling contact fatigue life of carburized and carbonitrided steels. Takehiko Kaneko, et al.	S1493
702	Effects of microcrack on fatigue strength of free-cutting steels. Yukitaka Murakami, et al.	S1494
703	Effect of alloying elements on the pitting life of induction hardened steels. Katsunori Takada, et al.	S1495
704	Effect of nonmetallic inclusion on fatigue strength for high strength steels. Yoshihisa Tanaka, et al.	S1496
705	Effect of defect size on fatigue strength for carburized steels. Yoshihisa Tanaka, et al.	S1497
706	Fatigue characteristics of flapper valve steel. Atsushi Kumagai, et al.	S1498
707	Spot weldability and fatigue property of hot-rolled high-strength sheet steel. Atsushi Yamamoto, et al.	S1499
708	Fatigue properties of maraging steel band. Ryo Atagi, et al.	S1500
709	Fatigue property of a full size drill pipe and its governing factors. (Study on fatigue property of a full size drill pipe--II). Yasushi Tsukano, et al.	S1501
710	Effects of Mo and V on creep properties of an iron-base alloy. (Investigation of the high temperature strength of 15Cr-26Ni-1.25Mo iron base alloy--VIII). Katsumi Iijima, et al.	S1502
711	Effect of cobalt on hot hardness properties of Fe and Ni system alloys. (Estimation of properties of heat-resistant metallic materials by hot hardness and indentation creep--V). Akihiro Ohara, et al.	S1503
712	Effect of grain boundary carbides on the creep properties of cast nickel-base alloys. Katsuyuki Kusunoki, et al.	S1504
713	Effects of boron and zirconium on dislocation structures during creep of a Ni-20Cr alloy. Tatsushi Hirai, et al.	S1505
714	Effect of decarburizing helium environments on creep behavior of Ni-base heat-resistant alloy. (Effect of impurities in high-temperature gas-cooled reactor helium on creep behavior--I). Yuji Kurata, et al.	S1506
715	Creep behavior of Al ₂ O ₃ coated Inconel 617 in decarburizing environment. Yoshikazu Sakai, et al.	S1507
716	Effects of Al and Ti on γ' precipitation in 30Cr-60Ni alloys. Hiroyuki Doi, et al.	S1508
717	Alloy design of nickel-base single crystal superalloys. Takehiro Ohno, et al.	S1509
718	Estimation of high-temperature properties of CMSX-2 single crystal alloy. (Fundamental study of high-temperature properties of single crystal alloy--I). Junji Hoshi, et al.	S1510
719	Effect of high temperature aging on primary carbide morphology and creep properties of centrifugally cast HP. Yoshihiro Kondo, et al.	S1511
720	Effect of nitrogen on mechanical properties and structures of 22Cr-28Ni austenitic heat resisting steel. Katsuro Oda, et al.	S1512
721	Design and material selection criteria under creep-fatigue interaction. (Development of fuel cell reformer tube material--I). Toshinori Yokomaku, et al.	S1513
722	Thermal embrittlement of Cr-W and Cr-V ferritic steels. Fujio Abe, et al.	S1514
723	Development of 0.1%C-8%Cr-2%W-VTa steel for the first wall of fusion reactor. Manabu Tamura, et al.	S1515
724	Creep rupture strength and toughness of low activation Fe-Mn-Cr austenitic steel. Kentaro Asakura, et al.	S1516
725	Delayed fracture of high strength bolts for heavy construction machinery. Terutaka Tsumura, et al.	S1517
726	Influence of hydrogen on delayed fracture of high strength bolts. (Delayed fracture of bolts--II). Toshio Miyagawa, et al.	S1518
727	The effect of heat treatment on delayed fracture of high strength maraging steels. Hitoshi Nakamura, et al.	S1519
728	Mechanism of temper embrittlement in 2.1/4Cr-1Mo steel by Si and P. Yoshiyuki Suito, et al.	S1520
729	Effect of alloying elements on mechanical properties of 3Cr-Mo-W steel. Byung-Ha Chi, et al.	S1521
730	3Cr-1Mo steel with enhanced elevated-tensile strength. Yukio Nitta, et al.	S1522
731	Embrittlement of forgings and welded joint for light water reactor pressure vessels by neutron irradiation. Yoshifumi Nakano, et al. ..	S1523
732	Development of high strength forging for nuclear power plants. Hitoshi Hagiwara, et al.	S1524

- 733 Applicability of high strengthened Mn-Mo-Ni steel to large forgings for nuclear use. Ikujiro Kitagawa, et al. S1525
- 734 An analysis of passive film damage process during corrosion fatigue. (Step response function measurement on single and polycrystals). Masashi Ono, et al. S1526
- 735 Cyclic current during corrosion fatigue on HT-60 potentiostated in artificial seawater. Yoshihiro Kayano, et al. S1527
- 736 Behavior of corrosion fatigue crack propagation in weldments. Yasufumi Matsuo, et al. S1528
- 737 Effects of temperature and dissolved oxygen content on cyclic crack growth rate in high-temperature pure water. (Study on cyclic growth rate of carbon and low alloy steels in high-temperature pure water--I). Makoto Higuchi, et al. S1529
- 738 Corrosion resistant steel produced by thermal spray coating and hot rolling process. Yukio Hirai, et al. S1530
- 739 Weldability and corrosion resistance of alloy coated steel produced by thermal spraying and hot rolling process. Yukio Hirai, et al. S1531
- 740 Effect of metallurgical factors and stress on grain boundary diffusion of zinc in steel. (Liquid metal embrittlement of steel--VI). Ken Kanaya, et al. S1532
- 741 Effect of pH and chlorine ion on corrosion behavior of iron. (Corrosion behavior of iron in methanol solution--II). Yoshitaka Nakagawa, et al. S1533
- 742 Stress corrosion crack growth rate of NiCrMoV steel in caustic wet environment. Tateo Ohhashi, et al. S1534
- 743 Effect of alloying elements on resistance to stress corrosion cracking of 3.5NiCrMoV steel in concentrated NaOH solution. Takenori Nakayama, et al. S1535
- 744 Influence of hardness and distribution of martensite island on COD of most embrittled zone in weld HAZ. (Development of steel plates with improved COD value in weld fusion zone--X). Shuji Aihara, et al. S1536
- 745 Influence of ferrite grain size and microstructure of base metal on AC₁ embrittlement at heat affected zone. Takeshi Tsuzuki, et al. S1537
- 746 Effect of microstructure on welding HAZ toughness. Masashi Nishizawa, et al. S1538
- 747 Mechanical properties of temper-free high strength bent pipe for arctic use. Joh Kondo, et al. S1539
- 748 Yield ratio of quenched and tempered seamless line pipe. Yoji Yamaguchi, et al. S1540
- 749 Direct quenched and tempered 60 kgf/mm² class steel plate with low yield ratio. Eiji Sugie, et al. S1541
- 750 Influence of rolling and quenching conditions on the mechanical properties in Ti and B bearing 60 kgf/mm² class steels. Nobuo Shikanai, et al. S1542
- 751 Influences of chemical composition and rolling condition on hardenability of boron in direct quenching process. Rikio Chijiwa, et al. S1543
- 752 Controlling factors in COD value of HT80. (Development of high-C_{eq} structural steel plates with improved COD value--I). Toshiei Hasegawa, et al. S1544
- 753 Properties of ultra heavy (200 mm thickness) HT90 steel for rack. Hidetoshi Imon, et al. S1545
- 754 The effect of heat treatment on hydrogen attack in 2.1/4Cr-1Mo steel. Jun-ichi Shimomura, et al. S1546
- 755 Effect of alloying elements on carbon activity and hydrogen attack in Cr-Mo steel. Yoshiyuki Saito, et al. S1547
- 756 Effect of vanadium and niobium on the hydrogen attack of 2.25Cr-1Mo steels. Hiroaki Nakajima, et al. S1548
- 757 Change in sound velocity in carbon steel induced by hydrogen attack. Michio Miki, et al. S1549
- 758 Effect of hydrogen content on hydrogen assisted crack growth susceptibility of 2.1/4Cr-1Mo steel vessels. Tohru Nomura, et al. S1550
- 759 Hydrogen embrittlement in TIG weld metal of ferritic stainless steel. Shoji Inoue, et al. S1551
- 760 Tensile properties of Inconel 718 after low cycle fatigue loading in high-pressure hydrogen gas. Satoshi Nagata, et al. S1552
- 761 Development of hydrogen detector operated at elevated temperatures. Harushige Tsubakino, et al. S1553
- 762 Cause of failure initiation in crane rails and its preventive measures. (Study on durability of crane rails--II). Chikayuki Urashima, et al. S1554
- 763 Effect of dynamic strain aging on low-cycle fatigue life in rail steel. Kaneaki Tsuzaki, et al. S1555

764	Influence of C, Cr and Mo on solidification structures of high chromium cast iron rolls. Toshiyuki Hattori, et al.	S1556
765	Effect of C and V contents on wear resistance of work roll for cold strip mill. Manabu Ohori, et al.	S1557
766	Cutting performance of particle strengthened high-speed tool steels. Norimasa Uchida.	S1558
767	The mechanism of secondary hardening on 3%Cr-1%Mo hot work tool steel. Yoshitomo Hitachi, et al.	S1559
768	Effect of alloying elements on properties of precipitation hardening hot work die steel. Hiroshi Kaede, et al.	S1560
769	Application of continuously cast bearing-steel to bearing ball use. (Production of high carbon chromium bearing steel by BOF-CC process-II). Kenji Doi, et al.	S1561
770	Structure and wear resistance of high Cr-high Ni cast steels. Kenji Tsubouchi, et al.	S1562
771	Attainment of long life at wear plate of iron making plant with new wear resistance steel plate. Masashi Yamamoto, et al.	S1563
772	Effect of heat treatment on hardness and rolling contact fatigue of M-50. Nobuhiro Hori, et al.	S1564
773	Effect of chemical compositions on cutting force of Ni-base cast superalloys. Shigeo Yamamoto, et al.	S1565
774	Machinability of SUS 304 steel bar. (Machinability of stainless steel-I). Tetsuo Shiraga, et al.	S1566
775	Effect of hydrogen in steel on the mechanical properties of resulphurized steels. Noriyoshi Ohwada, et al.	S1567

-- NEW MATERIALS AND NEW PROCESSING --

OCTOBER 20, 1986

776	Whisker reinforced ceramics. Ryozo Hayami, et al.	S1568
777	Effects of interfacial shear strength on the fracture of fiber reinforced ceramics. Yutaka Kagawa.	S1569
778	Evaluation of fracture toughness for ceramic materials by a single edge pre-cracked beam method. Tetsuro Nose, et al.	S1570
779	Wear characteristics of TiB ₂ base ceramics. Tadashi Takahashi, et al.	S1571
780	The effect of chromium content on the structure and the transverse rupture strength of an iron base hard alloy containing complex Boride. Masao Komai, et al.	S1572
781	Effect of Si on the shape memory effect of polycrystalline Fe-Mn-Si alloys. Masato Murakami, et al.	S1573
782	Effect of alloying content, phase and magnetic transformation on the shape memory effect of Fe-Mn-Si alloys. Masato Murakami, et al.	S1574
783	Improvement in shape memory effect for Fe-Mn-Si alloys. Masato Murakami, et al.	S1575
784	An analysis of fatigue crack growth property in Ti-6Al-4V at low stress intensity range in air. Masae Sumita, et al.	S1576
785	Manufacturing and evaluation of a high-strength Ti-17 Die Forging. Toshio Matsumoto, et al.	S1577
786	Fracture of titanium alloy based on quantitative evaluation of microcracking. Teruo Kishi, et al.	S1578
787	Evaluation of fracture toughness of Ti-6Al-4V ELI. Masato Kobayashi, et al.	S1579
788	Role of acicular α -phase on fracture toughness in double solution treated Ti-6Al-4V alloy. K.H. Kim, et al.	S1580
789	Effect of processing condition, impurity content and test temperature on the fracture toughness of Ti-6Al-4V alloy. Takao Horiya, et al.	S1581
790	Effect of coarsening of prior β grain on toughness of acicular α structure ($\alpha+\beta$) type titanium alloy. Ikuhiro Inagaki, et al.	S1582
791	Dynamic fracture toughness and fracture mechanism in Ti-6Al-2Sn-4Zr-2Mo alloy. Tsutomu Oka, et al.	S1583
792	Effect of precipitated α with aging and grain size on hydrogen embrittlement of ($\alpha+\beta$) type Ti alloys. Kenzi Suzuki, et al.	S1584
793	Hydrogen embrittlement behavior of structure controlled Ti-6Al-4V alloy. Dai Ikegaya, et al.	S1585

OCTOBER 21, 1986

794	Fabrication of ultrafine grain steel by new consolidation technology. Ryuzo Watanabe.	S1586
-----	--	-------

795	Theoretical study on in-rotating-water spinning method. Yoshio Abe, et al.	S1587
796	Estimation of heat transfer coefficient during rapid solidification in a double roller method. Fumio Kogiku, et al.	S1588
797	Pulverization of molten Sn and Sn-Cu by a bladed rotator method. Takashi Itoh, et al.	S1589
798	Microstructure of rapidly solidified Fe-Cr-Ni two phase alloys. Moriyuki Mushiaki, et al.	S1590
799	Microstructure of melt-quenched duplex stainless steel ribbons. Toshiro Tomida, et al.	S1591
800	Characteristics of rapidly solidified tool steel. Chisato Yoshida, et al.	S1592
801	Mechanical properties of drawn amorphous wires. Masamoto Tanaka, et al.	S1593
802	Structure change of rapidly solidified Fe-C-Si powder during annealing. Isamu Yamauchi, et al.	S1594
803	Properties of amorphous alloy consolidated by dynamic compaction. Takashi Sato, et al.	S1595
804	Superplasticity of duplex stainless steel consolidated from rapidly solidified materials. Kuniaki Osada, et al.	S1596
805	Diffusion bonding of Inconel 625 alloy powder by HIP. Toshiya Moriyama, et al.	S1597
806	High temperature properties of pre-strained TMP-3 P/M alloy consolidated by HIP. Noboru Uenishi, et al.	S1598
807	Mechanical properties of HIP'ed P/M composite roll. Yasutomi Detani, et al.	S1599
808	Magnetic characteristic of water atomized flake powder for dust core. Masaaki Satoh, et al.	S1600
809	Fundamental study on the new oil atomization process for low oxygen steel powder. (Development of the oil atomized steel powder--I). Toshihiko Kubo, et al.	S1601
810	Fundamental study on controlling carbon contents in the oil atomized low alloy steel powder. (Development of the oil atomized steel powder--II). Toshihiko Kubo, et al.	S1602
811	Properties of low oxygen Cr containing steel powders. Yukio Makiishi, et al.	S1603
812	Application of FRM in automobile industry. Takashi Dounomoto.	S1604
813	Development of an oxide dispersion strengthened nickel-base superalloy. Koichi Asakawa, et al.	S1605
814	Consolidation and mechanical characteristics of rapidly solidified metal matrix composites. Hiroshi Kimura, et al.	S1606
815	Interface of liquid phase diffusion bonded single crystal of Ni-base superalloy. Teruo Hirane, et al.	S1607
816	An application of oxygen ion conductivity of zirconia to metal- zirconia joining. Kiyoshi Nogi, et al.	S1608
817	Solid state bonding of low carbon steel below Acl transformation temperature. Atsushi Nogami, et al.	S1609
818	Diffusion at metal/amorphous SiO ₂ interface. Kazuhiro Nagata, et al.	S1610
819	Bonding strength of lightweight laminated steel sheets. (Developments in the manufacturing technique of lightweight laminated steel sheets--I). Akitoshi Kato, et al.	S1611
820	Gauge control technique of lightweight laminated steel sheets. (Developments in the manufacturing technique of lightweight laminated steel sheets--II). Akitoshi Kato, et al.	S1612
821	Laminated strip coil line. (Developments in the manufacturing technique of lightweight laminated steel sheets--III). Tamayuki Takeuchi, et al.	S1613
822	Bending stiffness of light weight laminated steel. (Improvement in the quality of light weight laminated steel--IV). Nobuyuki Kino, et al.	S1614
823	Heat resistance of lightweight laminated steel sheet. (Practical performance of lightweight laminated steel sheet--I). Mizuo Ejima, et al.	S1615
824	Joining ability of lightweight laminated steel sheet. (Practical performance of lightweight laminated steel sheet--II). Masashi Ichikawa, et al.	S1616
825	Influence of core material properties on formability of lightweight laminated steel sheet. (Influence of the strength of core resins on the drawability--I). Kouji Hashimoto, et al.	S1617
826	Damping properties of Fe-3wt%Si-Mn alloys. Akira Sunada, et al.	S1618
827	Development of new testing method for the estimating of shearing deformation parameter in laminated steel sheet. Masafumi Yoshida, et al.	S1619
828	Relationship between press formability and shearing deformation parameter in laminated steel sheet. Masafumi Yoshida, et al.	S1620

829 Influence of bonding strength on formability of vibration damping steel sheet. Tadafumi Honda, et al.	S1621
830 Improvement of spot-weldability in vibration damping steel sheet. Kazunari Yoshizawa, et al.	S1622
831 Effects of γ' -phase content on superplasticity and strength at 760 °C of Ni-base superalloys. (Superplasticity and strength at 760 °C of superalloy hip-consolidated and extruded from powder--I) Shizuo Nakazawa, et al.	S1623
832 Effect of strain rate dependence of m on ductility in superplastic materials. Takuji Okabe, et al.	S1624
833 Grain refining by thermomechanical processing and superplastic behavior of low alloy steel. Yukio Ito, et al.	S1625
834 Effect of δ/γ fraction ratio on the superplasticity of duplex stainless steels. Yasuhiro Maehara, et al.	S1626
835 Superplasticity of as-rolled duplex stainless steel. Kuniaki Osada, et al.	S1627
836 Superplastic diffusion bonding. Yu-ichi Komizo, et al.	S1628
837 Plasma electron beam melting of titanium alloy. Junji Takahashi, et al.	S1629
838 Vacuum arc remelting of titanium with rectangular mold. Hiroyuki Ichihashi, et al.	S1630
839 Microstructures and mechanical properties of TiAl fabricated from intermetallic powders. Morihiko Nakamura, et al.	S1631
840 Strengthening of Ti-15V-3Al-3Sn-3Cr alloy by two steps aging. Minoru Okada, et al.	S1632
841 Unrecrystallized grains appearing in Ti-15V-3Cr-3Sn-3Al hot rolled sheet. Hideo Takatori, et al.	S1633
842 Cold rolling-, precipitation-, and recrystallization textures of 15.3.3.3 Ti alloy sheet. Fumie Seki, et al.	S1634
843 Effect of pre-treatments on the aging characteristics of beta type Ti-22V-4Al alloy. Yuzo Ohtakara, et al.	S1635
844 Composition in beta type Ti-V-Mo-Cr-Fe-Zr-Al alloys. Seiichi Muneki, et al.	S1636
845 Isothermal transformation of Ti-6Al-4V. Hideki Fujii, et al.	S1637
846 Effect of cooling rate on microstructure in weld metal of Ti-6Al-4V. Hiroshige Inoue, et al.	S1638
847 High temperature oxidation of commercially pure titanium in the air. Isamu Takayama, et al.	S1639
848 Influence of S & REM contents on machinability of Ti alloy. Sadayuki Nakamura, et al.	S1640
849 Mechanical properties of welded Ti-6Al-4V drill pipes. Hiroyoshi Suenaga, et al.	S1641
850 Crystallographic texture development in hot rolled Ti-6Al-4V sheets. (Development of Ti-6Al-4V sheets--III). Masao Koike, et al.	S1642
851 Simulation of rolling texture formation in titanium alloy. (Study on reformation texture of titanium alloys--I). Takuji Shindo, et al.	S1643
852 Effect of rolling conditions on the texture formation in the titanium alloys. (Study on reformation texture of titanium alloys--II). Takuji Shindo, et al.	S1644
853 Characteristics of cold workable titanium alloy Ti-5Zr. Yoshihito Sugimoto, et al.	S1645
854 The creep characteristics of a series of Ti alloys with varied the volume fractions of α and β phases. Yoshikazu Ro, et al.	S1646
855 Mechanical properties of thin wall welded titanium tube. Kenji Narita, et al.	S1647
856 Effect of slab heating temperature on mechanical properties of commercially pure titanium sheet. Koji Kishida, et al.	S1648

OCTOBER 22, 1986

857 Decarburization, nitrogen removal, carburization and nitriding of stainless steel powder with H ₂ -Ar plasma spray. Seiichi Masuda, et al.	S1649
858 Cathode phenomena of plasma arc discharge. (Comparative study on characteristics of tungsten-oxide electrode--I). Masao Ushio, et al.	S1650
859 Experimental study on electromagnetic gravity. (Basic study on electromagnetic power application to metallurgical process--I) Koichi Takeda, et al.	S1651
860 Effect of gradient of direct magnetic flux on surface wave motion of molten metal. Toshiyuki Kozuka, et al.	S1652
861 Microstructure of interface. (Development of rolled titanium clad steel--I). Shigeharu Hinotani, et al.	S1653

862 Rolling condition and bonding strength. (Development of rolled titanium clad steel-II). Yu-ichi Komizo, et al. S1654
 863 Properties of rolled titanium clad steel plates. (Development of rolled titanium clad steel-III). Tsuyoshi Nakamura, et al. S1655
 864 Characteristics of hot rolled titanium clad steels.
 Akira Tagane, et al. S1656
 865 Effect of matrix and fiber on tensile strength of Ti-matrix composites. Takashi Motoda, et al. S1657
 866 Effect of heating temperature on bonding characteristics of rolled titanium clad steel. Seishiro Yoshiwara, et al. S1658
 867 Microanalysis of diffusion bonds between pure iron and titanium. Atsushi Nogami, et al. S1659
 868 Effect of carbon content on the diffusion bonding of iron-based alloy to titanium. Tadashi Momono, et al. S1660

欧文誌 (Trans. ISIJ) への講演概要 (第 112 回大会) 投稿案内

本会は会員各位の研究成果の発表の一つとして、講演大会を年2回（春・秋）開催いたしております。編集委員会では当講演大会をより良くするため、欧文誌を通して広く海外からの参加を呼びかけるなど種々検討を重ねております。

ご承知のとおりわが国における鉄鋼生産技術は世界の注目を集めており、その成果及び動向が最も早く把握できる手段は当春秋講演大会およびその講演概要集であります。海外においても当講演内容には非常に関心が高く、本会への講演内容に関する問い合わせは相当の数にのぼっております。

以上のことから本会編集委員会で種々検討の結果、春秋の講演を早い時期に欧文誌で海外に紹介することはたいへん有益であるとのことから、昭和 55 年 1 月発行の欧文誌から講演概要（英文）を掲載いたしておりますが、海外よりたいへん好評をいただいております。今 112 回（昭和 61 年 10 月）大会は、下記により公募いたしますので、奮つてご投稿下さいます（うご案内申上）」と述べます。

記

- I. 原稿締切日** 昭和 61 年 11 月 20 日 (木)

II. 原稿枚数 本会所定の原稿用紙 1 枚 (図、表、写真を含む)
(お申し出いただければ所定原稿用紙を送付いたします)

III. 原稿内容 原稿は講演概要 (和文) の内容とまつたく同じものを原則とします。

IV. 執筆の仕方 執筆者がタイプされた原稿がそのまま約 80% 縮尺され、オフセット印刷されますので下記ご留意のうえご執筆下さい。

 - 1) タイプライターはカーボンリボンを使用し (ファブリックリボンは不可)、活字は原則としてエリート (12 pitch) で single space (63行)、2段打ちにして下さい。
 - 2) 図、表、写真は縮尺を考慮し作成して下さい。
 - 3) 英文タイトルは講演申込用紙に記入されたものが英文校閲のうえ講演概要集に掲載されますので、そのタイトルに従つて下さい。

V. 原稿提出

 - 1) 投稿のさいは、正原稿をご送付下さい。英文校閲を希望される方のみ、初めにコピー原稿 (副原稿) をご送付下さい。
 - 2) 英文校閲は、特に投稿者が希望される場合を除き行いません。

注) 講演概要投稿後、投稿規程に従つて Research Article, Research Note, Technical Report として投稿されることを歓迎いたします。

VI. 欧文誌掲載 欧文誌 (Transactions of The Iron and Steel Institute of Japan), Vol. 27 (1987), Nos. 1~5 にわたつて掲載されます。

VII. 原稿送付先 100 東京都千代田区大手町 1-9-4 経団連会館 3 階
問合せ先 日本鉄鋼協会編集課欧文誌係 (Tel. 03-279-6021)

~ : ~ : ~ : ~ : ~ : ~ : ~ : ~ : ~ : ~

© Copyright 1986, ISI

This publication, or any part thereof, may not be reproduced in any form without the written permission of the ISU.