

The 113th ISIJ Meeting Programme *

SYMPOSI A

APRIL 2, 1987 13:00 - 17:30 Chairman: Masayasu SUGATA

Theme I. New Informations about the Lower Part of Blast Furnace

- 1 Behavior of solid particle in blast furnace. Kouji Takatani, et al. A1
- 2 Formation of raceway and furnace core and its influence on solid-liquid flow in blast furnace. Kenji Tamura, et al. A5
- 3 Behavior of coke in lower part of blast furnace based on analysis of samples from tuyere level. Tsunao Kamijoh, et al. A9
- 4 Reaction and flow characteristics of slag, metal and gas in the raceway and dead man of the blast furnace. Seiji Taguchi, et al. A13
- 5 Investigation of slag, metal and coke behaviour at the lower part of blast furnace. Masaaki Sakurai, et al. A17

APRIL 1, 1987 13:00 - 17:30 Chairman: Minoru SASABE
Vice-Chairman: Tsutomu NOZAKI

Theme II. Advanced Technologies of Refining in Converter.

- 6 Improvement and future technology of refractories for converter. Akiyoshi Yamaguchi. A21
- 7 Development of BOF operation by using pre-treated hot metal. Matsuhide Aoki, et al. A23
- 8 Refining characteristics of less slag operation in converter. Osamu Yamase, et al. A27
- 9 Thermodynamic consideration of smelting reduction of chromite ores in top-and-bottom converter. Yin-Xiong Zhu, et al. A31
- 10 Scrap remelting and smelting reduction of chromium ore in 5 t test converter with a pulverized coal combustion lance. Yasuo Kishimoto, et al. A35
- 11 Development of converter technology utilizing carbon materials for thermal source. Takeyuki Hirata, et al. A39
- 12 Reaction mechanisms of CO oxidation and possible technologies to control CO concentration. Kazutomo Otake. A43
- 13 Development of coal injection and post combustion techniques in converter. Ryoji Tsujino, et al. A47
- 14 New development of top and bottom blown converter with strong stirring. Haruhiko Ishizuka, et al. A51

APRIL 1, 1987 13:00 - 17:15 Chairman: Tomiharu MATSUSHITA

Theme III. Hot Rolling Techniques of Clad Steel and Their Quality

- 15 Deformation characteristics of clad steel plates in hot rolling process. Sadakazu Masuda, et al. A55
- 16 Analysis of plate rolling of clad steel by rigid plastic FEM and effects of lubrication on curvature control during rolling. Shuichi Hamauzu, et al. ... A59
- 17 Manufacturing techniques for clad steel plates by sandwich type roll bonding process. Mitsuaki Shibata, et al. A63
- 18 Levelling of two-layered clad steel plates after rolling. Michio Yamashita, et al. A67
- 19 Manufacturing technology and material properties of hot roll bonded clad steel. Takashi Fukuda, et al. A71
- 20 Production and some properties of clad steels by enshrouding-rolling method. Taketo Okumura, et al. A75

* Tetsu-to-Hagané, 73(1987), No. 4 contains Nos. 1 to 388 preprints for Paper Presentations in Japanese and Tetsu-to-Hagané, No. 5 does Nos. 389 to 733 preprints for them in Japanese.
The preprints of Symposia were published in Tetsu-to-Hagané, 73(1987), No. 2, A1 to A182, in Japanese.
Part of those preprints for Paper Presentations are to be published in Transactions ISIJ, 27(1987), No. 2 to 12, in English.

- 21 Manufacturing techniques for clad steel plate by hot rolling process of composited slab. Shuichi Hara, et al. A79
- 22 Manufacturing technique and quality of rolled titanium clad steel. Seishiro Yoshiwara, et al. A83
- 23 Role of intermediate nickel layer in stainless and non-ferrous metal clad steels. Seishi Tsuyama et al.

APRIL 2, 1987 13:00 - 17:00 Chairman: Taishi MOROISHI

Theme IV. Characteristic Features of Duplex Phase Stainless Steels

- 24 Effect of phase ratio and composition on the properties of duplex stainless steels. Yoshito Fujiwara, et al. A91
- 25 Effects of precipitates on corrosion resistance of duplex stainless steel. Shuji Hashizume, et al. A95
- 26 Some features of duplex stainless steels for line pipe material. Katsuomi Tamaki, et al. A99
- 27 Production of duplex stainless steel ERW pipe and its properties. Masao Onoyama, et al. A103
- 28 σ phase precipitation behavior during high-temperature low-cycle fatigue deformation duplex stainless steel. Imao Tamura, et al. A107
- 29 Microstructural change and hot ductility of δ/γ duplex stainless steels. Yasuhiro Maehara, et al. A111
- 30 Compressive deformation characteristics of duplex stainless steel. Kazunari Shinagawa, et al. A115

APRIL 1, 1987 13:00 - 17:30 Chairman: Hidejiro ASANO
Vice-Chairman: Tsuneo INUI

Theme V. Materials for Can Stock

- 31 Fundamentals of modern can making technology. M. Sodeik, et al. A119
- 32 Corrosion of tinsplate cans and evaluation methods of them. Kazuhisa Masuda, et al. A120
- 33 Effects of electrochemical properties of steels on pitting corrosion of tinsplate. Hiroshi Takano, et al. A123
- 34 Effects of steel component on properties of tinsplate. Yashichi Oyagi, et al. A127
- 35 Underfilm corrosion of dewy spread lightly tin coated steel for welded can. Shunzo Miyazaki, et al. A131
- 36 Effect of surface treated steel sheets on surface characteristics of welded side seam. Katsuhiko Nakase, et al. A135
- 37 Characteristics of electrolytic tinsplate treated with chromic acid electrolyte. Osamu Yoshioka, et al. A139
- 38 Effect of surface morphology and another metal plating on weldability of electrolytic coated steel for welded cans. Hisatada Nakakoji, et al. A143

APRIL 2, 1987 13:00 - 17:30 Chairman: Hideo IWATA
Vice-Chairman: Yasuharu MATSUMURA

Theme VI. Trace Analysis of Metals*

- 39 Chemical analysis of trace level of carbon, nitrogen, oxygen, phosphorus and sulfur in clean steels. Hideo Seno, et al. A147
- 40 Determination of trace amount of carbon in iron and steel by tube furnace combustion-conductometric method and high frequency induction furnace-infrared absorptiometric method. Yasuo Inokuma, et al. A151
- 41 Spectrophotometric determination of boron and silicon with high sensitivity after distillation separation. Kunio Takada, et al. A155
- 42 Determination of trace elements in metals by graphite furnace atomic absorption spectrometry. Takeshi Kobayashi, et al. A159
- 43 Determination of trace elements in steel and high-purity silicon by inductively coupled plasma atomic emission spectroscopy using micro injection technique. Teruo Okano, et al. A163
- 44 Application of inductively coupled plasma-mass spectrometry for the determination of trace elements in metals. Tsuneo Kawamura. A167
- 45 Application of glow discharge mass spectrometry to trace analysis of metal samples. Koichi Chiba, et al. A171
- 46 Synchrotron radiation X-ray analysis. Yoh-ichi Gohshi. A175
- 47 Trace element analysis using MeV range ion beam techniques. Susumu Amemiya. .. A179

* Preprints for this symposium written in English were published in Transactions ISIJ, 27(1987), No. 2, p.p. B33-B41.

PAPER PRESENTATIONS

-- IRONMAKING --

APRIL 1, 1987

- 1 Two dimensional analysis on the formation process of burden distribution at blast furnace top. Takanobu Inada, et al. S1
- 2 Charging method of fine particles into blast furnace. Koichi Kurita et al. S2
- 3 Basic study on the burden distribution characteristics of mix charge. (Experiment on burden distribution by 1/10 scale model--1). Masaaki Sakurai, et al. S3
- 4 Mathematical treatment of the change of particle size distribution during changing into blast furnace. Shinroku Matsuzaki, et al. S4
- 5 The operation using classified sinter with size by flat burden profile at Tobata No. 1 BF of Nippon Steel Corp. Kohji Saito, et al. S5
- 6 Development of hopper feed control for adjustment CaO/SiO₂ in burden of blast furnace. Masamichi Mizuno, et al. S6
- 7 Improvement of the revolving chute for Kokura No. 2 BF of Sumitomo Metal Industries, Ltd. Moritaka Onishi, et al. S7
- 8 Development of a probe for measuring radial distribution of burden thickness at blast furnace top. Shigemi Murakawa, et al. S8
- 9 Effect of erosion at furnace wall on burden descent in blast furnace. Mitsutoshi Isobe, et al. S9
- 10 Observation of blast furnace condition using the vertical probe. Asao Hatanaka, et al. S10
- 11 Analysis of blast furnace conditions using observation results from the belly prove. Kouzou Yamamura, et al. S11
- 12 Development of sonde for in-furnace observation at lower shaft. Youichi Isozaki, et al. S12
- 13 Development of multi-functional sensor for measuring cohesive zone of blast furnace. Akio Shimomura, et al. S13
- 14 Prediction of coke degradation during gasification with CO₂. Hiroshi Haraguchi, et al. S14
- 15 Effect of coke strength and blast velocity on coke degradation under cold raceway condition. (Optimization of coke quality--I). Morimasa Ichida, et al. S15
- 16 Effect of coke strength and blast velocity on coke degradation under hot raceway condition. (Optimization of coke quality--II). Morimasa Ichida, et al. S16
- 17 Coke degradation behavior in a hot experimental raceway model. (Optimization of coke quality--III). Hiroshi Haraguchi, et al. S17
- 18 Effect of deadman coke on the furnace condition in Kobe No. 3 blast furnace of Kobe Steel, Ltd. Junpei Kiguchi, et al. S18
- 19 Effect of dry quenched coke on blast furnace operation. Hirobumi Nishimura, et al. S19
- 20 Examination of blast furnace operation using CDQ coke produced from low grade coal blend. Shuji Yaya, et al. S20
- 21 Direct measurement of reduction equilibria of calcium ferrite with CO-CO₂ gas mixtures by E.M.F. method using solid oxide electrolyte in the temperature range 973 to 1 273 K. Won Sub Chung, et al. S21
- 22 Reducibility of multicomponent calcium ferrite. Takayuki Maeda, et al. S22
- 23 Reduction rate of dicalcium ferrite. Takayuki Maeda, et al. S23
- 24 Gaseous reduction of sinter bed under blast furnace conditions. Tateo Usui, et al. S24
- 25 Effects of the addition of CaO-MgO and Al₂O₃-MgO on the reduction of dense wustite with H₂. Nobukazu Shigematsu, et al. S25
- 26 Effect of water contained in ores on the heat-pattern of the blast furnace. Junsuke Haruna, et al. S26
- 27 Development of adiabatic BIS (Blast furnace Inner-reaction Simulator). Masaaki Naito, et al. S27
- 28 Experimental study on the mechanism of the formation of low-temperature thermal reserve zone. Masaaki Naito, et al. S28
- 29 Transfer mechanism of Si in metal by slag-metal reaction. Masaaki Naito, et al. S29
- 30 Thermo dynamic study of Si-C-O system by the free energy change diagram. Takashi Miwa, et al. S30
- 31 Laboratory study of SiO gas behavior. Takashi Miwa, et al. S31
- 32 Separation of kish graphite from slag layer. Hideaki Suito, et al. S32
- 33 The effect of MgO oxidation of Si in metal droplet by Mn containing. Hiroshi Shibuta, et al. S33
- 34 Fluidity of slag dropping in the lower part of blast furnace. Tomoyuki Nakagawa, et al. S34
- 35 Analysis of stress field in shaft of blast furnace. Tsuyoshi Eguchi, et al. ... S35

36	Numerical analysis and model experiment of liquid flow in the blast furnace hearth. (Estimation of liquid flow by three dimensional analysis--II). Yukio Tomita, et al.	S36
37	Two dimensional analysis of combustion for blast furnace coal injection. Tomio Suzuki, et al.	S37
38	Secondary reaction of primary tar in coke oven. Takeo Uno, et al.	S38
39	Development of a recovery system of tar released from coke oven chamber. Toshitaka Edakuni, et al.	S39
40	Reduction of binder consumption on briquetting with the introduction of tar sludge. Teruaki Onishi, et al.	S40
41	Relation between single coal properties and yield of carbonization products. Tatsuo Fukuyama, et al.	S41
42	Relation between blended coal properties and yield of carbonization products. Tatsuo Fukuyama, et al.	S42
43	Development of sludge transportation system. Shigeru Tsunenari, et al.	S43
44	Developmental experiment of continuous coal block compressing process. (Development of continuous coal block compressing process--I). Shigeru Kuwashima, et al.	S44
45	Development of control method of compressive force in continuous coal block compressing process. (Development of continuous coal block compressing process--II). Shigeru Kuwashima, et al.	S45
46	Reinforcement of insulation on coke oven door. Hidetou Katuki, et al.	S46
47	Application of coal pelletizing process to coke-making. Shigeki Tanaka, et al.	S47
48	Influence on coke apparent density that coal is carbonized under restriction by heating walls. Katsuhiko Shiraishi, et al.	S48
49	Gas distribution and combustion calculation model of coke oven. (Development of heat consumption reduction technique--I). Tsuguhiko Nakagawa, et al.	S49
50	Analysis of the gas flow in coke oven chamber with 1/7 scale model. (Development of heat consumption reduction technique--II). Gen-ichi Ishibashi, et al.	S50
51	Effect of combustion gas temperature on heat consumption in coke oven. (Development of heat consumption reduction technique--III). Tsuguhiko Nakagawa, et al.	S51
52	Gas distribution in coke oven on coal carbonization process. Takeo Uno, et al.	S52
53	Reduction of heat consumption in coke oven at Mizushima Works, Kawasaki Steel Corporation. Kunitoshi Hashimoto, et al.	S53
54	Compressed coal charging with model coke oven. Yuji Ishiharaguchi, et al.	S54
55	Carbon removal from coke oven chamber by high-speed air flow. Yasutaka Shihara, et al.	S55
56	Outlier of vibration leveller of Nagoya No. 3 coke oven of Nippon Steel Corporation. (Development of vibration leveller--II). Kunihiro Onouchi, et al.	S56
57	Investigation on heat- and material-balance of coke dry quenching process. Kouichirou Okazaki, et al.	S57
58	Automatic operating system for dry and wet coke quenching locomotive. Toshihiko Kashitani, et al.	S58
59	Distributed processing method using workstation for coke production planning system. Tatuo Nitani, et al.	S59

APRIL 2, 1987

60	Coal dilatation under rapid heating condition. Kiyoshi Miura, et al.	S60
61	Homogenization of coke strength in the direction of oven with by heating pattern--Improvement of drum indices--. Kazuhide Ishida, et al.	S61
62	Effect of pyrolytic carbon on coke properties. Masashi Ogawa, et al.	S62
63	Development of the preventive technique of segregation in ore bedding. Shoji Nitta, et al.	S63
64	Development of a pressing method for increasing the density of upper sinter bed. Kazuma Nakashima, et al.	S64
65	Use of a countercurrent mixer at the sinter plant test of pre-granulation method. (Development of iron and limestone pre-granulation method for sintering process--VI). Kozo Takata, et al.	S65
66	Fundamental analysis about stacked structure of raw mix in sintering strand with DL type chute. Tadahi Inazumi, et al.	S66
67	Improvement of sintering method by control of ore blending ratio in upper and lower layer. (Application of double layer sintering system at Wakamatsu Sintering Plant of Nippon Steel Corporation--III). Chikashi Susuki, et al.	S67
68	Mineralogical properties of low SiO ₂ iron ores containing goethite. (Profitable use of low SiO ₂ iron ores in sintering process--I). Jun Okazaki, et al.	S68
69	Decrement of SiO ₂ content in sinter with decreasing size of limestone particles. Ichiro Shigaki, et al.	S69

70	Development of an iron ore sintering process with the addition of mini-briquettes. Yoshifumi Matsunaga, et al.	S70
71	Sintering technique with pellet feed. Shunsuke Arino, et al.	S71

APRIL 3, 1987

72	Experimental method on refractory erosion at higher temperatures. Hideo Yaai, et al.	S72
73	Development of technique for injection of blast furnace bottom. Mamoru Inoue, et al.	S73
74	Thermal stress fatigue of carbon block in blast furnace hearth. Noriji Numata, et al.	S74
75	Fiberisability and strength of slag based glass fibre. (Production and property of slag based continuous glass fibre--I). Eiichiro Konishi, et al. ...	S75
76	Influence of ZrO_2 addition on the alkali degradation of slag based glass fibre. (Production and property slag based continuous glass fibre--II). Eiichiro Konishi, et al.	S76
77	Effect of MgO on physical properties of water granulated blast furnace slag. Yoshiyuki Takaya, et al.	S77
78	Fundamental concept of oxygen blast furnace process. (Development of oxygen blast furnace process--I). Yotaro Ohno, et al.	S78
79	Pulverized coal combustion and raceway formation with oxygen blast. (Development of oxygen blast furnace process--II). Yotaro Ohno, et al.	S79
80	Test of oxygen blast furnace process with experimental blast furnace. (Development of oxygen blast furnace process--III). Yotaro Ohno, et al.	S80
81	In-situ analysis of carbon monoxide and carbon dioxide in high temperature gas by infrared spectroscopy. Koichiro Shibata, et al.	S81
82	Effect of preheating of pulverized coal on combustion behavior. Kenro Sato, et al.	S82
83	High pulverized coal rate operation at Kakogawa No. 2 BF of Kobe Steel, Ltd. Yoshiyuki Matsui, et al.	S83
84	Operation of pulverized coal injection with petroleum coke at Nakayama No. 1 BF. Toshiya Kumada, et al.	S84
85	Heavy oil-pulverized coal injection in operation of Kure No. 2 blast furnace of Nisshin Steel Co., Ltd. Tadashi Oishi, et al.	S85
86	Development of a production process for coal-water-mixture. Hiroyuki Mitsufuji, et al.	S86
87	Development of blast furnace diagnosis system based on knowlege engineering. Tetsuhito Funabiki, et al.	S87
88	Development of expert system for the blast furnace heat control. (Blast furnace operation control by artificial intelligence system--II). Masaaki Sakurai, et al.	S88
89	Statistical analysis for decreased heat level. (Forecasting system for blast furnace condition--I). Kouichi Matsuda, et al.	S89
90	Application of forecasting system for decreased heat level to Kobe No. 3 BF of Kobe Steel, Ltd. (Forecasting system for blast furnace condition--II). Korehito Kadoguchi, et al.	S90
91	Test of pulsated blast at the tuyeres of blast furnace by hot blast control valve. Takashi Takebe, et al.	S91
92	Lowered stock level operation of blast furnaces at Fukuyama Works, Nippon Kokan K.K. Makoto Gocho, et al.	S92
93	Low [Si] operation at Mizushima Works of Kawasaki Steel Corporation. Hirobumi Nishimura, et al.	S93
94	Development of high reliable and long life ordinary tuyere. Shin-ichi Niinuma, et al.	S94
95	Development of abrasion resistance tuyere for blast furnace by using ceramics. Haruo Kato, et al.	S95
96	Development of mud loading robot for blast furnace. Nobutake Ninaminosono, et al.	S96
97	Method for measuring sinter porosity by vacuum packing. Shunji Kasama, et al.	S97
98	Effect of sinter-cake structure on degradation. (Characterization of sinter-cake--I). Shunji Kasame, et al.	S98
99	Mathematical modelling of sinter breakage process. Masami Wajima, et al.	S99
100	Investigation of desirable green ball size based on the drying and heat condition phenomena in new agglomeration process. (Production of new agglomerates--III). Hidetoshi Noda, et al.	S100
101	Process evaluation between new agglomeration and sinter on the results of pot tests. (Production of new agglomerates--VI). Hidetoshi Noda, et al.	S101
102	Qualities of indurated iron ore briquette. Arata Yamaguchi, et al.	S102
103	Reduction of binder consumption in the cold bonded pellet. Kiyoshi Kojima, et al.	S103

104	Reduction of iron oxide pellets with blast furnace sludge containing carbon and zinc. Chongmin Cho, et al.	S104
105	Investigation of the manganese ore sintering. Takuma Kodama, et al.	S105
106	Production of low SiO ₂ content sinter. (Production of low SiO ₂ content sinter and blast furnace operation--I). Tasuku Takahashi, et al.	S106
107	Blast furnace operation with low SiO ₂ content sinter. (Production of low SiO ₂ content sinter and blast furnace operation--II). Korehito Kadoguchi, et al.	S107
108	Sintering operation with low-SiO ₂ and high-CaO/SiO ₂ at Wakayama Sinter Plant of Sumitomo Metal Industries, Ltd. Takahisa Miyake, et al.	S108
109	Limit condition for iron ore sintering. Shun Sato, et al.	S109
110	Fundamental study of double combustion sintering. Shun Sato, et al.	S110
111	Development of a control system for uniforming the sintering speed of iron ores. Kazuma Nakashima, et al.	S111
112	Computer control system for sintering of iron ores. Hideaki Inoue, et al.	S112
113	Several countermeasures to prevent air leakage at Mizushima No. 4 sintering machine of Kawasaki Steel Corporation. Kazuma Nakashima, et al.	S113
114	Gas leakage measuring system in sintering plant of Kokura Steel Works, Sumitomo Metal Industries, Ltd. Shusuke Komatsu, et al.	S114
115	Optimum operation at Sakai No. 2 Sintering Plant of Nippon Steel Corporation. Akiyoshi Ooshio, et al.	S115
116	Recovery equipment for low temperature waste heat from cooler at Wakamatsu Sintering Plant of Nippon Steel Corporation. Yoshiaki Shimakawa, et al.	S116

-- IRONMAKING / STEELMAKING --

APRIL 3, 1987

117	Development of coal gasification-iron ore reduction process by fluidized bed. Tetsuo Horie, et al.	S117
118	Reduction characteristics of chromite ore by fluidized bed. Tetsuo Horie, et al.	S118
119	Reduction of fine iron ore by CO and H ₂ in a laboratory fluidized bed. Kazuya Kunitomo, et al.	S119
120	Behavior of reduction of molten slag containing niobium oxide by carbon. Kazuyuki Sakuraya, et al.	S120
121	Rate of reduction of iron oxide in molten slag. Akihiko Shinotake, et al. ...	S121
122	Smelting reduction mechanism of iron oxide with high gas pressure. (Study on the refining with high gas pressure---III). Yuji Kawauchi, et al.	S122
123	Outline of pilot plant for coke packed bed type smelting reduction furnace. (Development of ferrochrome production process by smelting reduction--VII). Katsutoshi Igawa, et al.	S123
124	Operation of pilot plant for coke packed bed type smelting deduction furnace. (Development of ferrochrome production process by smelting reduction--VIII). Shinobu Takeuchi, et al.	S124
125	Reduction behavior of fine ore injected from the tuyere in the small-sized coke combustion furnace. (Mathematical simulation of new smelting process --I). Yoshitaka Sawa, et al.	S125
126	Mathematical simulation of smelting reduction process of fine ore injected from the tuyere in the coke packed bed. (Mathematical simulation of new smelting process--II). Yoshitaka Sawa, et al.	S126
127	Non-electric power steelmaking using carbon powder and oxygen gas-II. Noboru Demukai, et al.	S127
128	Smelting test on hig-carbon ferrochrome. (Development of a new ironmaking process--VII). Yasuo Kamei, et al.	S128
129	Test on melting of scrap by oxygen blowing. (Development of a new iron-making process--VIII). Hideyuki Yamaoka, et al.	S129
130	New silicon sensor for hot metal measurements. Kiyoshi Ichihara, et al.	S130
131	Decrease in refractory consumption of desiliconization runner at Fukuyama No. 2 BF of Nippon Kokan K.K. Koichi Tomioka, et al.	S131
132	Fundamental research of optimum BF runner design for hot metal treatment. (Development of hot metal treatment for mass production--IV). Shohei Kouroki, et al.	S132
133	Desiliconization and dephosphorization treatment on the BF runner. (Development of hot metal treatment for mass production--V). Hiroyuki Ikemiya, et al.	S133
134	Analysis of dephosphorization reaction with thermal evaluation during hot metal treatment on the BF runner. (Development of hot metal treatment for mass production--VI). Takaiku Yamamoto, et al.	S134
135	Improvement in desiliconization operation at Mizushima No. 4 BF of Kawasaki Steel Corporation. Koichi Shinohara, et al.	S135

- 136 Development of two step desiliconization at a blast furnace cast floor.
(Development of continuous desiliconization treatment of hot metal in
iron runner--IV). Hitoshi Miyatani, et al. S136
- 137 Change of pig iron composition and splashing behavior during powder
blasting desiliconization. Haruo Kokubu, et al. S137
- 138 Desiliconization in runner at Ohgishima No. 2 BF of Nippon Kokan K.K.
Kunihiko Ishii, et al. S138

-- STEELMAKING --

APRIL 1, 1987

- 139 Bloom continuous casting using ultrasonic vibration.
Masaru Abe, et al. S139
- 140 Development of continuous casting using ultrasonic mold instead of
mold oscillation. Akio Hatono, et al. S140
- 141 Numerical analysis of solidification phenomena of steel melt in
flow field. (Continuous casting of thin slab--III).
Nagayasu Bessho, et al. S141
- 142 Effect of roll materials on solidification structure of SUS304.
(Development of twin roll strip caster--I). Hiroyuki Yasunaka, et al. S142
- 143 Development of new design mold in horizontal continuous casting.
(Development of horizontal continuous casting process--XV).
Shinobu Miyahara, et al. S143
- 144 Construction of electroslag hot-topping equipment. (Technical development
for producing high quality ingot--I). Kanji Aizawa, et al. S144
- 145 Manufacture of high grade steel ingot by electro slag hot topping process.
Toshio Kato, et al. S145
- 146 Characteristics of solidification of forging ingot during electroslag
hot topping. (Technical development for producing high quality ingot--III).
Yutaka Shinsho, et al. S146
- 147 Improvement of pits appeared in ingot of lead free cutting steel.
Jun Eguchi, et al. S147
- 148 Application of F.E.M to anti-longitudinal crack measures for
round casting. Susumu Tsujita, et al. S148
- 149 Effect of secondary cooling on continuous cast bloom quality.
Isao Takagi, et al. S149
- 150 Technology of decreasing pinhole in continuously casted steel.
Takasi Yanai, et al. S150
- 151 Effect of billet size on quality of round billet. (Round billet
casting process--XIII). Takashi Kubo, et al. S151
- 152 The mechanism of surface cracking formation of ferritic stainless steels
due to slab conditioning. Kazuya Miura, et al. S152
- 153 No crack conditions of isothermal treatments in direct rolling.
Hiroshi Ogawa. S153
- 154 Analysis of secondary cooling phenomena of continuous casting.
Susumu Yuhara, et al. S154
- 155 Flowing behaviour of continuous casting powder in mould.
Ken Nakai, et al. S155
- 156 Investigation of heat transfer and flux behavior in slab C.C. mold.
Masanori Oomae, et al. S156
- 157 Development of casting powder viscometer by oscillating-plate method.
Masatoshi Tokuda, et al. S157
- 158 Improvement on melting process of continuous casting powder.
Noriyoshi Masuo, et al. S158
- 159 Improvement of BOF operation estimating [C], [Mn], [P] at tapping with
oxygen sensor. Hiroshi Kondo, et al. S159
- 160 Optimization of blowing pattern on top and bottom blowing converter.
Hidetaka Takezoe, et al. S160
- 161 Behaviour of nitrogen in molten steel during refining process with
combined blowing converter. (Development of low nitrogen steel
production process--II). Hiroaki Ishida, et al. S161
- 162 Techniques for reducing hydrogen in the top and bottom blowing converter
with duplex tuyeres using LPG as coolant. Kōichi Miyamoto, et al. S162
- 163 Mechanism of mushroom formation in combined blowing converter.
Takeshi Koyanagi, et al. S163
- 164 Slag level control using microwave slag level gauge in BOF.
Akio Hatono, et al. S164
- 165 Development of exchanging device of syphon tapping tube.
Masahito Suitoh, et al. S165
- 166 Influence of top blow oxygen supply rate on the decarburization of
stainless steel. Hiromi Ishii, et al. S166

167	Decarburization action of stainless steel in the top and bottom blown converter. Hiromi Ishii, et al.	S167
168	Behavior of CaO and MgO in unburned MgO-CaO-C brick for BOF. Ritsu Ebizawa, et al.	S168
169	Improvement of refractories for mechanical stirring desulfurization equipment. Hisaki Kato, et al.	S169
170	Improvement of nozzle materials for steel ladle. Yasuyuki Kawamura, et al.	S170
171	Improvement of VOD ladle brick. Ken-ichi Kamegawa, et al.	S171
172	Development of basic castable refractories for teeming ladle. Saburou Matsuo, et al.	S172
173	Castable lining technique for steel teeming ladles in Mizushima Works of Kawasaki Steel Corp. Michihiro Kuwayama, et al.	S173
174	Development of laser profile meter. Toshiyuki Yamamoto, et al.	S174
175	Test of O ₂ -C ₃ H ₈ flame to MHP nozzles for B.O.F. Shintaro Sudo, et al.	S175
176	Measurement and estimation of circulation rate during RH treatment. Koji Mori, et al.	S176
177	Improvement of degassing time and circulation rate in RH operation. Nobuhiro Kurokawa, et al.	S177
178	Experimental method of water model about RH-decarburization process. Junji Nakashima, et al.	S178
179	Acceleration of hydrogen removal with decarburization by powdered oxidizer blowing from a top lance under reduced pressure. Kaoru Shinme, et al.	S179
180	Production of low-sulphur steel by ASEA-SKF. Takashi Mukai, et al.	S180
181	Development of ultra low sulfur steel with powder injection process under reduced pressure on mass production line. Jun Ogura, et al.	S181
182	Contribution of transitory reaction to steel desulfurization with powder injection. Yoshiaki Hara, et al.	S182
183	Characteristics of ladle furnace refining. Ken-ichi Maruyama, et al.	S183
184	Development of Ca-Si wire formation and addition unit. Issey Ibuki, et al.	S184
185	Development of ladle slag reduction. Yoshimasa Miyazaki, et al.	S185
186	Shape control of inclusion for tire cord steel. (Development of ladle arc refining process--V). Tsuyoshi Mimura, et al.	S186
187	Vertical distribution of composition of ladle slag. Hideaki Yamamura, et al.	S187
188	Development of skull cutting technology in RH degassor. Shuhei Onoyama, et al.	S188
189	Top air blowing method in AOD. Yuuji Yoshimura, et al.	S189

APRIL 2, 1987

190	Direct observation of melting and freezing of crystalline materials by electron microscopy. Hiroyasu Saka, et al.	S190
191	Influence of EMS on sub-surface structure of alloy steel billets. Akira Kato, et al.	S191
192	Solidification of undercooled iron base alloys. Wataru Yamada, et al.	S192
193	Effect of carbon content and cooling rate on the γ grain size of peritectic-solidified carbon steel. Kiyotaka Matsuura, et al.	S193
194	Effects of γ grain size on γ/α transformation of as-cast low carbon low alloy steel. Takashi Kanazawa, et al.	S194
195	Effect of fluid flow on the surface solidification of steel ingots. Hideo Mizukami, et al.	S195
196	Formation mechanism of micro-segregation in nickel-based superalloy. Takashi Sawai, et al.	S196
197	Effect of oxide inclusion on MnS precipitation in low carbon steel. Hidetoshi Yuyama, et al.	S197
198	Effect of vanadium on hot ductility of high carbon steel. Tsuneaki Nagamichi, et al.	S198
199	Effect of niobium and vanadium precipitates and proeutectoid ferrite on hot ductility of steels. Hitoshi Nakata, et al.	S199
200	Analysis of dynamic behavior of meniscus during casting. Akira Matsushita, et al.	S200
201	Effect of liquid flow in mold on surface quality of continuously cast blooms. Hakan Nakato, et al.	S201
202	Multi-point sensing of mold meniscus for investigation of molten steel flow in mold. (Control of molten steel flow at free surface in high speed C.C. mold--III). Kazutaka Okimoto, et al.	S202
203	Influence of submerged nozzle hole on mold powder trappment. Masaru Washio, et al.	S203
204	Improvement of center segregation by short pitch divided roll in intensive cooling casting. (Improvement of center segregation in CC slabs--I). Mikio Yamashita, et al.	S204

205	Influence of deflection behavior of solidified shell on center segregation (Improvement of center segregation of CC slabs--II). Keiji Nakajima, et al.	S205
206	Improvement of center segregation by intentional bulging soft reduction casting. (Improvement of center segregation in CC slabs--II). Hitoshi Kobayashi, et al.	S206
207	Influence of soft reduction in the last stage of solidification on center segregation of continuously cast bloom. (Improvement of center segregation of continuously cast bloom by soft reduction--I). Mitsuo Uchimura, et al.	S207
208	Improvement of segregation of continuously cast bloom by soft-reduction of the strand near the crater end. Kohichi Isobe, et al.	S208
209	Improvement in center segregation of continuously cast bloom by hard reduction during solidification. (Development of continuous forging reduction method for continuously cast strand--I). Toshitane Matsukawa, et al.	S209
210	Improvement of axial segregation with hard reduction of unsolidified bloom. (Development of continuous forging reduction method for continuously cast strand--II). Koichi Kushida, et al.	S210
211	Solute accumulation in liquid pool due to continuous forging. (Development of continuous forging reduction method for continuously cast strand--III). Ken-ichi Sorimachi, et al.	S211
212	Recirculating gas flow with combustion in a 300 kg converter with a top blowing lance. Yoshiei Kato, et al.	S212
213	Heat and mass transfers in a combined blowing converter. J.P. Reboul, et al.	S213
214	Influence of lance design and operating variables on post combustion in the converter with secondary flow nozzles. Yoshiei Kato, et al.	S214
215	A consideration of the effect on heat efficiency of post combustion in LD converter. (Fundamental study on smelting reduction process--VII). Shin-ichi Nishioka, et al.	S215
216	Development of lance for effective post combustion in test converter using pulsating jet. Yukio Takahashi, et al.	S216
217	BOF operation with dephosphorized hot metal. Shohei Kuroki, et al.	S217
218	Blowing of pretreated hot metal in top and bottom BOF. Yasunori Muraki, et al.	S218
219	Estimation of end point %P in combined blowing process with pre-treated hot metal. Nobukazu Kitagawa, et al.	S219
220	Application of less slag blowing for low phosphorus steel. Masaki Komatani, et al.	S220
221	Application of less slag refining for high carbon steel. Satoshi Kohira, et al.	S221
222	Behavior of dust formation in converter. (Mechanism of dust formation in converter--III). Masatomo Sasagawa, et al.	S222
223	Characteristics of BOF dust generation under a little slag quantity. Yutaka Hiraga, et al.	S223
224	Improvement of dynamic control on blowing technique of converter. Ikuro Hoshikawa, et al.	S224

APRIL 3, 1987

225	Effective desiliconization and demanganeseization of hot metal by a total analytical model. Toshihiro Kitamura, et al.	S225
226	Kinetics of decarburization of low carbon liquid iron under reduced pressures. Kazuomi Harashima, et al.	S226
227	Kinetics of nitrogen absorption and desorption in liquid iron alloys. Seiji Yokoyama, et al.	S227
228	Thermodynamics and kinetics of nitrogen dissolution in liquid iron melts. Akihiko Inoue, et al.	S228
229	Solubility and the rate of dissolution of carbon dioxide in CaO-CaF ₂ melts. Takashi Ikeda, et al.	S229
230	Effects of foreign ions on the activities of P ₂ O ₅ in BaO-BaCl ₂ -P ₂ O ₅ fluxes used for the dephosphorization of stainless steel melts. Hiroyasu Fujiwara, et al.	S230
231	Interrelation between phosphate capacity and carbonate capacity for alkaline earth metal oxide-chloride melts. Hideki Iritani, et al.	S231
232	Control of oxygen content and inclusion in Ti containing steel. Hidetoshi Matsuno, et al.	S232
233	Removal of copper in molten iron with sulfate slag. Tohru Matsuo, et al.	S233
234	Dephosphorization equilibrium between BaO-based slags and liquid iron containing chromium. Ryo Inoue, et al.	S234
235	Dephosphorization of crude stainless steel melt by CaCrO ₄ -CaO-CaF ₂ flux. Ryuji Nakao, et al.	S235

236	Thermodynamics of dephosphorization of Fe-Cr-C alloy with CaO bearing slag. Nobuo Sano, et al.	S236
237	Thermodynamics of Ca_3P_2 at 1 000~1 300°C. M.D. Joon, et al.	S237
238	Thermodynamics of dephosphorization of silicon-manganese alloy. Eiji Aida, et al.	S238
239	Nb, P, Mn distribution equilibria between MgO saturated $\text{FeO-SiO}_2\text{-NbO}_x\text{-MnO}$ slags and liquid iron. Ryo Inoue, et al.	S239
240	Dephosphorization of hot metal by $\text{CaO-Fe}_2\text{O}_3\text{-Al}_2\text{O}_3\text{-CaF}_2$ flux. Toshiyuki Kaneko, et al.	S240
241	Dephosphorization and desulphurization of hot metal by $\text{CaO-Al}_2\text{O}_3\text{-Fe}_2\text{O}_3$ flux. Osamu Terayama, et al.	S241
242	Desulphurization and deoxidation behaviour of molten iron by adding Al in CaO rich crucibles. Toru Degawa, et al.	S242
243	Relation between sulphide capacity and lattice energies of component oxides and sulphides. Eiji Ichise, et al.	S243
244	Sulfide capacity of $\text{CaO-CaF}_2\text{-SiO}_2$ fluxes. Katsujiro Susaki, et al.	S244
245	Thermodynamics of nitrogen solubility in CaO-CaF_2 slags. E. Martinez, et al.	S245
246	Denitritization of molten steel by fluxes. Hideaki Suito, et al.	S246
247	Improvement of tundish maintenance and refractories. Masao Inagaki, et al.	S247
248	Rationalization of tundish service at No. 1 Steel Making Plant of Yawata Works, Nippon Steel Corp. Tomoharu Shimokasa, et al.	S248
249	Improvement of coating material for tundish. Sumio Sakaki, et al.	S249
250	Development of high-temperature heating for tundish. Masamichi Takeuchi, et al.	S250
251	Influence of tundish temperature on quality of products in bloom continuous casting. (Heat balance analysis by means of continuous measurement of molten steel temperature in tundish--II). Yooichi Mizutani, et al.	S251
252	Effect of tundish induction heater on improvement of bloom quality. Sawato Noguchi, et al.	S252
253	Development of initial opening technology of sliding nozzle by gas-pressure. Eiji Kameyama, et al.	S253
254	Development of an apparatus to simulate the clogging of submerged nozzles for continuous casting. Kosuke Kurata, et al.	S254
255	Development of a submerged nozzle for high-oxygen steel casting. Taijiro Matsui, et al.	S255
256	Quality improvement by alteration of mould oscillation mechanism for small size billet caster. Tokio Tashiro, et al.	S256
257	The relationship between morphologies of oscillation marks and mold oscillation mode. (Development of non-sinusoidal oscillation mode in continuous casting of steel--V). Mikio Suzuki, et al.	S257
258	Effect of mold oscillation mode on the formation of oscillation marks. (Development of non-sinusoidal oscillation mode in continuous casting of steel--VI). Masami Komatsu, et al.	S258
259	Life elongation modification of sprit bearing for continuous casting drive roll. Takashi Shimada, et al.	S259
260	Improvement of accuracy of CC slab weight by the control of pinch rolls pressure. Yoshiji Funamoto, et al.	S260
261	Replacement of Kashima No. 1 of Sumitomo Metal Industries, Ltd. Junichiro Yoshiyama, et al.	S261
262	Development of automatic casting technology for continuous slab caster. Aimei Shiraishi, et al.	S262
263	Inner surface measuring system for round billet casting mold. (Automation technology of round billet C.C.M. for seamless pipe--III). Masami Nakamura, et al.	S263
264	New control system of the slab casters at Mizushima Works, Kawasaki Steel Corp. Hirosato Yamane, et al.	S264
265	Analysis of shell deformation and thermal stress of wedged-slab in continuous casting by creep model. (Continuous casting method of new shape slab for section steel rolling--I). Takamasa Ohno, et al.	S265
266	Simulation on straightening behaviour of wedged-slab using rubber specimen. (Continuous casting method of new shape slab for section steel rolling--II). Takamasa Ohno, et al.	S266
267	Casting result with wedge added mold. (Continuous casting method of new shape slab for section steel rolling--III). Makoto Takahashi, et al.	S267
268	Swelling level by bottom blowing and design of plug. (Refining process of EAF by bottom blowing). Masahisa Tate, et al.	S268

269	Mixing time and practical application to 50 T EAF. (Refining process of EAF by bottom blowing). Masahisa Tate, et al.	S269
270	Reduction of chromium-ore in electric arc furnace. Atsushi Watanabe, et al.	S270
271	Construction and operation of hot metal treatment in Keihin Works, Nippon Kokan K.K. Yoshiaki Tabata, et al.	S271
272	Improvement in hot metal pretreatment process by hot metal supervising system. Norio Misaki, et al.	S272
273	Operation of hot metal pre-treatment at Mizushima Works, Kawasaki Steel Corp. Masahito Suitoh, et al.	S273
274	Application of oxygen top blowing at hot metal pre-treatment. Noriyuki Urabe, et al.	S274
275	Dephosphorization behaviour of hot metal with BOF slag-based flux in 250 T BOF. (Development of dephosphorization method of hot metal in top and bottom blowing converter--III). Katsuhiko Arai, et al.	S275
276	Pretreatment of hot metal with scrap in top and bottom blown converter. Kyoichi Kameyama, et al.	S276
277	Construction and operation of hot metal treatment process. (Development of optimum hot metal treatment process--I). Motoki Yoshida, et al.	S277
278	Development of dephosphorization method in ladle. (Development of optimum hot metal treatment process--II). Kiyoyuki Honda, et al.	S278
279	Effect of shield tundish on improvement of steel quality. Toshiyuki Ishikura, et al.	S279
280	Improvement of internal slab quality at non-regular period in continuous casting. Nobuhiko Morioka, et al.	S280
281	Development of reducing method of non-metallic inclusion in tundish. (Development of spinning nozzle method and bottom bubbling method). Shigeru Imamura, et al.	S281
282	Precipitation behavior of Ca-containing inclusions in Ca added CC slab. Shinya Kitamura, et al.	S282
283	Improvement technique of subsurface quality in continuous casting bloom. Hiroshi Kuramoto, et al.	S283
284	Inclusion aggregation of CC bloom. Atsushi Ishikawa, et al.	S284
285	Application of continuous cast slab for steelpaper. Tetsuya Moriya, et al.	S285
286	Manufacturing of enameling sheet by C.C. steel. Masayuki Matsuda, et al.	S286
287	Continuous casting of Ti-stabilized stainless slabs. Hajime Mori, et al.	S287
288	Production of leaded free cutting steels by bloom continuous cast. Masatoshi Sasaki, et al.	S288

-- SHAPING & FABRICATION • INSTRUMENTATION & CONTROL --

APRIL 1, 1987

289	Screw down control systems for blooming mill. Takeshi Mori, et al.	S289
290	Calculation of thermal deformation and its application for section steels. (Shape control of section steels--I). Shinji Ida, et al.	S290
291	Calculation of roll separating force in universal rolling of H-beam. Hiroyuki Hayashi, et al.	S291
292	Hot rolling of mast rail for fork lift truck. Kikuo Ishida, et al.	S292
293	Outline and operation results of new bar and rod mill. (Outline of new bar and rod mill in Sendai Works, Azuma Steel Co., Ltd.--I). Hiroshi Ueda, et al.	S293
294	Furnace computer control of new bar and rod mill. (Outline of new bar and rod mill in Sendai Works, Azuma Steel Co., Ltd.--II). Masakatsu Saito, et al.	S294
295	Quality of heat-treatment free steels produced by new bar and rod mill. (Outline of new bar and rod mill in Sendai Works, Azuma Steel Co., Ltd.--III). Yutaka Sagae, et al.	S295
296	Effect of metallurgical factors on steel wool machinability. Hiroshi Ohba, et al.	S296
297	Sheet pile de-burring robot. Hiroyuki Noro, et al.	S297
298	Life of Mo plug repaired by HIP in experimental mill rolling. Shigeru Uchida, et al.	S298
299	Effects of guide plate on bottom end shape in elongator. (Development of drive roller shoe for cross helical rolling mill of seamless pipes--III). Mikio Kodaka, et al.	S299
300	Effects of driving force on rolling efficiency and bottom end shape in elongator. (Development of drive roller shoe for cross helical rolling mill of seamless pipes--IV). Mikio Kodaka, et al.	S300

301	Seam following control of annealers for electric seamed pipes. Yoshiharu Kato, et al.	S301
302	Production of small diameter and heavy wall thickness ERW tube. Michiaki Yoshida, et al.	S302
303	Hydraulic straightener control system. (Study on tube straightening--VI). Takeo Yasuda, et al.	S303
304	Straightening of tube. (Study on press straightening of tube--I). Yoshiaki Sugimori, et al.	S304
305	Circularizing of tube. (Study on press straightening of tube--II). Yoshiaki Sugimori, et al.	S305
306	Effect of chemical composition and bonding condition on mechanical properties of induction bent pipe. (Development of elbowless-pipe--I). Yasusuke Inoue, et al.	S306
307	Effect of induction bent pipe dimension on internal pressure resistance. (Development of elbowless-pipe--II). Hisashi Naoi, et al.	S307
308	Sealing mechanism of seal ring inserted between the threads of OCTG connection. Kazuhiko Ito, et al.	S308
309	Development of seal ring bear OCTG connection. Kazushi Maruyama, et al.	S309
310	Thread geometry inspection system with optoelectrical sensors and contact gauges. Hisatsugu Ishizu, et al.	S310
311	Model test for improvement of buckling limit in edge rolling. (Study of heavy width reduction with inclined edging rolls--I). Jitsuo Kitazawa, et al.	S311
312	Feed forward automatic width control of plate rolling. (Development of a process for manufacturing TFP(trimming free plate)--IV). Isamu Okamura, et al.	S312
313	Outline of edger and edge miller of plate mill at Oita Works, Nippon Steel Corp. Kohzo Kohno, et al.	S313
314	Shape meter and shape control system for plate mill. Shoji Takahashi, et al.	S314
315	Development of rolling technique for tapered plate. Toshiyuki Ooka, et al.	S315
316	Development of rolling technique for differential thickness plate. Toshiyuki Ooka, et al.	S316
317	The outlook of tension hot leveler for plate. Akira Nishiyama, et al.	S317
318	Control of the tension hot leveller at Fukuyama Works, Nippon Kokan K.K. Shinji Ohori, et al.	S318
319	Development of chamber estimation system for plate strip cutting. Yoshikazu Obanya, et al.	S319

APRIL 2, 1987

320	Outline of the high efficient reheating furnace with low heat inertia. (Construction of the new reheating furnace at Kimitsu plate mill, Nippon Steel Corp.--I). Yoshihumi Usui, et al.	S320
321	Combustion control system of the new reheating furnace in plate mill. (Construction of the new reheating furnace at Kimitsu plate mill, Nippon Steel Corp.--II). Toyohiko Ueda, et al.	S321
322	Mill pacing control system in plate mill. Yuji Adachi, et al.	S322
323	Slab uniform heating technology for plate slab. Masanori Ebihara, et al.	S323
324	Furnace computer control of plate mill at Chiba Works, Kawasaki Steel Corp. Chikara Osaka, et al.	S324
325	Modification of reheating furnace of No.2 large section mill, Fukuyama Works of Nippon Kokan K.K. Yuzo Kato, et al.	S325
326	Combustion characteristics of similar figure burners. Yutaka Suzuki, et al.	S326
327	Data processing system for researchers aid by central computer. Yasuhiro Motofuji, et al.	S327
328	Traffic control system for pipe carrying trailers. Toshiyuki Yonemasu, et al.	S328
329	Coil transfer system by palette. Toshikazu Mori, et al.	S329
330	Remote plant monitoring system for maintenance. Tsutomu Kuno, et al.	S330
331	Development of new function of AGC system. (Remodeling of strip thickness control system at Kimitsu 2CM, Nippon Steel Corp.--I). Ryuichi Muramoto, et al.	S331
332	Development of high response speed control system. (Remodeling of strip thickness control system at Kimitsu 2CM, Nippon Steel Corp.--II). Masanori Shimada, et al.	S332
333	Development of high response hydraulic push up system. (Remodeling of strip thickness control system at Kimitsu 2CM, Nippon Steel Corp.--III). Ryohei Koizumi, et al.	S333
334	Development of AGC system for fully continuous cold rolling mill. Masanori Shimada, et al.	S334

335	Analytical approach to effect of roll bending in strip rolling. Takashi Ishikawa, et al.	S335
336	Roll eccentricity control with roll balance cylinder. Toshiya Ooi, et al. ...	S336
337	Analysis of slipping and chattering in high reduction rolling. (Characteristics of 12 hi cluster mill--IV). Akihiko Fukuhara, et al.	S337
338	Automatic flatness control system of cluster mill. (Characteristics of 12 hi cluster mill--V). Goro Fukuyama, et al.	S338
339	Prediction of kiss roll and method to decide optimal taper of work roll. (Studies on foil rolling by work rolls of large diameter--I). Kenji Hara, et al.	S339
340	Application of work rolls of large diameter to the commercial production mill. (Studies on foil rolling by work rolls of large diameter--II). Shigeo Matsubara, et al.	S340
341	Outline of AC drive system of cold tandem mill. Katsuhiko Doi, et al.	S341
342	The application of tension monitor control to the tension reel. Junji Ojio, et al.	S342

APRIL 3, 1987

343	Development of embossed H-shape. Keiichi Takada, et al.	S343
344	Mechanical behavior of latticed type SRC beam using ultra large deformed bars as its flanges. Yohichi Kobayashi, et al.	S344
345	Heavy thick 60 kgf/mm ² class steel plate with low yield ratio. Nobuo Shikanai, et al.	S345
346	Effect of environment on fatigue crack propagation for duplex stainless steel. Hiroyuki Masuda, et al.	S346
347	Fatigue strength of Gusset welding joints for steel tower. Shin-ichi Nishida, et al.	S347
348	Recent current of base isolation and seismic control system for building structure. Takayuki Teramoto.	S348
349	Development of the friction damper for earthquake response control. Keiichi Takada, et al.	S349
350	Earthquake observation of embedded steel plate cellular bulkheads. Takeshi Iida, et al.	S350
351	Cooling method of steel by flashing liquid jets. Akio Fujibayashi, et al. ...	S351
352	Characteristics of heat transfer of multi-water spray nozzle. Akira Onishi, et al.	S352
353	Control of temperature and shape on controlled cooling of steel plate. Hiroshi Uekaji, et al.	S353
354	Characteristic temperature during dip quenching of heated metal in pool water. Masaaki Usuba, et al.	S354
355	Factors affecting cooling ability of water-filled cooling tube for bar. (Temperature control technique for controlled rolling and cooling of bar--III). Mitsuru Moritaka, et al.	S355
356	Practical application of cooling system to bar mill. (Temperature control technique for controlled rolling and cooling of bar--IV). Yutaka Ichida, et al.	S356
357	Investigation of cooling control method to prevent cracking in pipe quenching. (Development of cooling control technology in pipe quenching--I). Masami Kanai, et al.	S357
358	Experiment of cooling control method to prevent cracking in pipe quenching. (Development of cooling control technology in pipe quenching--II). Michihiko Iwamoto, et al.	S358
359	High speed operation technology of continuous annealing line. Yasuhiro Yamaguchi, et al.	S359
360	Chrome plating application technology for work roll of cold rolling mill. (Application of chrome deposit work roll--II). Ichiro Aoki, et al.	S360
361	Development of high-chromium cast iron work rolls for cold strip mills. Ryosaku Nawata, et al.	S361
362	Development of dull roll laser beam finishing machine. Yoshito Kawai, et al.	S362
363	Spalling on tension leveler roll surface in pickling line. Akihiro Yanagisawa, et al.	S363
364	Characteristics of new material roll for stainless steel and its actual rolling results. Takashi Hashimoto, et al.	S364
365	Scoring of roll in hot rolling of stainless steel with hot strip test mill. Yuichi Higo, et al.	S365
366	Application of lubrication technique at Fukuyama No.2 HSM, Nippon Kokan K.K. (Hot lubrication rolling at roughing mill and lubrication cut at Krop knife). Masahide Yamamoto, et al.	S366
367	Properties of PTA and its applications for industries. Hiroshi Goto, et al.	S367
368	Development of oil analyzing system. Ken-ichi Danjyo, et al.	S368

369	Synchronized operation system between steelmaking and hot rolling at Mizushima Works, Kawasaki Steel Corp. Shoichi Takizawa, et al.	S369
370	Development of operation and quality assurance system for continuous casting. Masaaki Nariishi, et al.	S370
371	Rolling chance free operation by work roll shift in hot strip mill. Sumihiko Ito, et al.	S371
372	Analysis of rolling behavior in dog-bone rolling. (Technique of dog-bone rolling in edge rolling--II). Yoshiki Tatsumi, et al.	S372
373	Application of crown and shape control system to hot strip mill in Kashima Steel Works, Sumitomo Metal Industries, Ltd. (Development of crown and shape control system in hot strip mill--I). Shigeru Yagisawa, et al.	S373
374	Outline of remodeling at finishing stand for hot strip mill in Kashima Steel Works, Sumitomo Metal Industries, Ltd. Tadao Ebukuro, et al. ...	S374
375	Improvement of edge drop and buckling prevention by upper holding roll in edger between hot-strip finishing mill. (Study on strip edging--VI). Yasuo Igarashi, et al.	S375
376	Effect of coil box installed into Chiba No.2 hot strip mill, Kawasaki Steel Corp. Nobuaki Nomura, et al.	S376
377	Width meter by optical fiber linear array for hot strip rolling. Takao Yamane, et al.	S377
378	A long life blade for hot shearing machines. Katsumi Takada, et al.	S378
379	Application of process diagnosis technique to down coiler. Matsuo Yoshimoto, et al.	S379
380	Scale-breaking of hot-rolled strip with rubber roll. Tetsu Matoba, et al. ...	S380
381	Establishment of scale removing device of flash butt welder at pickling line. Norio Kikuchi, et al.	S381
382	Laser welder for thin and wide electrical steel strip. Mibuo Tamura, et al.	S382
383	Welding characteristics of high power laser welder. Masahiko Ito, et al.	S383
384	Application of roller bearing to back up roll in hot strip mill. Kenji Doi, et al.	S384
385	Shock torque reduction device of a rolling mill. Shumei Yamamura, et al.	S385
386	Analysis of roll chock strength and bearing load distribution at Mizushima hot strip mill, Kawasaki Steel Corp. Sadanori Nakano, et al. ...	S386
387	Reconstruction for saving electric power at Fukuyama No.2 HSM, Nippon Kokan K.K. Hiroshi Nishimura, et al.	S387
388	Total power saving system for auxiliary electrical equipments for hot strip mill. Hiroshi Ohashi, et al.	S388

-- CHEMICAL ANALYSIS . SURFACE TREATMENT --

APRIL 1, 1987

389	Quantitative XPS analysis of binary Fe-Cr alloys. Takako Yamashita, et al.	S389
390	Discussion for practical auger quantification using peak profile. Akihiro Tanaka.	S390
391	CMA calibration procedures for practical auger quantification. Hideo Iwai, et al.	S391
392	Development of automatic glow discharge spectroscopic analytical system. Yasuko Furunushi, et al.	S392
393	Analysis of nitrogen in polymeric films of prepainted steel. Minoru Kiyotuka, et al.	S393
394	Inductively coupled plasma emission spectrometric analysis of slag samples using laser ablation technique. Tadashi Mochizuki, et al.	S394
395	Direct measurement of manganese in molten iron with observing spectrum from hot spot. Koichi Chiba, et al.	S395
396	Determination of trace amount of carbon in steel using combustion-infrared absorption spectrometry. Shigeomi Sato, et al.	S396
397	Determination of free carbon in silicon carbide by infrared absorption method after combustion. Tadashi Onoda, et al.	S397
398	Development of automatic sample preparation apparatus for gaseous components analysis in steel. Takashi Sugihara, et al.	S398
399	Determination of trace amount of oxygen in steels by inert-gas fusion technique. Yasuo Inokuma, et al.	S399
400	Determination of trace concentration of oxygen in steel on the basis of caribration using a reagent. Shigeki Tomiyama, et al.	S400
401	Determination of phosphorus in high tungsten Ni-base alloys and cobalt-base alloys. Hiroyasu Yoshikawa, et al.	S401
402	Microdetermination of silicon in metal by gel-phase absorptiometry. Kazuo Matsubara, et al.	S402

403	XRD and XRF analysis of electrodeposited Zn-Fe alloy layer. Kiyotaka Imai, et al.	S403
404	Crystal structures and thermal phase transition of electrodeposited Zn-Mn alloys. Akiyoshi Okado, et al.	S404
405	Relationship between surface free energy of galvanized steel and its paint adhesion. Kazuchika Iino, et al.	S405
406	Application of scanning vibrating electrode technique for studying corrosion behavior of coated steels. Hisamitsu Mizuki, et al.	S406
407	Effect of nickel preplating on the tin distribution of lightly tin-coated steel. Toyofumi Watanabe, et al.	S407
408	Investigation for filiform corrosion on low tin coated steel sheets. Yoshihiro Kaneda, et al.	S408
409	Effect of heavy reduction temper rolling on anti-fluting property of soft temper tinplate. (Continuous annealing technology for blackplate--IV). Kuniaki Maruoka, et al.	S409
410	Properties of tin plate with electrolytic chromic acid treatment for cans. Mitsuo Yoshida, et al.	S410
411	Improvement of lacquer adhesion for tin plate by electrolytic cathodic treatment in a $\text{CrO}_3\text{-SO}_4^{2-}$ bath. (Development of high- performance chromate treatment method for tin plate--I). Tomonari Ohga, et al.	S411
412	Surface flaw detector for ETL. Ken-ichi Iwanaga, et al.	S412
413	Polishing device for conductor roll. Masaharu Kanai, et al.	S413
414	Formability of bi-axially oriented PET laminated TFS. Tetsuhiro Hanabusa, et al.	S414

APRIL 2, 1987

415	Remodelling of the plating cells of Wakayama electro-galvanizing line, Sumitomo Metal Industries, Ltd. Tadashi Nonaka, et al.	S415
416	The analysis of voltage and current distribution on electroplated coating strip. Norihiko Sakamoto, et al.	S416
417	Sliding ability of Ni-Zn alloy electroplated steel sheet. Tadashi Sakane, et al.	S417
418	Electrochemical study of the Zn-Ni alloy electroplated steel sheets. Ryuta Hirayama, et al.	S418
419	Effects of the surface condition of the Zn-Ni alloy electroplated steel sheets upon its phosphatability. Katsuya Yamamoto, et al.	S419
420	The anti-corrosion resistance of Zn-Ni alloy electroplated steel sheet after painting. Kazuhide Oshima, et al.	S420
421	Relationship between rust composition and corrosive environment. Naoki Shibata, et al.	S421
422	Factors controlling the perforation corrosion of zinc-iron alloy electroplated steel sheet. Kazumi Nishimura, et al.	S422
423	The influence of rheological properties of organic coatings on the failure of metal organic coated sheets. Makoto Nakazawa, et al.	S423
424	Effects of Co^{2+} and Cr^{3+} on codeposition of Al_2O_3 in zinc electroplated steel. Shigeru Umino, et al.	S424
425	Roles of Co, Cr and Al_2O_3 on corrosion resistance of Zn- Al_2O_3 composite coated steel sheets. Shigeru Umino, et al.	S425
426	Paintability and corrosion resistance of Zn-Co-Cr- Al_2O_3 composite coated steel sheets. Shigeru Umino, et al.	S426

APRIL 3, 1987

427	The effects of diameter and kind of surface treatment of SiO_2 on corrosion resistance of paints containing SiO_2 . Hiroshi Kanai, et al.	S427
428	Mechanical properties of PVC wat layer containing Al flake powder. Katsumi Kanda, et al.	S428
429	Effect of additive resin on punchability of composit coated steel. Akihiro Yauchi, et al.	S429
430	The effect of the structures of additive multifunctional monomers to polymer on the properties of the paint film. (Electron beam curing reaction--II). Ryoji Nishioka, et al.	S430
431	Corrosion beneath organic coatings of prepainted galvanized steel. Hiroaki Mori, et al.	S431
432	Adhesion durability of painted steel under high humidity. Kenji Ikishima, et al.	S432
433	Anticorrosion properties of internal coated line pipe in sour environments. Hirofumi Kishikawa, et al.	S433
434	Surface treatment of threaded connection OCTG. (Phosphatability and anti-galling property). Noboru Masui, et al.	S434

435	Effect of powder formulations on performance of epoxy powder coatings for exterior of steel pipes. Keiji Nunomura, et al.	S435
436	High speed coating for structures. Takumi Muramatsu, et al.	S436
437	Corrosion behavior of aluminized steel sheet in deicing salt usage environment. (Development of hot dip aluminized steel sheet with excellent characteristics--V). Takayuki Ohmori, et al.	S437
438	Influence of Si content of base steel on the oxidation behavior at bended portion of hot-dipped aluminized steel. Atsushi Ando, et al.	S438
439	Recovery of zinc from dross obtained during galvanizing. Hideto Koga, et al.	S439
440	Effect of the outermost surface of galvanized steel sheets on the durability of the adhesive bond. Shigeyoshi Maeda, et al.	S440
441	Effect of alloy elements on corrosion embrittlement of zinc. Shigeyoshi Maeda, et al.	S441
442	Development of galvanealed steel sheet with high corrosion resistance. Takafumi Yamaji, et al.	S442
443	Properties of Zn-Fe mechanically plated steel. Kunihiro Fukui, et al.	S443
444	Corrosion behavior of Zn-Fe mechanically plated steel. Akito Sakoda, et al.	S444
445	Continuous vacuum vapor deposition line. (Production of zinc vapor deposited steel strip--I). Takuya Aiko, et al.	S445
446	Coating weight control of zinc vapor deposited steel sheet. (Production of zinc vapor deposited steel strip--II). Norio Tsukiji, et al.	S446
447	Quality of zinc vapor deposited steel sheet. (Production of zinc vapor deposited steel strip--III). Takeshi Takeuchi, et al.	S447

-- PRODUCTS AND PROPERTIES --

APRIL 1, 1987

448	Formation of magnetic scale on austenitic steel rod. Chuzo Sudo, et al.	S448
449	Mechanical properties of high strength galvanized wire ropes for long span suspension bridge. Kiyoshi Hayasaki, et al.	S449
450	Influence of patenting and drawing for fatigue property of drawn wire. Takashi Tsukamoto, et al.	S450
451	Load loss resistance of ferrite-martensite dual phase steel spring. Yutaka Kanetsuki, et al.	S451
452	Effect of metallurgical factors on high carbon drawn wires. Toshihiko Takahashi, et al.	S452
453	Effects of hot rolling conditions on spheroidizing properties of middle carbon steel. (Development of easy spheroidizing middle carbon steel--I). Motoo Satou, et al.	S453
454	On the reduction of flow stress of microalloyed high-strength wire rods for fasteners with long die life--II). Hideo Kanisawa, et al.	S454
455	Influence of hot forging conditions on fatigue strength for a micro-alloyed steel. Ichie Nomura, et al.	S455
456	Development of low carbon bainitic bar steel for hot forged use. Kazuaki Matsumoto, et al.	S456
457	Investigation of producing condition of Nb added carburizing steels for warm forming. Susumu Kanbara, et al.	S457
458	Grain coarsening behavior of Ti-Nb-bearing carburizing steel. Tatsumi Urita, et al.	S458
459	Effect of alloy elements on case depth of alloy steel for carburizing. Nobuhisa Tabata, et al.	S459
460	Effect of alloying elements on the impact strength of carburizing gear steels. Kunio Namiki, et al.	S460
461	Influence of carburizing heat treatment on charpy impact properties. Eizaburo Nakanishi, et al.	S461
462	Effect of case hardening treatment on fatigue strength of carburized steels for gears. Takashi Matsumoto, et al.	S462
463	Effects of various strengthening methods for fatigue life of case carburized steels. Takao Ohki, et al.	S463
464	Effect of retained austenite on rolling contact fatigue life of carburized steels. Sadao Shoji, et al.	S464
465	High-quality wire rods for steel wool. Hitoshi Sato, et al.	S465
466	Austenite grain refinement by cold rolling of carbon-steels. Kazuhiko Takao, et al.	S466
467	Austenite grain refinement by warm working during tempering of a low alloy steel. Hiroshi Matsuoka, et al.	S467
468	High temperature corrosion of heat resistant materials in black liquor recovery boiler. Naotsugu Yamanouchi, et al.	S468

469	Corrosion resistance of various alloys in molten carbonate salt. (Development of separator materials for molten carbonate fuel cell--I). Takatoshi Yoshioka, et al.	S469
470	Corrosion resistance of austenitic stainless steel in molten carbonate salt. (Development of separator materials for molten carbonate fuel cell--II). Kiyoshi Hiyama, et al.	S470
471	Thermochemical consideration on the high temperature corrosion of Al-added stainless steels. (High temperature corrosion of alloys in coal gasification atmospheres--II). Michiya Okada, et al.	S471
472	High temperature oxidation behavior of Fe-Ni alloys. Tadashi Inoue, et al.	S472
473	Phase transformation and fracture behavior of wustite. Fumio Matsuno.	S473
474	Effect of flow rate on fatigue crack growth behaviour of a nuclear pressure vessel steel in high temperature pressurized water. Yasuyuki Katada, et al.	S474
475	Corrosion behavior of high strength steels in sea water environments. Norio Maruyama, et al.	S475
476	Cyclic external current during corrosion fatigue under passive state on HT-60 steel. Masashi Ono, et al.	S476
477	Effects of grain boundary misorientation and inclination on intergranular corrosion of solution treated SUS310S steel with coarse columnar crystals. Akinori Sato, et al.	S477
478	Effects of grain boundary misorientation and inclination on intergranular corrosion of senstized SUS310S steel with coarse columnar crystals. Akinori Sato, et al.	S478
479	Effectiveness of cathodic protection to preferential corroded zone. Kenji Katoh, et al.	S479
480	Localized corrosion of iron in methanol solution. (Corrosion behavior of iron in methanol solution--III). Yoshitaka Nakagawa, et al.	S480
481	Corrosion resistance of SUS405 and alloys in water at high temperature. Takaaki Matsuda, et al.	S481
482	Corrosion resistance of ferritic stainless steels in high temperature water. (Development of ferritic stainless steels for low-fin tube of moisture separator heater--I). Kazuo Yamanaka, et al.	S482
483	Influence of small amounts of Ni addition on sulfide stress cracking behavior of low alloy steel. Teruo Kaneko, et al.	S483
484	Relation between sulfide stress cracking resistance of low alloy steel and characteristics of constant load test. Hitoshi Asahi, et al.	S484
485	Corrosion characteristics and application limit of 13 Cr stainless steel. Kozo Denpo, et al.	S485
486	Corrosion resistance of welded specimen of Al-bearing ferritic stainless steels annealed in hydrogen atmosphere. Toshiro Adachi, et al.	S486
487	Corrosion resistance of stress relieved stainless steel. Kiyoshi Takatsu, et al.	S487
488	Fast test method to evaluate the rust-resistance of stainless steel. Shigeru Kiya, et al.	S488
489	Effect of freckle segregation on mechanical properties of large Fe-base heat resistant alloy forging. Takemitsu Honjo, et al.	S489
490	Effects of aging treatment on high temperature properties of iron-base heat-resisting alloys. (Investigation of the high temperature strength of 15Cr-26Ni-1.25Mo iron base alloy--IX). Katsumi Iijima, et al.	S490
491	High temperature properties of stainless steel containing 0.8 % N. Kiyoshi Mineura, et al.	S491
492	Effect of B on creep rupture strength and microstructure of 23Cr-34Ni iron based alloy. Hiroyuki Doi, et al.	S492
493	Effect of high temperature aging on eutectic carbide morphology of centrifugally cast HK40. Yoshinobu Sakurai, et al.	S493
494	Creep-fatigue properties of aged heat-resisting centrifugal cast tubes. (Development of fuel-cell reformer tube--II). Toshinori Yokomaku, et al.	S494
495	Effect of alloying elements on oxidation resistance of various heat-resisting centrifugal cast tubes. Takanari Okuda, et al.	S495
496	Effects of alloy elements on carburization resistance and elevated temperature strength of 25Cr-35Ni steels for chemical plants. Yoshiatsu Sawaragi, et al.	S496
497	Embrittlement after aging of 0.1%C-8%Cr-2%W-VTa steel for the first wall of fusion reactor. Hitoshi Hayakawa, et al.	S497
498	Properties of large-diameter and thick-walled 9Cr-1Mo-V-Nb steel pipe for high temperature plant. Satomi Yamamoto, et al.	S498
499	Impact properties of 9Cr-1Mo-V-Nb steel after aging. Hiroshi Tachibana, et al.	S499
500	Effect of Ni content on creep rupture strength and mechanical properties after aging of 9Cr-7Mo steel strengthened by precipitation of intermetallic compound. Hiroyuki Uchida, et al.	S500

501	Effects of heat treatment and alloying elements on the mechanical properties of 9Cr-1Mo type steel. (Development of new 9Cr-1Mo type steel--I). Kazushige Tokuno, et al.	S501
502	Effects of alloying elements on the creep properties of 9Cr-1Mo type steel. (Development of new 9Cr-1Mo type steel--II). Kazushige Tokuno, et al.	S502
503	Weldability of 9Cr-1Mo type steel. (Development of new 9Cr-1Mo type steel--III). Hideo Sakurai, et al.	S503
504	Properties of ASTM A387-91 steel plates produced by basic oxygen process. Hiroshi Gokyu, et al.	S504
505	High strength 9 Cr Mo W steel for boiler tubes. Mizuo Sakakibara, et al.	S505
506	Effect of W content on creep rupture strength and toughness of 12 % Cr steel. Kou-you Ryuu, et al.	S506
507	Effect of Ni, W and N on high temperature strength of 13 Cr heat resistant steels for boiler tubes. Katsuro Oda, et al.	S507
508	Effects of V and Nb on long term creep-rupture strength and microstructure of 10Cr-2Mo heat resisting steels. Kentaro Asakura, et al.	S508
509	Effect of phosphorus and silicon on the formation of retained austenite in cold-rolled steel sheet. Huang Chuan Chen, et al.	S509
510	Effect of Si and Mn contents on the mechanism of obtaining retained austenite and enhancement of elongation by its TRIP phenomena. Yasuharu Sakuma, et al.	S510
511	Development of 100 kgf/mm ² grade cold-rolled sheet steel for	
512	Effect of hot band structure on mechanical properties of cold rolled dual phase steel. Hidenori Shirasawa, et al.	S512
513	Effect of continuous annealing type on strength and ductility of cold rolled dual phase steel. (Development of RQ-CAL type high strength cold rolled sheet steel with extra high ductility--I). Hidenori Shirasawa, et al.	S513
514	Effect of silicon content and CAL condition on ductility of high strength cold rolled sheet steels. (Development of RQ-CAL type high strength cold rolled sheet steels with extra high ductility--II). Ichiro Tsukatani, et al.	S514
515	Mechanical properties of Al-killed cold-rolled steel sheets produced by continuous cast and direct rolling process. Osamu Akisue, et al.	S515
516	Effect of Cu content on the mechanical properties of Al-killed, low C cold rolled steel sheets. Susumu Okada, et al.	S516
517	Effect of overaging treatment on the residual solute carbon content in extra low carbon steels. Takashi Obara, et al.	S517
518	Effect of C content on the recrystallization behavior of Fe-P alloys. Hirosuke Inagaki.	S518
519	P-C interactions in the recrystallization and temper embrittlement in Fe-P alloys. Hirosuke Inagaki.	S519
520	Effect of cold rolling condition on F-value of cold rolled extra-low-carbon steel sheet with Ti, Cr, and Nb addition. Yasuji Tanaka, et al.	S520
521	Electron channeling pattern analysis of the orientations of deformation bands developed on hot rolling for ferritic single phase stainless steel. Kouichi Yamazaki, et al.	S521
522	Synchrotron radiation white X-ray topography of secondary recrystallization grain growth in Fe-3%Si. Munetsugu Matsuo, et al.	S522
523	Method of making a cross section pole figure from a rolling plane pole figure and its accuracy. Ryo Shimizu, et al.	S523
524	Evaluation of microstructural volume fraction of hot rolled steel by using transformation detector. Masahiko Morita, et al.	S524
525	Effect of material properties on wheel-durability of high strength steel. Tomoo Sekine, et al.	S525
526	Effect of Si/Mn ratio on slag removability of CO ₂ shielded arc weld. Yukou Takeuchi, et al.	S526
527	Effects of δ-ferrite and S on the hot workability of austenitic stainless steels. Yasushi Katou, et al.	S527
528	Hot ductility of 42 % Ni alloy. Tadashi Inoue, et al.	S528
529	Application of a high-nitrogen austenitic stainless steel for heavy duty fasteners. Michio Okabe, et al.	S529
530	A XANES analysis of the effects of solute N atoms and low cycle fatigue in austenitic stainless steels. Nobuhiko Kondoh, et al.	S530
531	Effect of boron on brittle fracture after press forming of high purity ferritic stainless steel. Fumio Fudanoki, et al.	S531
532	Effect of second phase on the yield point of SUS430 stainless steel sheet. (The study on the process metallurgy of ferritic stainless steel sheet--XII). Jirou Harase, et al.	S532
533	Descaling behavior of SUS430 stainless steel hot coil in H ₂ SO ₄ -HF-HNO ₃ solution. Toshiyuki Suehiro, et al.	S533

534	The effect of heat treatment condition and alloy elements on mechanical properties of 13 % Cr steel oil country tubular goods. Hisami Sato, et al.	S534
535	Fretting fatigue behaviors of low-fin tube. (Development of ferritic stainless steel tubes for moisture separator heaters--II). Ken-ichi Tanaka, et al.	S535
536	Development of B added austenitic stainless steel. Keiji Ōsaki, et al.	S536
537	Effect of alloying element on cold forgeability of 12 % Cr stainless steel. Hideki Fujii, et al.	S537
538	Recrystallization behavior and mechanical properties of highly purified 18-8 stainless steel. Kunikazu Tomita, et al.	S538
539	Quantitative phase analysis in stainless steels by saturation magnetization measurement. Setsuo Takaki, et al.	S539
540	Reversion mechanism of deformation-induced martensite to austenite in metastable austenitic stainless steels. Kouki Tomimura, et al.	S540
541	Cryogenic properties of the EBW joint of V-bearing 316LN stainless steel. Nobuo Matsuno, et al.	S541
542	Serration of metals at very low temperatures and its computer simulation. (Study on the deformation behavior of metals at very low temperatures--III). Hisaki Sakamoto, et al.	S542
543	Effect of alloying elements on mechanical and magnetic properties of austenitic stainless steel at cryogenic temperature. Toshihiko Takemoto.	S543
544	Effects of aging on cryogenic mechanical properties of nitrogen strengthened steels. Masao Shimada.	S544
545	Influence of fabrication of sheath for Nb ₃ Sn super-conductor on cryogenic tensile properties in Nb added SUS316LN steel sheet. Shoji Tone, et al.	S545
546	Relationship between testing conditions and tensile properties of austenitic stainless steels. Nobuo Yamagami, et al.	S546
547	Serrated behavior of metals and alloys at 4 K. Nobuo Yamagami, et al.	S547

APRIL 2, 1987

548	Formation of large MnS in hot rolled Al-killed steels. Kouichi Takeuchi, et al.	S548
549	Cold-work brittleness of extra-low carbon hot rolled steel sheet. (Development of extra-low carbon steel sheet with extra-deep drawability--II). Kei Sakata, et al.	S549
550	Effect of hot rolling condition on the hot rolled-recrystallized texture of extra-low carbon steels. Shun-ichi Hashimoto, et al.	S550
551	Effect of hot rolling conditions on r value of hot rolled steel sheets. Takaaki Nakamura, et al.	S551
552	Mechanical properties of Nb-microalloyed hot-rolled steel sheets produced by continuous cast and direct rolling process. Masahiko Oda, et al.	S552
553	Influence of microstructure on the bendability of the transformation hardened super high strength steel. (Development of the transformation hardened super high strength steel--II). Yaichiro Mizuyama, et al.	S553
554	Effect of ferrite grain size on elongation and strength of hot-rolled steel sheet under plane strain stretching test. Masayoshi Suehiro, et al. ...	S554
555	Estimation of ferrite grain size after intercritical rolling. (The development of thermo-mechanical-processing technology on hot rolling--III). Manabu Takahashi, et al.	S555
556	Effect of thermo-mechanical treatment on mechanical properties of low C-high Mn-high Nb steel coil. Kazutoshi Kunishige.	S556
557	Development of API5LX80 line pipe for sour gas service. (Development of high toughness line pipe steels made from CC-slabs for sour gas service--III). Akira Ito, et al.	S557
558	Development of electric resistance welded line pipe for sour gas service. Motofumi Koyuba, et al.	S558
559	Effectiveness of microalloying of Nb to toughness at HF-ERW welded zone. Itsurou Hiroshige, et al.	S559
560	Effect of profiles on the rail surface defect in heavy haul railways. (The study of contact problem between rail and wheel--III). Meiji Sato, et al.	S560
561	Fundamental study on air quenching for in-line heat treated rail. (Development of in-line heat treatment for high strength rail--I). Hideaki Kageyama, et al.	S561
562	Fundamental study on mist jet cooling for in-line heat treated rail. (Development of in-line heat treatment for high strength rail--II). Yoshiaki Makino, et al.	S562
563	Fundamental study on salt bath quenching for in-line heat treated rail. (Development of in-line heat treatment for high strength rail--III). Keiji Fukuda, et al.	S563

564	Strengthening and toughening of Fe-Ni-Ti maraging steel by unrecrystallized solution treatment. Kazuhiko Kuribayashi, et al.	S564
565	Heat treatment and mechanical properties of a medium carbon Ni-Cr-Mo-V steel. Yoshihiro Kataoka, et al.	S565
566	Evaluation of dynamic fracture toughness in a cast iron by instrumented charpy test. Teruo Kishi, et al.	S566
567	Types of creep behavior for SUS304 and 316 steels. Masao Sakamoto, et al. ...	S567
568	Effect of precipitates on the long term creep rupture strength of 18%Cr-8%Ni stainless steels. Hideto Kimura, et al.	S568
569	Effect of hot corrosion on the creep rupture properties of austenite stainless steels. Seiichi Ikeda, et al.	S569
570	Various properties of high strength and high corrosion resistant austenitic steel tubes for boiler. Yoshiatsu Sawaragi, et al.	S570
571	Inspection of inner-surface-fine-grained SUS321HTB boiler tubing after long term use. Takahiro Kanero, et al.	S571
572	Hot-hardness of nickel base superalloys for jet engine before and after service. Akihiro Ohara, et al.	S572
573	Isothermal forging of the Ni-base superalloy, waspaloy in air. Takehiro Ohno, et al.	S573
574	Measurement of lattice misfit between γ and γ' phase in Ni-base superalloys. Katsumi Ohno, et al.	S574
575	Creep rupture life of γ' -phase precipitation hardened nickel-base cast superalloys strengthened by grain boundary carbides. Katsuyuki Kusunoki, et al.	S575
576	Creep rupture properties of modified Ni-Cr-W alloys in an impure helium environment. Tatsuhiko Tanabe, et al.	S576
577	Effects of σ -phase precipitation on mechanical properties of Fe-Ni base superalloys. Kazuaki Nishino, et al.	S577
578	Influence of carbon content and tool materials on adhesion in machining. Sakae Katayama, et al.	S578
579	Effect of sulfur content in steel on the wear of ZrO ₂ cutting tool. Sakae Katayama, et al.	S579
580	Influence of MnS in steel on shear stress in machining. Sakae Katayama, et al.	S580
581	Influence of MnS Inclusion and Microstructure on drilling machinability. Satoyuki Ishizaki, et al.	S581
582	Machinability of extremely low-leaded free machining case hardening steel. Kaneaki Hamada, et al.	S582
583	The influence of lead and boron on machinability of low-carbon resulfurized free-cutting steels. Masashi Sato, et al.	S583

APRIL 3, 1987

584	Structure and wear resistance of adamite roll materials for hot working rolls. Hiroshi Noguchi, et al.	S584
585	Effect of Mo and V contents on wear resistance and surface condition of work roll for cold strip mill. Tatsumi Kimura, et al.	S585
586	The change of MC morphology of 3 % V high speed steel by addition of rare earth metal and its behavior. Yasushi Tamura, et al.	S586
587	The effect of rare earth metal on the toughness of the 5 % Cr hot work die steel. Yukinori Matsuda, et al.	S587
588	Effects of Mo and Co contents on wear resistance of die steels. Ken Kashiwagi, et al.	S588
589	Heat-check properties of 7.5Ni-3Co high toughness tool steel. Toshimitsu Fujii, et al.	S589
590	Effect of granulation of eutectic carbide of austenite cast steel on toughness and wear resistance. (Tribology on tools for hot working--I). Kenji Tsubouchi, et al.	S590
591	Improvement of fatigue strength of bearing steel by cleanliness. Miyuki Yamamoto, et al.	S591
592	Effect of deformation condition on austenite grain size in 3.5 Ni Cr Mo V steel. (Study on recrystallization and grain growth of austenite during hot forging in heavy forgings--I). Hiromi Hori, et al.	S592
593	Production of super clean rotor forging. Mitsuyuki Tanaka, et al.	S593
594	Evaluation of high purity rotor for low pressure turbine. Yomei Yoshioka, et al.	S594
595	Effects of alloying elements on mechanical properties of high Cr turbine rotor steels. Kentaro Asakura, et al.	S595
596	Mechanical properties of 12 Cr rotor forging for an advanced turbine. (Advanced 12 Cr rotor for high temperature steam turbine--III). Tomohiro Tsuchiyama, et al.	S596
597	The effect of Ni and W on creep rupture strength of 12 Cr steel. (Advanced 12 Cr rotor for high temperature steam turbine--IV). Yusaku Takano, et al.	S597

598	Effect of Al, Ti, B and N contents on the mechanical properties of direct quenched and tempered steels. Yoshio Terada, et al.	S598
599	Effect of niobium on hardenability of boron treated direct quenched steels. Yoshihiko Kamada, et al.	S599
600	The influence of alloying elements on mechanical properties of high strength steel plates by direct quenching process. Takayuki Honda, et al.	S600
601	Effects of boron on change in hardenability of high tensile steel plate by the time from finish rolling to direct quench. Tomoya Koseki, et al.	S601
602	Effect of low finish-cooling temperature on strength and toughness of accelerated cooled carbon steel plates. Kenji Abe, et al.	S602
603	Effect of finish-cooling temperature on mechanical properties of accelerated cooled steel plate. Taneo Hatomura, et al.	S603
604	Effect of chemical compositions and microstructure on strength and toughness of steels produced by controlled rolling and cooling. (Research about the property control of the controlled cooled thick plates--VIII). Hiroshi Yoshikawa, et al.	S604
605	High Ti steel plate for line pipe with dynamic accelerated cooling process. Yasuo Nakatsuka, et al.	S605
606	Effect of Ti-addition on the microstructure and mechanical properties of direct rolled plate. (Metallurgical study on direct rolling of plates--I). Naoki Doi, et al.	S606
607	$\gamma \rightarrow \alpha$ transformation behavior in steels containing Ti-oxide particles. (Study on steels of high HAZ toughness through fine oxide dispersion--IV). Koichi Yamamoto, et al.	S607
608	Development of offshore structural Ti-oxide dispersed steels with good CTOD properties in weld joint. (Study on steels of high HAZ toughness through fine oxide dispersion--V). Rikio Chijiwa, et al.	S608
609	The contribution of local brittle zone to the toughness of welded joint of 50 kgf/mm ² class offshore steel. Takahiro Kubo, et al.	S609
610	Effect of warm forming on the mechanical properties of YS 42 kgf/mm ² class steel produced by thermo-mechanical control process. Shigeru Endo, et al.	S610
611	Development of heavy section 80 kgf/mm ² class high tensile strength steel with high toughness of welded joint. (Study of toughness of welded joint of 80 kgf/mm ² class high tensile strength steel for low temperature service--III). Hidetaka Chiba, et al.	S611
612	Effect of alloying elements on ductile fracture property of HT80. (Development of high-ceq. structural steel plates with improved COD value--II). Toshiei Hasegawa, et al.	S612
613	Manufacture of low Si type SA508cl.4b steel forging and their properties. Hidefumi Tani, et al.	S613
614	Effects of alloying elements on high-temperature strength of 2 1/4Cr-1Mo type steels. (Development of high strength 2 1/4Cr-1Mo steel--I). Moriyasu Nagae, et al.	S614
615	Effects of morphology and distribution of precipitates on grain boundary properties in 2 1/4Cr-1Mo steels. Junichi Shimomura, et al.	S615
616	Effect of W, V on high temperature strength of 3 Cr steel. B. H. Chi, et al.	S616
617	Influence of copper and nitrogen on high temperature torsional deformation in 19Cr-4Ni duplex stainless steel. Yukinori Ikarashi, et al.	S617
618	Control of ferrite content in girth weld metal of duplex stainless steel. Masao Tsuji, et al.	S618
619	Partition of alloying elements in duplex stainless steel welds. Toshihiko Koseki, et al.	S619
620	Properties of Si-bearing high strength duplex stainless steel. (Development of high strength stainless steel for railway car structure--II). Hisashi Kondo, et al.	S620
621	Corrosion morphology and SCC limit of duplex stainless steel in H ₂ S-Cl ⁻ environments. Akihiro Miyasaka, et al.	S621
622	SUS316L/SUS444 powder mixed duplex stainless steel with high resistance to stress corrosion cracking. Takeo Kudo, et al.	S622
623	Pitting corrosion resistance of nitrogen bearing duplex stainless steels. Hitoshi Misao, et al.	S623
624	Pitting potential of ion nitrided duplex stainless steels. Kazuo Ichii, et al.	S624
625	Crevice corrosion of duplex stainless steel in H ₂ S-Cl ⁻ environments. Shigeki Azuma, et al.	S625
626	Effect of microstructural control on properties of high manganese nonmagnetic steel. Tadashi Ono, et al.	S626
627	Influence of enlarging temperature on residual stress distribution of 18 Mn 5 Cr cylindrical material. Yoshio Kitamura, et al.	S627

628	Influences of N content and working temperature on mechanical properties of cold-worked 18 Mn 18 Cr austenitic steel.	
	Yoshio Kitamura, et al.	S628
629	Relationship between hydrogen attack and ultrasonic properties.	
	Hideaki Tanaka, et al.	S629
630	Effect of waveform on potential drop curve and detection of fatigue crack initiation. (Detection of creep fatigue crack initiation by DC potential drop method--I). Shozo Azuma, et al.	S630
631	Relationship between crack initiation, propagation and potential drop curve. (Detection of creep fatigue crack initiation by DC potential drop method--II). Shozo Azuma, et al.	S631
632	Controlling factors for sintering of grain boundary cavities.	
	Junro Kyono, et al.	S632
633	Sintering of creep cavities and microcracks in austenite stainless steels. Masatsugu Kaise, et al.	S633
634	Creep rupture strength and grain-boundary sliding in a grain-boundary toughened austenitic heat-resisting steel. Manabu Tanaka, et al.	S634
635	Effect of austenitizing condition and lowering silicon content on toughness and rupture strength of 1 % Cr Mo V casing cast steel.	
	Yoshitaka Iwabuchi, et al.	S635
636	Creep rupture properties under internal pressure of STBA23 steel tube after prolonged service. Osamu Kanemaru, et al.	S636

-- NEW MATERIALS AND NEW PROCESSING --

APRIL 1, 1987

637	Application of rapid quenching technique to ceramics. Yasuyoshi Torii.	S637
638	Amorphization by mechanical alloying. Hiroshi Kimura, et al.	S638
639	Exothermic fusion of Ni-Ti compact. Yoshikazu Suzuki, et al.	S639
640	Analysis of core losses of sintered ferrous magnetic materials.	
	Yoshisato Kiyota, et al.	S640
641	HIP application to soft magnetic parts. Akira Takase, et al.	S641
642	Mechanical properties of HIP'ed bimetallic cylinder. Seiji Muraki, et al.	S642
643	Characteristics of hot extruded P/M sendust alloy.	
	Katsu Yanagimoto, et al.	S643
644	Droplet casting by gas atomizing in reduced atmosphere.	
	Kentarō Mori, et al.	S644
645	Characteristic of arc droplet casting process. (Study of arc droplet casting process--I). Hideaki Mizukami, et al.	S645
646	Effects of casting conditions on inner qualities of ingot. (Study of arc droplet casting process--II). Kentarō Mori, et al.	S646
647	Arc melting phenomena under low pressure atmosphere. (Study of arc droplet casting process--III). Hirotaka Nakagawa, et al.	S647
648	Radiation thermometry for molten metal droplets. (Study of arc droplet casting process--IV). Naoki Harada, et al.	S648
649	Solidification rate of SUS304 melt measured by a dip test.	
	Takashi Yamauchi, et al.	S649
650	Properties of rapidly solidified S45C strip. Kunio Matsui, et al.	S650
651	Pouring methods on the making process of thin sheet of iron by twin-roll solidification method and their effects. Tomohiro Inoue, et al.	S651
652	Production and mechanical properties of cast iron sheet produced by twin-roll method. Takashi Osako, et al.	S652
653	Press formability of room temperature type damping steel. (Improvement in the quality of damping steel--II). Nobuyuki Kino, et al.	S653
654	Spot weldability of damping sheet. (Development of direct spot weldable damping sheet--I). Kiyoyuki Fukui, et al.	S654
655	Characteristics of vibration-damping sheet with P.V.C.-sol as core material. Toshinori Kawano, et al.	S655
656	Heat induced deformation of light weight sandwiched steel sheet.	
	Hiroyuki Nagai, et al.	S656
657	Development of light weight laminated steel with dent resistability. (Improvement in the quality of light weight laminated steel--V). Nobuyuki Kino, et al.	S657
658	Residual stress at bond of different materials. Toshio Terasaki, et al.	S658
659	Manufacturing method of insert metals for T.L.P. (Newly developed composited pipe by T.L.P. bonding--I). Hiroshi Kagechika, et al.	S659
660	Trial manufacture of bimetallic pipe by T.L.P. bonding.	
	Toshifumi Kojima, et al.	S660
661	Time-temperature-adhesive tensile strength (TTS ₁) diagram of high-carbon steel. Toshiei Misawa, et al.	S661
662	Development of FRM impeller for gas turbine engine.	
	Toshinori Nakamura, et al.	S662

663	Dynamical properties of fiber reinforced metal. Tatsunori Ide, et al.	S663
664	Carbon fiber reinforced aluminum composite material. Hung-Sug Yoon, et al. ...	S664
665	Mechanical properties of SiC whisker reinforced aluminium alloy composites. Hazime Fukumoto, et al.	S665
666	Compressibility and recrystallization of extruded bar of Y ₂ O ₃ dispersion strengthened Ni-base superalloys. Yozo Kawasaki, et al.	S666
667	Ceramic matrix composite material reinforced with designed metal fiber. Makoto Saito, et al.	S667
668	Observation of microcrack toughening in glas matrix composite using acoustic emission. Yutaka Kagawa, et al.	S668
669	Development of composite rolls for hot rolling by HIP bonding. Yoshihiro Nakagawa, et al.	S669
670	Effect of Cr addition on shape memory effect and martensitic transformation in Fe-Mn-Si alloys. Hiroaki Ohtsuka, et al.	S670

APRIL 2, 1987

671	Number of oxygen sensors consumed in Japanese steelmakers during one year of 1985. Kazuhiro S. Goto, et al.	S671
672	Electrical conductivity parameter of solid electrolyte for oxygen sensor. Minoru Sasabe.	S672
673	Possibility of developing electrochemical sensors for the rapid determinations of the dissolved elements in iron and steel. Masanori Iwase.	S673
674	Development of chemical component sensor using thermal E.M.F. method. Hiroaki Kosaka, et al.	S674
675	Application of chemical sensors on the non-ferrous smelting. Zensaku Kozuka, et al.	S675
676	High temperature gas sensors for SO _x and CO ₂ using solid electrolytes. Yasutoshi Saito, et al.	S676
677	Development of humidity sensors. Eiji Itoh, et al.	S677
678	Development of the limiting current type oxygen sensor. Hiroshi Osanai.	S678
679	Solid Electrolyte type hydrogen sensors. Hiroyasu Iwahara.	S679
680	Fundamental study of magnetic shaping of molten melts. Tomoo Isawa, et al.	S680
681	Numerical analysis of molten metal shape control. Akio Nagamune, et al.	S681
682	Conditions for realizing the moldless continuous casting. (Electromagnetic holding of molten metal--I). Sumio Kobayashi, et al.	S682
683	Shape of molten metal by electromagnetic holding. (Electromagnetic holding of molten metal--II). Sumio Kobayashi, et al.	S683
684	Falling behavior of molten metal film. Masaaki Takagi, et al.	S684
685	Horizontal electromagnetic casting and stability analysis. Toshiyuki Kozuka, et al.	S685
686	The simulation of the relationship between surface waves in the mold and the quality of strands' surfaces using Sn-Pb alloy. Michiya Hayashida, et al.	S686
687	Direct electric charging to molten steel. Kenzo Ando, et al.	S687
688	Velocity measurement of liquid metal flow. Kouji Hosotani, et al.	S688
689	Investigation of high power plasma torch for plasma heating. (Application of plasma heating for steel making process--I). Ikuyo Nomura, et al.	S689
690	The heating characteristics of the plasma system in tundish. (Application of plasma heating for steel making process--II). Mitsutoshi Mimura, et al.	S690
691	Application of plasma arc to heating molten steel in tundish. (Application of plasma heating to steel making process--III). Shun-ichi Tanaka, et al.	S691
692	Superplasticity and cold workability of near- β type Ti-9V-2Mo-3Al alloy. Satoshi Yamazaki, et al.	S692
693	Design of titanium alloys suitable for superplastic forming. Hidehiro Onodera, et al.	S693
694	Correlation between total elongation and m value in a Ti-6Al-4V alloy. Muneo Oka, et al.	S694
695	Effect of γ' phase content in René 95 and its derivative alloys on parameters in superplasticity and tensile properties at 760°C. (Superplastic forging of HIP-consolidated powder and tensile properties of the obtained alloy--II). Shizuo Nakazawa, et al.	S695
696	Effects of carbon content on thermal expansion and high temperature strength of Ni-base cast-material, hiped-powder and superplasticity-forged-pancake. Yutaka Koizumi, et al.	S696

APRIL 3, 1987

697	Notched toughness of metastable beta titanium alloys. Yoshihito Sugimoto, et al.	S697
-----	---	------

698	The effect of Al additions on the mechanical properties of Ti-V beta alloys. Yuzo Ohtakara.	S698
699	The effect of cold drawing and aging on the strength of Ti-15Mo-5Zr-3Al and Ti-13V-11Cr-3Al. Toshio Matsumoto, et al.	S699
700	Mechanical properties of electron beam welded Ti-15V-3Cr-3Sn-3Al alloy. Mitsutane Fujita, et al.	S700
701	Trial production results of Ti-15V-3Al-3Sn-3Cr cold rolled sheets. Minoru Okada, et al.	S701
702	Effect of the cooling rate from $\alpha+\beta$ region on the microstructure of Ti-6Al-4V alloys. Hideki Fujii, et al.	S702
703	Effect of the cooling rate on the mechanical properties of solution-treated and aged Ti-6Al-4V alloys. Hideki Fujii, et al.	S703
704	Determination of β -transus by electric resistivity measurement and establishment of estimation formula for β -transus in titanium alloys. Atsushi Ogawa, et al.	S704
705	Mechanical properties of typical ($\alpha+\beta$) and β type titanium alloys. Ikuhiro Inagaki, et al.	S705
706	Effect of alloying element and cooling rate on microstructure and mechanical properties of near α type titanium alloys. Shinji Mitao, et al.	S706
707	Improvement of strength of intermetallic compound TiAl by hot working. Shinji Mitao, et al.	S707
708	Hot rolling texture in titanium sheet. Masao Koike.	S708
709	Orientation distribution function analysis of Ti alloys and its applications to the control of γ value. Hirosuke Inagaki.	S709
710	Fatigue properties of blended elemental Ti-6Al-4V alloy produced from high chlorine titanium sponge fines. Masuo Hagiwara, et al.	S710
711	Development of free-machining titanium. Sadayuki Nakamura, et al.	S711
712	The effect of intermedium material on bonding properties. (Development of titanium clad steel by hot roll bonding process--III). Yoshinori Seino, et al.	S712
713	Influence of turnings and commercially pure titanium gutter. (The package melting method of titanium alloy scrap--II). Tsutomu Oka, et al.	S713
714	Chemical aspects in structural ceramics. Masahiro Yoshimura.	S714
715	Nature of the tetragonal-monoclinic transformation in PSZ. Hiroyasu Saka, et al.	S716
716	The sintering of Si_3N_4 -HIP map for liquid phase sintering. Kohichi Tanaka, et al.	S717
717	Sinter/HIP treatment of Si_3N_4 green body and its properties. Shiro Torizuka, et al.	S718
718	Hot isostatic pressing of alumina ceramics. Kazuhisa Itakura, et al.	S719
719	Preparation of alumina ceramics by vibration pressing method. Hiroo Kobayashi.	S720
720	Synthesis of ceramic powders by CO_2 laser heated vapor phase reactions. Kiyoshi Sawano, et al.	S721
721	Determination of oxygen and nitrogen in powder of ceramics. Akira Hiraya, et al.	S722
722	Evaluation of ceramics. Teruo Kishi.	S723
723	Evaluation of mechanical properties and carbon bondings in sintered silicon nitride. Koji Watari, et al.	S725
724	Fatigue behavior of isostatically hot-pressed yttria containing tetragonal zirconia polycrystals (Y-TZP). Masahiro Ashizuka, et al.	S726
725	Evaluation of dynamic fracture toughness of ceramics. Ken-ichi Suzuki, et al.	S727
726	Measurement of dynamic and static fracture toughness and effect of notch root radius in ceramics. Hideki Ikawa, et al.	S728
727	Effect of pre-cracking procedures on fracture toughness of ceramic materials. Tetsuro Nose, et al.	S729
728	Fracture toughness tests of fatigue precracked Si_3N_4 specimens. Mutsuharu Muto, et al.	S730
729	Releasing of thermal stress occurred in joint during diffusion bonding. (Development of Si_3N_4 /nimonic solid diffusion bonding--I). Takemi Yamada, et al.	S731
730	Relationship between high temperature strength and re-distribution of residual thermal stress. (Development of Si_3N_4 /nimonic solid diffusion bonding--II). Takemi Yamada, et al.	S732
731	Detection of tensile fracture behavior in ceramics/metal bonded specimen by acoustic emission technique. Yoshihiko Obata, et al.	S733
732	Fracture strength and mode of shearing and four-point bending tests for Si_3N_4 joints. Manabu Enoki, et al.	S734
733	Metallizing technique for alumina ceramics with copper. Tsuneo Enokido, et al.	S735